


2015 Kansas Behavioral Risk Factor Surveillance System Local Data

Saline County



January 2017

2015 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Sam Brownback, Governor

Kansas Department of Health and Environment
Susan Mosier, MD, MBA, FACS, Secretary and State Health Officer

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion (BHP)

Report Supervision:
Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance, Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:
Partial funding for the 2015 Behavioral Risk Factor Survey was provided by cooperative agreement 6NU58DP006025-01-01 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion**
January 2017

Kansas Department of Health and Environment (KDHE)


Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov



Saline County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2015 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
Pratik.Pandya@ks.gov

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1949
Fax: 785-296-8059
Ghazala.Perveen@ks.gov



Table of Contents

Alcohol Consumption

Binge Drinking.....	1
---------------------	---

Arthritis

Arthritis	3
Activity Limitation Due to Arthritis	5

Asthma	7
---------------------	---

Cancer

Cancer (Excluding Skin Cancer)	9
Skin Cancer	11

Cardiovascular Health

Heart Attack	13
Coronary Heart Disease	15
High Blood Pressure	17

Cholesterol

Not Checked Cholesterol within Five Years	19
High Blood Cholesterol Status.....	21

Chronic Obstructive Pulmonary Disease (COPD)	23
---	----

Depressive Disorder	25
----------------------------------	----

Diabetes	27
-----------------------	----

Disability

Activity Limitation Due to Physical, Mental or Emotional Problems	29
Disability	31

Exercise and Physical Activity

Not Participating in the Recommended Level of Physical Activity (Aerobic AND/OR Strengthening)	33
Did Not Participate in the Recommended Level of Aerobic AND Strengthening Physical Activity.....	35
Not Participating in Any Physical Activity	37

Fruits and Vegetable Consumption

Consuming Fruits Less than 1 Time Per Day	39
Consuming Vegetables Less than 1 Time Per Day.....	41

Health Care Access

Lack of Health Care Coverage.....	43
Lack of Health Care Coverage 18 to 64 Years Old Only	45
No Personal Doctor	47
Did Not See Doctor Due to Cost.....	49

General Health

51

Healthy Days - Health Related Quality of Life

Physical Health Status.....	53
Mental Health Status	55
Poor Physical or Mental Health is Barrier to Usual Activities.....	57

Immunization

Not Immunized Against Influenza.....	59
Not Immunized Against Influenza 65 Years and Older Only	61
Never Had Pneumonia Vaccination 65 Years and Older Only	63

Seatbelt Use.....

65

Tobacco Use

Current Smoker	67
Tried Quitting Smoking	69
Smokeless Tobacco Use	71
Male Smokeless Tobacco Use	73

Veteran Status

75

Weight Status (BMI Categories)

Obese.....	77
Overweight or Obese	79

Technical Notes.....

81

Unpublished Tables - The following data tables are not published due to insufficient sample and/or statistically unreliable estimates for Saline County: Heavy Drinking and Stroke.

Percentage of Adults Who Are Binge Drinkers, 2015

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,556	15.6	0.3	15.0	16.3
Saline County	58	20.3	2.6	15.1	25.5
Gender					
Men	40	28.9	4.2	20.7	37.2
Women	18	12.2	3.2	6.0	18.4
Age Group					
18 to 44 Years	36	33.3	4.9	23.7	42.9
45 to 64 Years	15	10.9	3.0	5.1	16.8
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	54	20.5	2.8	15.1	26.0
Race					
White	45	18.8	2.8	13.4	24.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	22	19.5	4.1	11.6	27.5
Some College or College Graduate	36	20.8	3.5	14.0	27.6
Annual Household Income					
Less than \$35,000 per Year	21	24.3	5.2	14.1	34.4
\$35,000 or Higher per Year	31	20.5	3.6	13.5	27.5
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	50	23.8	3.2	17.4	30.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	17	23.0	5.3	12.6	33.5
Overweight (25 ≤ BMI < 30)	17	19.1	4.7	9.9	28.4
Obese (BMI ≥ 30)	23	22.1	4.5	13.3	31.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	39	21.4	3.3	14.9	27.8
Does not participate in leisure time physical activity	13	15.7	4.6	6.7	24.7
Smoking Status					
Current smoker	13	22.7	6.2	10.6	34.8
Non-smoker	45	19.8	2.9	14.0	25.5
Health Insurance Status					
Insured	49	19.9	2.8	14.3	25.4
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis, 2015

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,320	24.5	0.3	23.9	25.1
Saline County	124	23.1	2.3	18.7	27.6
Gender					
Men	37	19.3	3.4	12.7	25.9
Women	87	26.8	3.1	20.7	32.8
Age Group					
18 to 44 Years	13	9.2	2.7	3.9	14.4
45 to 64 Years	48	28.7	4.1	20.5	36.8
65 Years and Older	61	45.3	4.9	35.7	55.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	119	24.1	2.4	19.4	28.8
Race					
White	108	22.2	2.4	17.6	26.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	42	21.7	3.7	14.4	29.0
Some College or College Graduate	81	23.8	2.8	18.2	29.4
Annual Household Income					
Less than \$35,000 per Year	45	24.1	4.1	16.1	32.2
\$35,000 or Higher per Year	51	20.9	3.2	14.7	27.2
Disability Status					
Living with a Disability	57	49.7	5.7	38.6	60.9
Living without a Disability	60	15.3	2.2	11.0	19.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	32	23.3	4.5	14.4	32.2
Overweight (25 ≤ BMI < 30)	34	21.5	4.2	13.2	29.7
Obese (BMI ≥ 30)	46	25.3	3.9	17.7	32.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	80	22.2	2.7	16.9	27.4
Does not participate in leisure time physical activity	31	23.6	4.9	13.9	33.2
Smoking Status					
Current smoker	16	19.4	5.8	8.0	30.8
Non-smoker	103	24.0	2.5	19.1	29.0
Health Insurance Status					
Insured	120	25.4	2.5	20.5	30.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2015

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,152	48.2	0.8	46.7	49.7
Saline County	51	48.2	5.9	36.7	59.8
Gender					
Men	*	*	*	*	*
Women	37	49.5	6.6	36.5	62.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	26	49.0	8.2	32.9	65.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	50	50.1	6.0	38.4	61.8
Race					
White	42	45.6	6.3	33.2	57.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	31	38.9	6.7	25.8	52.1
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	39	80.7	5.9	69.1	92.3
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	35	45.6	6.6	32.6	58.6
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	46	47.9	6.1	36.1	59.8
Health Insurance Status					
Insured	50	48.1	5.9	36.5	59.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Current Asthma, 2015

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,990	8.7	0.2	8.2	9.1
Saline County	43	9.3	1.7	6.0	12.7
Gender					
Men	*	*	*	*	*
Women	31	12.0	2.7	6.8	17.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	17	11.1	2.9	5.4	16.8
65 Years and Older	15	9.7	2.7	4.4	15.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	39	9.3	1.8	5.8	12.8
Race					
White	37	9.4	1.8	5.8	13.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	16	8.6	2.4	3.9	13.2
Some College or College Graduate	27	9.9	2.4	5.3	14.5
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	16	13.4	3.7	6.1	20.7
Living without a Disability	25	8.3	2.0	4.4	12.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	18	12.6	3.5	5.7	19.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	25	8.5	2.1	4.4	12.7
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	34	9.4	1.9	5.6	13.2
Health Insurance Status					
Insured	36	8.6	1.7	5.2	12.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2015

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,273	7.1	0.2	6.8	7.5
Saline County	42	7.2	1.2	4.8	9.6
Gender					
Men	13	5.2	1.5	2.3	8.2
Women	29	9.1	1.9	5.4	12.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	18	9.7	2.5	4.8	14.6
65 Years and Older	21	17.5	3.8	10.1	24.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	39	7.6	1.3	5.0	10.2
Race					
White	38	7.5	1.3	4.9	10.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	19	8.3	2.1	4.1	12.5
Some College or College Graduate	23	6.5	1.5	3.6	9.4
Annual Household Income					
Less than \$35,000 per Year	15	6.7	1.9	2.9	10.4
\$35,000 or Higher per Year	16	6.3	1.7	3.0	9.6
Disability Status					
Living with a Disability	22	16.1	3.6	8.9	23.2
Living without a Disability	19	5.1	1.3	2.6	7.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	15	7.9	2.3	3.4	12.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	26	7.6	1.6	4.4	10.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	37	8.1	1.4	5.3	10.8
Health Insurance Status					
Insured	40	7.9	1.4	5.2	10.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2015

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,155	6.4	0.2	6.1	6.7
Saline County	32	5.8	1.3	3.3	8.3
Gender					
Men	*	*	*	*	*
Women	16	4.5	1.2	2.1	6.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	17	12.8	3.2	6.4	19.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	31	6.2	1.4	3.4	8.9
Race					
White	31	6.2	1.4	3.5	9.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	19	4.8	1.2	2.4	7.1
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	14	3.2	0.9	1.4	5.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	19	4.6	1.1	2.4	6.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	29	5.7	1.1	3.5	7.9
Health Insurance Status					
Insured	30	6.2	1.4	3.4	9.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who had a Heart Attack, 2015

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,263	4.0	0.1	3.7	4.2
Saline County	18	3.3	0.9	1.6	5.1
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	16	3.5	1.0	1.6	5.4
Race					
White	16	3.4	1.0	1.5	5.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	17	4.3	1.2	2.0	6.5
Health Insurance Status					
Insured	16	3.5	1.0	1.6	5.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had a heart attack also called a myocardial infarction.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults Who had Angina or Coronary Heart Disease, 2015

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,274	3.8	0.1	3.6	4.0
Saline County	15	2.7	0.8	1.2	4.2
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	14	2.8	0.8	1.2	4.4
Race					
White	13	2.9	0.9	1.2	4.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	14	3.3	1.0	1.4	5.3
Health Insurance Status					
Insured	14	2.9	0.9	1.2	4.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had angina or coronary heart disease.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults with Diagnosed Hypertension, 2015

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	9,207	31.6	0.4	30.9	32.3
Saline County	167	32.9	2.7	27.7	38.1
Gender					
Men	68	34.4	4.1	26.4	42.4
Women	99	31.4	3.4	24.7	38.1
Age Group					
18 to 44 Years	18	14.8	3.9	7.2	22.3
45 to 64 Years	66	42.7	4.5	33.9	51.4
65 Years and Older	80	56.1	4.9	46.6	65.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	158	34.1	2.8	28.6	39.6
Race					
White	149	32.7	2.8	27.2	38.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	68	39.1	4.6	30.1	48.2
Some College or College Graduate	98	28.2	3.1	22.2	34.3
Annual Household Income					
Less than \$35,000 per Year	56	36.5	5.3	26.0	46.9
\$35,000 or Higher per Year	71	27.5	3.4	20.9	34.2
Disability Status					
Living with a Disability	61	49.1	5.6	38.0	60.1
Living without a Disability	99	28.5	3.1	22.4	34.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	30	23.1	4.6	14.1	32.1
Overweight (25 ≤ BMI < 30)	46	25.1	4.5	16.2	34.0
Obese (BMI ≥ 30)	72	44.3	4.8	34.9	53.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	95	27.4	3.0	21.6	33.3
Does not participate in leisure time physical activity	52	41.3	5.9	29.6	52.9
Smoking Status					
Current smoker	23	33.9	7.2	19.8	48.0
Non-smoker	137	32.8	2.9	27.1	38.4
Health Insurance Status					
Insured	156	34.7	2.9	29.0	40.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2015**

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,834	25.9	0.4	25.1	26.7
Saline County	84	26.6	2.8	21.0	32.1
Gender					
Men	48	31.3	4.3	22.9	39.7
Women	36	21.7	3.6	14.6	28.8
Age Group					
18 to 44 Years	55	48.2	5.1	38.2	58.2
45 to 64 Years	22	13.6	3.2	7.3	19.9
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	71	25.3	3.0	19.5	31.1
Race					
White	70	26.2	3.0	20.3	32.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	37	33.1	4.9	23.5	42.6
Some College or College Graduate	47	22.0	3.3	15.6	28.5
Annual Household Income					
Less than \$35,000 per Year	34	39.7	5.8	28.3	51.0
\$35,000 or Higher per Year	34	19.7	3.4	13.1	26.3
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	67	30.9	3.5	24.1	37.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	23	30.5	6.0	18.7	42.3
Overweight (25 ≤ BMI < 30)	26	25.0	5.0	15.1	34.9
Obese (BMI ≥ 30)	25	24.4	4.7	15.2	33.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	50	23.2	3.2	16.8	29.5
Does not participate in leisure time physical activity	24	33.8	6.5	21.1	46.4
Smoking Status					
Current smoker	26	50.5	7.6	35.6	65.3
Non-smoker	53	20.5	2.9	14.9	26.1
Health Insurance Status					
Insured	61	22.2	2.9	16.5	28.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years.

Denominator: All respondents excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2015

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,479	37.4	0.4	36.5	38.2
Saline County	161	39.8	3.0	33.9	45.8
Gender					
Men	67	42.6	4.6	33.6	51.7
Women	94	37.3	4.0	29.5	45.1
Age Group					
18 to 44 Years	19	19.6	4.8	10.1	29.1
45 to 64 Years	67	45.0	4.7	35.7	54.3
65 Years and Older	70	56.7	5.1	46.7	66.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	150	39.1	3.1	33.0	45.3
Race					
White	146	40.0	3.2	33.7	46.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	57	42.8	5.2	32.6	53.0
Some College or College Graduate	104	38.0	3.7	30.7	45.4
Annual Household Income					
Less than \$35,000 per Year	44	39.9	5.9	28.3	51.5
\$35,000 or Higher per Year	80	37.3	4.1	29.3	45.3
Disability Status					
Living with a Disability	53	49.1	6.1	37.1	61.1
Living without a Disability	102	37.8	3.7	30.6	45.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	34	37.1	6.2	24.9	49.3
Overweight (25 ≤ BMI <30)	52	35.1	5.1	25.2	45.0
Obese (BMI ≥ 30)	64	47.9	5.3	37.6	58.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	114	41.2	3.7	33.9	48.5
Does not participate in leisure time physical activity	36	39.4	6.5	26.8	52.1
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	134	40.8	3.4	34.2	47.5
Health Insurance Status					
Insured	150	40.3	3.2	34.0	46.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2015**

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,752	6.2	0.2	5.8	6.5
Saline County	41	8.0	1.6	5.0	11.1
Gender					
Men	*	*	*	*	*
Women	28	8.4	1.8	4.9	11.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	20	13.6	3.6	6.5	20.6
65 Years and Older	18	12.7	3.1	6.6	18.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	40	8.8	1.7	5.4	12.1
Race					
White	32	7.3	1.6	4.2	10.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	22	13.2	3.3	6.6	19.7
Some College or College Graduate	19	4.5	1.2	2.2	6.8
Annual Household Income					
Less than \$35,000 per Year	25	14.7	3.4	8.0	21.5
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	23	22.4	5.2	12.3	32.6
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	14	7.5	2.2	3.2	11.9
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	18	10.0	2.6	4.8	15.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	19	5.2	1.4	2.5	7.9
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	26	6.5	1.4	3.7	9.3
Health Insurance Status					
Insured	37	8.7	1.8	5.3	12.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,
2015**

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,472	19.4	0.3	18.8	20.1
Saline County	93	21.2	2.3	16.6	25.7
Gender					
Men	26	14.5	3.0	8.6	20.3
Women	67	27.7	3.5	20.9	34.5
Age Group					
18 to 44 Years	28	20.6	3.9	12.9	28.3
45 to 64 Years	42	25.4	3.8	17.9	32.9
65 Years and Older	23	15.6	3.6	8.5	22.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	84	21.4	2.5	16.5	26.2
Race					
White	83	22.1	2.5	17.2	27.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	34	20.2	3.7	13.0	27.5
Some College or College Graduate	59	21.9	3.0	16.0	27.8
Annual Household Income					
Less than \$35,000 per Year	37	24.0	4.3	15.6	32.4
\$35,000 or Higher per Year	34	17.2	3.0	11.2	23.2
Disability Status					
Living with a Disability	47	40.6	5.4	29.9	51.2
Living without a Disability	42	16.2	2.6	11.0	21.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	18	15.6	4.1	7.5	23.7
Overweight (25 ≤ BMI <30)	27	19.9	4.0	12.0	27.8
Obese (BMI ≥ 30)	41	26.8	4.2	18.5	35.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	51	18.1	2.7	12.8	23.3
Does not participate in leisure time physical activity	34	30.0	5.4	19.5	40.5
Smoking Status					
Current smoker	26	33.1	6.6	20.3	46.0
Non-smoker	65	19.0	2.5	14.1	23.9
Health Insurance Status					
Insured	82	20.9	2.5	16.1	25.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2015

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,878	9.7	0.2	9.3	10.1
Saline County	49	8.6	1.3	6.0	11.2
Gender					
Men	18	8.4	2.0	4.4	12.3
Women	31	8.8	1.7	5.4	12.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	17	9.1	2.2	4.7	13.5
65 Years and Older	27	21.9	4.2	13.7	30.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	45	8.7	1.4	6.0	11.4
Race					
White	40	7.9	1.3	5.3	10.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	22	10.0	2.3	5.6	14.5
Some College or College Graduate	26	7.2	1.5	4.1	10.2
Annual Household Income					
Less than \$35,000 per Year	22	11.4	2.7	6.2	16.7
\$35,000 or Higher per Year	18	6.2	1.6	3.1	9.3
Disability Status					
Living with a Disability	20	16.5	3.8	9.0	24.0
Living without a Disability	27	6.2	1.3	3.7	8.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	29	13.6	2.7	8.3	19.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	31	8.3	1.6	5.2	11.5
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	44	9.9	1.6	6.8	13.1
Health Insurance Status					
Insured	46	9.3	1.5	6.4	12.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental or Emotional Problems, 2015**

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,248	20.0	0.3	19.3	20.6
Saline County	106	20.5	2.2	16.2	24.8
Gender					
Men	39	17.3	3.2	11.1	23.5
Women	67	23.6	3.1	17.6	29.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	48	30.6	4.4	22.0	39.3
65 Years and Older	47	38.3	5.0	28.5	48.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	100	21.6	2.4	16.9	26.2
Race					
White	91	20.2	2.3	15.6	24.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	39	22.1	3.9	14.5	29.6
Some College or College Graduate	67	19.4	2.6	14.3	24.5
Annual Household Income					
Less than \$35,000 per Year	49	28.5	4.4	19.8	37.1
\$35,000 or Higher per Year	37	15.1	2.9	9.5	20.8
Weight Category					
Normal or Underweight (BMI < 25)	27	20.0	4.3	11.6	28.4
Overweight (25 ≤ BMI < 30)	31	17.1	3.8	9.7	24.4
Obese (BMI ≥ 30)	41	24.4	3.9	16.7	32.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	60	16.0	2.2	11.5	20.4
Does not participate in leisure time physical activity	37	28.0	5.2	17.8	38.2
Smoking Status					
Current smoker	18	21.9	5.9	10.3	33.6
Non-smoker	87	20.1	2.3	15.6	24.7
Health Insurance Status					
Insured	96	21.1	2.4	16.4	25.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2015

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,842	21.9	0.3	21.2	22.5
Saline County	113	21.8	2.3	17.4	26.2
Gender					
Men	41	18.6	3.2	12.2	24.9
Women	72	25.0	3.1	18.9	31.1
Age Group					
18 to 44 Years	12	6.6	2.0	2.7	10.4
45 to 64 Years	51	32.8	4.5	24.0	41.5
65 Years and Older	50	40.0	5.0	30.1	49.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	107	23.0	2.4	18.2	27.7
Race					
White	98	21.7	2.4	16.9	26.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	43	24.0	4.0	16.3	31.8
Some College or College Graduate	70	20.3	2.6	15.1	25.5
Annual Household Income					
Less than \$35,000 per Year	50	29.0	4.4	20.3	37.7
\$35,000 or Higher per Year	41	16.9	3.0	11.0	22.8
Weight Category					
Normal or Underweight (BMI <25)	28	20.3	4.3	11.8	28.7
Overweight (25 ≤ BMI < 30)	33	18.1	3.8	10.6	25.6
Obese (BMI ≥ 30)	44	26.6	4.0	18.7	34.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	64	16.9	2.3	12.4	21.4
Does not participate in leisure time physical activity	40	30.5	5.4	20.0	41.0
Smoking Status					
Current smoker	18	21.9	5.9	10.3	33.6
Non-smoker	94	21.8	2.4	17.1	26.5
Health Insurance Status					
Insured	103	22.6	2.4	17.8	27.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2015

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	16,199	80.7	0.4	80.0	81.4
Saline County	300	81.5	2.4	76.7	86.3
Gender					
Men	123	85.3	3.1	79.3	91.4
Women	177	78.2	3.6	71.0	85.3
Age Group					
18 to 44 Years	97	80.5	4.1	72.4	88.6
45 to 64 Years	114	83.4	3.6	76.3	90.4
65 Years and Older	88	80.9	3.9	73.2	88.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	271	81.3	2.6	76.2	86.4
Race					
White	268	81.2	2.6	76.1	86.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	115	84.9	3.4	78.3	91.6
Some College or College Graduate	185	79.2	3.4	72.6	85.8
Annual Household Income					
Less than \$35,000 per Year	101	87.5	3.3	81.0	94.0
\$35,000 or Higher per Year	149	78.2	3.6	71.1	85.4
Disability Status					
Living with a Disability	80	83.2	4.2	75.1	91.4
Living without a Disability	215	80.8	2.9	75.1	86.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	73	78.0	4.9	68.3	87.7
Overweight (25 ≤ BMI < 30)	98	74.8	5.0	65.1	84.6
Obese (BMI ≥ 30)	108	88.0	3.2	81.8	94.3
Smoking Status					
Current smoker	55	90.1	3.9	82.4	97.9
Non-smoker	243	79.2	2.9	73.6	84.8
Health Insurance Status					
Insured	267	81.3	2.7	76.1	86.5
Uninsured	*	*	*	*	*

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2015

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,120	40.3	0.4	39.4	41.2
Saline County	160	41.8	3.1	35.7	47.9
Gender					
Men	62	43.9	4.8	34.5	53.4
Women	98	39.8	3.9	32.2	47.5
Age Group					
18 to 44 Years	51	41.6	5.1	31.6	51.6
45 to 64 Years	62	43.4	4.9	33.9	52.9
65 Years and Older	46	38.9	5.2	28.6	49.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	142	41.3	3.3	34.9	47.7
Race					
White	147	43.6	3.3	37.1	50.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	73	54.2	5.1	44.2	64.2
Some College or College Graduate	87	33.1	3.6	26.0	40.1
Annual Household Income					
Less than \$35,000 per Year	60	48.2	6.0	36.5	59.9
\$35,000 or Higher per Year	66	35.2	4.0	27.3	43.1
Disability Status					
Living with a Disability	55	50.8	6.1	38.8	62.7
Living without a Disability	103	39.3	3.6	32.2	46.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	34	33.4	5.9	21.9	44.9
Overweight (25 ≤ BMI <30)	54	40.7	5.5	29.9	51.5
Obese (BMI ≥ 30)	58	45.3	5.1	35.2	55.4
Smoking Status					
Current smoker	33	55.9	7.7	40.8	70.9
Non-smoker	127	38.4	3.3	32.0	44.8
Health Insurance Status					
Insured	138	40.0	3.3	33.6	46.5
Uninsured	*	*	*	*	*

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2015

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,698	26.5	0.4	25.8	27.3
Saline County	109	28.3	2.8	22.8	33.9
Gender					
Men	44	30.7	4.6	21.7	39.6
Women	65	26.2	3.4	19.5	33.0
Age Group					
18 to 44 Years	33	28.9	4.7	19.6	38.2
45 to 64 Years	38	26.3	4.4	17.6	35.0
65 Years and Older	37	31.9	4.9	22.3	41.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	99	28.5	3.0	22.6	34.4
Race					
White	97	29.2	3.0	23.3	35.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	59	45.0	5.0	35.1	54.8
Some College or College Graduate	50	16.5	2.6	11.5	21.6
Annual Household Income					
Less than \$35,000 per Year	48	40.6	5.8	29.3	51.9
\$35,000 or Higher per Year	35	17.8	3.3	11.4	24.3
Disability Status					
Living with a Disability	40	41.5	6.0	29.7	53.3
Living without a Disability	67	24.7	3.2	18.5	31.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	20	19.5	5.0	9.7	29.3
Overweight (25 ≤ BMI <30)	33	25.8	5.1	15.7	35.8
Obese (BMI ≥ 30)	43	32.6	4.7	23.4	41.7
Smoking Status					
Current smoker	28	48.5	7.6	33.5	63.4
Non-smoker	81	23.4	2.7	18.1	28.8
Health Insurance Status					
Insured	93	26.9	3.0	21.0	32.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2015**

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,386	43.7	0.4	42.9	44.6
Saline County	150	42.9	3.1	36.9	48.9
Gender					
Men	71	47.5	4.6	38.5	56.5
Women	79	38.4	4.1	30.4	46.4
Age Group					
18 to 44 Years	52	44.5	5.1	34.5	54.4
45 to 64 Years	56	42.9	4.8	33.6	52.3
65 Years and Older	41	38.8	5.4	28.3	49.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	136	43.4	3.2	37.0	49.7
Race					
White	132	42.6	3.2	36.2	49.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	68	53.2	5.1	43.2	63.2
Some College or College Graduate	82	35.8	3.8	28.4	43.2
Annual Household Income					
Less than \$35,000 per Year	51	46.8	5.8	35.4	58.1
\$35,000 or Higher per Year	76	41.4	4.1	33.3	49.5
Disability Status					
Living with a Disability	38	40.0	5.9	28.4	51.5
Living without a Disability	110	43.7	3.6	36.7	50.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	28	30.0	5.6	19.0	41.0
Overweight (25 ≤ BMI < 30)	50	38.5	5.2	28.3	48.8
Obese (BMI ≥ 30)	61	53.2	5.0	43.4	63.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	92	37.4	3.5	30.5	44.3
Does not participate in leisure time physical activity	53	55.9	6.3	43.5	68.3
Smoking Status					
Current smoker	27	43.2	7.5	28.5	57.9
Non-smoker	123	42.9	3.4	36.4	49.5
Health Insurance Status					
Insured	127	41.6	3.3	35.2	48.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2015**

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,217	22.3	0.4	21.6	23.1
Saline County	80	22.3	2.6	17.2	27.5
Gender					
Men	34	22.1	3.8	14.6	29.6
Women	46	22.5	3.6	15.4	29.6
Age Group					
18 to 44 Years	24	21.1	4.2	12.8	29.4
45 to 64 Years	33	25.4	4.4	16.8	33.9
65 Years and Older	23	20.9	4.5	12.1	29.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	75	23.2	2.8	17.7	28.7
Race					
White	73	23.6	2.9	18.0	29.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	42	30.8	4.7	21.6	39.9
Some College or College Graduate	38	16.6	3.0	10.7	22.6
Annual Household Income					
Less than \$35,000 per Year	38	31.2	5.3	20.9	41.6
\$35,000 or Higher per Year	27	18.3	3.5	11.3	25.2
Disability Status					
Living with a Disability	29	35.9	5.9	24.5	47.4
Living without a Disability	49	19.0	2.9	13.2	24.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	19	18.0	4.7	8.8	27.2
Overweight (25 ≤ BMI < 30)	25	18.7	4.2	10.5	26.9
Obese (BMI ≥ 30)	32	29.5	4.9	19.9	39.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	47	18.8	2.9	13.1	24.5
Does not participate in leisure time physical activity	29	29.7	5.6	18.7	40.7
Smoking Status					
Current smoker	19	29.3	6.8	15.9	42.6
Non-smoker	60	20.3	2.8	14.8	25.9
Health Insurance Status					
Insured	65	20.6	2.8	15.2	26.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2015

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,027	12.8	0.3	12.2	13.4
Saline County	47	13.2	2.0	9.3	17.1
Gender					
Men	20	12.4	2.9	6.7	18.2
Women	27	13.9	2.8	8.5	19.3
Age Group					
18 to 44 Years	24	17.5	3.6	10.5	24.5
45 to 64 Years	22	14.1	3.2	7.8	20.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	29	8.7	1.8	5.2	12.3
Race					
White	38	12.3	2.1	8.3	16.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	28	20.2	3.8	12.7	27.6
Some College or College Graduate	19	8.4	2.1	4.3	12.5
Annual Household Income					
Less than \$35,000 per Year	30	30.7	5.1	20.7	40.8
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	35	14.2	2.4	9.5	19.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	15	19.3	4.9	9.6	29.0
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	15	13.7	3.6	6.6	20.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	27	11.7	2.2	7.3	16.0
Does not participate in leisure time physical activity	16	18.2	4.8	8.8	27.7
Smoking Status					
Current smoker	13	22.2	6.2	10.0	34.3
Non-smoker	32	11.2	2.0	7.2	15.1

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2015**

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,921	15.7	0.4	15.0	16.5
Saline County	46	16.0	2.4	11.2	20.8
Gender					
Men	20	15.1	3.5	8.2	21.9
Women	26	16.9	3.4	10.2	23.6
Age Group					
18 to 44 Years	24	17.5	3.6	10.5	24.5
45 to 64 Years	22	14.1	3.2	7.8	20.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	28	10.6	2.2	6.3	15.0
Race					
White	37	14.9	2.5	10.0	19.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	28	25.7	4.8	16.3	35.0
Some College or College Graduate	18	9.5	2.4	4.7	14.3
Annual Household Income					
Less than \$35,000 per Year	29	38.5	6.4	25.9	51.0
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	35	16.8	2.9	11.2	22.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	14	23.2	6.7	11.3	35.1
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	15	16.2	4.2	8.0	24.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	27	14.3	2.7	8.9	19.6
Does not participate in leisure time physical activity	15	21.1	5.8	9.7	32.6
Smoking Status					
Current smoker	13	24.3	6.8	11.1	37.6
Non-smoker	31	13.7	2.5	8.8	18.6

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2015

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,278	20.1	0.4	19.4	20.8
Saline County	65	17.3	2.2	12.9	21.7
Gender					
Men	44	22.6	3.5	15.7	29.5
Women	21	12.2	2.8	6.8	17.7
Age Group					
18 to 44 Years	38	27.0	4.2	18.8	35.3
45 to 64 Years	18	11.3	2.9	5.5	17.1
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	46	13.9	2.2	9.6	18.2
Race					
White	50	15.8	2.3	11.3	20.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	35	25.4	4.1	17.2	33.5
Some College or College Graduate	30	11.7	2.4	7.1	16.3
Annual Household Income					
Less than \$35,000 per Year	32	26.7	4.8	17.3	36.2
\$35,000 or Higher per Year	18	11.4	2.7	6.2	16.6
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	51	19.5	2.8	14.1	24.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	17	20.4	5.7	10.4	30.3
Overweight (25 ≤ BMI < 30)	19	14.2	3.5	7.4	21.0
Obese (BMI ≥ 30)	24	19.1	3.9	11.4	26.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	37	14.3	2.4	9.5	19.1
Does not participate in leisure time physical activity	21	24.4	5.3	13.9	34.9
Smoking Status					
Current smoker	23	35.7	7.0	21.9	49.5
Non-smoker	39	12.9	2.1	8.7	17.1
Health Insurance Status					
Insured	42	11.4	1.9	7.7	15.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2015

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,120	11.0	0.3	10.5	11.6
Saline County	59	15.1	2.2	10.8	19.4
Gender					
Men	24	14.7	3.3	8.3	21.1
Women	35	15.5	2.9	9.8	21.3
Age Group					
18 to 44 Years	25	16.2	3.5	9.4	23.0
45 to 64 Years	27	19.6	4.1	11.6	27.7
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	49	13.6	2.2	9.2	17.9
Race					
White	48	14.8	2.3	10.2	19.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	31	21.4	4.1	13.5	29.4
Some College or College Graduate	28	10.8	2.4	6.2	15.5
Annual Household Income					
Less than \$35,000 per Year	31	29.1	5.1	19.0	39.2
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	23	25.5	5.5	14.9	36.2
Living without a Disability	32	12.2	2.4	7.6	16.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	14	13.7	4.0	6.0	21.5
Overweight (25 ≤ BMI < 30)	18	13.8	3.8	6.4	21.3
Obese (BMI ≥ 30)	20	15.8	3.9	8.2	23.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	33	12.5	2.4	7.8	17.2
Does not participate in leisure time physical activity	19	19.3	5.0	9.4	29.1
Smoking Status					
Current smoker	21	28.2	6.7	15.1	41.4
Non-smoker	35	11.8	2.2	7.5	16.0
Health Insurance Status					
Insured	34	9.7	2.0	5.8	13.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2015

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,945	15.7	0.3	15.1	16.2
Saline County	79	16.9	2.1	12.7	21.0
Gender					
Men	32	17.9	3.4	11.2	24.6
Women	47	15.9	2.5	11.0	20.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	40	27.6	4.3	19.1	36.1
65 Years and Older	25	20.1	4.0	12.3	28.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	70	16.4	2.2	12.1	20.6
Race					
White	65	15.9	2.2	11.6	20.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	40	24.5	4.1	16.5	32.5
Some College or College Graduate	38	11.2	2.0	7.3	15.2
Annual Household Income					
Less than \$35,000 per Year	37	21.7	4.0	13.8	29.6
\$35,000 or Higher per Year	25	13.3	2.9	7.6	19.0
Disability Status					
Living with a Disability	46	43.4	5.8	32.0	54.7
Living without a Disability	30	9.8	1.9	6.0	13.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	17	13.0	3.5	6.1	19.9
Overweight (25 ≤ BMI < 30)	15	13.0	3.8	5.4	20.5
Obese (BMI ≥ 30)	39	22.2	3.8	14.9	29.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	36	10.6	1.9	6.8	14.4
Does not participate in leisure time physical activity	34	31.1	5.6	20.1	42.0
Smoking Status					
Current smoker	18	22.9	6.1	10.9	34.9
Non-smoker	58	15.5	2.2	11.2	19.9
Health Insurance Status					
Insured	64	15.4	2.2	11.2	19.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Physical Health Was Not Good on 14 or More Days in the Past 30 Days, 2015

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,560	10.0	0.2	9.5	10.4
Saline County	50	9.4	1.6	6.3	12.4
Gender					
Men	19	8.8	2.3	4.2	13.3
Women	31	9.9	2.1	5.9	14.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	24	13.2	3.1	7.2	19.2
65 Years and Older	18	13.0	3.4	6.4	19.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	46	9.7	1.7	6.4	13.0
Race					
White	39	8.9	1.7	5.6	12.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	20	11.6	3.1	5.6	17.6
Some College or College Graduate	30	7.9	1.6	4.7	11.0
Annual Household Income					
Less than \$35,000 per Year	29	16.1	3.7	8.9	23.4
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	37	30.9	5.2	20.7	41.1
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	24	12.0	2.9	6.2	17.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	25	6.6	1.5	3.7	9.6
Does not participate in leisure time physical activity	18	12.9	3.7	5.6	20.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	36	8.3	1.6	5.1	11.4
Health Insurance Status					
Insured	44	9.4	1.7	6.1	12.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14
or More Days in the Past 30 Days, 2015**

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,978	9.7	0.3	9.2	10.2
Saline County	37	7.7	1.5	4.9	10.6
Gender					
Men	*	*	*	*	*
Women	26	9.4	2.1	5.3	13.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	19	8.9	2.3	4.3	13.5
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	33	7.2	1.5	4.3	10.0
Race					
White	28	6.7	1.5	3.8	9.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	15	10.1	2.8	4.5	15.7
Some College or College Graduate	22	6.2	1.5	3.2	9.1
Annual Household Income					
Less than \$35,000 per Year	18	11.9	3.2	5.5	18.2
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	21	15.9	3.7	8.7	23.1
Living without a Disability	15	5.5	1.6	2.3	8.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	20	14.8	3.5	7.9	21.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	18	5.5	1.5	2.5	8.4
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	23	5.1	1.2	2.7	7.4
Health Insurance Status					
Insured	32	7.2	1.5	4.3	10.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2015

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,379	38.7	0.6	37.6	39.9
Saline County	79	37.1	4.0	29.2	45.0
Gender					
Men	29	32.7	5.8	21.3	44.1
Women	50	41.2	5.5	30.4	52.0
Age Group					
18 to 44 Years	23	35.0	6.6	22.0	47.9
45 to 64 Years	32	39.4	6.2	27.2	51.7
65 Years and Older	24	39.5	7.4	24.9	54.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	68	36.3	4.3	28.0	44.7
Race					
White	66	36.2	4.3	27.8	44.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	32	38.2	6.3	25.8	50.5
Some College or College Graduate	47	36.6	5.3	26.3	46.9
Annual Household Income					
Less than \$35,000 per Year	35	43.3	7.4	28.8	57.8
\$35,000 or Higher per Year	26	30.5	5.8	19.2	41.9
Disability Status					
Living with a Disability	40	48.3	6.6	35.3	61.2
Living without a Disability	36	34.2	5.2	23.9	44.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	15	23.7	6.7	10.6	36.8
Overweight (25 ≤ BMI < 30)	20	39.9	8.3	23.6	56.2
Obese (BMI ≥ 30)	36	40.3	6.3	28.0	52.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	43	34.9	5.1	24.9	44.8
Does not participate in leisure time physical activity	28	41.0	8.0	25.5	56.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	54	33.3	4.5	24.5	42.2
Health Insurance Status					
Insured	65	34.4	4.2	26.0	42.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2015**

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	10,526	57.4	0.4	56.6	58.3
Saline County	219	63.1	2.9	57.5	68.7
Gender					
Men	100	68.0	4.2	59.7	76.2
Women	119	58.7	3.9	51.1	66.3
Age Group					
18 to 44 Years	86	71.5	4.6	62.5	80.5
45 to 64 Years	84	62.1	4.6	53.1	71.1
65 Years and Older	46	43.0	5.3	32.6	53.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	197	62.6	3.0	56.6	68.5
Race					
White	192	62.6	3.0	56.7	68.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	89	69.7	4.3	61.3	78.1
Some College or College Graduate	130	58.4	3.8	51.0	65.8
Annual Household Income					
Less than \$35,000 per Year	71	65.7	5.1	55.7	75.8
\$35,000 or Higher per Year	116	63.6	4.0	55.7	71.4
Disability Status					
Living with a Disability	47	58.4	5.6	47.4	69.3
Living without a Disability	168	64.3	3.4	57.8	70.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	59	60.7	6.0	49.0	72.4
Overweight (25 ≤ BMI < 30)	69	60.7	5.1	50.7	70.7
Obese (BMI ≥ 30)	72	63.0	4.8	53.6	72.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	157	61.0	3.4	54.3	67.7
Does not participate in leisure time physical activity	62	68.9	5.1	59.0	78.9
Smoking Status					
Current smoker	55	88.2	3.6	81.1	95.2
Non-smoker	163	56.6	3.3	50.2	63.1
Health Insurance Status					
Insured	188	61.0	3.1	54.9	67.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2015**

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,557	38.3	0.7	36.9	39.6
Saline County	46	43.0	5.3	32.6	53.3
Gender					
Men	*	*	*	*	*
Women	30	43.9	6.4	31.4	56.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	45	43.2	5.3	32.7	53.6
Race					
White	42	42.6	5.5	31.8	53.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	23	36.3	7.2	22.2	50.3
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	27	35.3	6.4	22.7	47.8
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>30</i>	<i>36.8</i>	<i>6.1</i>	<i>24.9</i>	<i>48.7</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>39</i>	<i>41.7</i>	<i>5.6</i>	<i>30.8</i>	<i>52.6</i>
Health Insurance Status					
Insured	<i>45</i>	<i>41.6</i>	<i>5.2</i>	<i>31.4</i>	<i>51.9</i>
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they did not receive a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Never Had Pneumonia
Vaccination, 2015**

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,711	26.2	0.6	25.0	27.4
Saline County	41	40.3	5.4	29.8	50.9
Gender					
Men	*	*	*	*	*
Women	22	30.2	5.8	18.8	41.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	40	40.5	5.4	29.8	51.1
Race					
White	37	40.0	5.6	29.0	51.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	23	39.5	7.3	25.1	53.8
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	26	41.5	7.0	27.8	55.2
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	26	38.5	6.5	25.7	51.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	36	41.9	5.8	30.6	53.2
Health Insurance Status					
Insured	41	41.3	5.4	30.8	51.9
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they never had a pneumonia vaccination.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2015**

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,288	17.0	0.3	16.3	17.6
Saline County	50	17.0	2.6	11.9	22.1
Gender					
Men	32	26.3	4.5	17.5	35.1
Women	18	8.5	2.5	3.6	13.4
Age Group					
18 to 44 Years	23	22.8	4.7	13.7	31.9
45 to 64 Years	22	16.4	3.6	9.3	23.4
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	48	17.8	2.8	12.3	23.2
Race					
White	45	17.3	2.8	11.8	22.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	23	19.9	4.4	11.3	28.6
Some College or College Graduate	27	14.9	3.2	8.7	21.1
Annual Household Income					
Less than \$35,000 per Year	16	21.3	5.8	9.9	32.6
\$35,000 or Higher per Year	26	16.3	3.3	9.9	22.7
Disability Status					
Living with a Disability	14	15.9	4.7	6.7	25.1
Living without a Disability	36	17.6	3.1	11.5	23.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	24	23.3	4.7	14.1	32.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	30	15.0	2.9	9.4	20.7
Does not participate in leisure time physical activity	20	22.0	5.5	11.2	32.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	40	16.4	2.8	11.0	21.9
Health Insurance Status					
Insured	44	17.2	2.9	11.6	22.8
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2015

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,343	17.7	0.3	17.0	18.4
Saline County	71	20.5	2.6	15.4	25.6
Gender					
Men	34	23.3	4.2	15.1	31.4
Women	37	17.9	3.1	11.8	24.0
Age Group					
18 to 44 Years	30	26.1	4.5	17.2	35.0
45 to 64 Years	28	19.4	4.1	11.4	27.5
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	67	21.1	2.8	15.7	26.5
Race					
White	56	19.9	2.8	14.4	25.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	36	29.1	4.8	19.6	38.5
Some College or College Graduate	35	14.6	2.6	9.4	19.7
Annual Household Income					
Less than \$35,000 per Year	36	31.7	5.5	20.9	42.4
\$35,000 or Higher per Year	24	14.7	3.1	8.6	20.9
Disability Status					
Living with a Disability	18	20.8	5.4	10.3	31.3
Living without a Disability	52	20.7	3.0	14.8	26.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	25	27.4	5.5	16.6	38.3
Overweight (25 ≤ BMI < 30)	22	19.5	4.8	10.0	28.9
Obese (BMI ≥ 30)	23	19.2	4.0	11.4	27.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	39	14.5	2.4	9.7	19.3
Does not participate in leisure time physical activity	28	34.2	6.3	21.9	46.5
Health Insurance Status					
Insured	58	18.5	2.7	13.2	23.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Stopped Smoking for One Day or Longer Because
They Were Trying to Quit Smoking, 2015**

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,790	55.1	1.1	53.0	57.2
Saline County	36	56.4	7.3	42.1	70.7
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	33	54.8	7.6	39.9	69.7
Race					
White	31	58.6	8.1	42.8	74.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	24	50.0	8.4	33.6	66.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Health Insurance Status					
Insured	29	56.7	8.2	40.6	72.8
Uninsured	*	*	*	*	*

Numerator: Current smokers who stopped smoking for one day or longer because they were trying to quit smoking.

Denominator: Current smokers, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2015

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	982	5.6	0.2	5.2	6.0
Saline County	20	6.7	1.6	3.5	9.9
Gender					
Men	19	13.5	3.2	7.3	19.7
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	19	7.0	1.7	3.6	10.4
Race					
White	16	6.2	1.7	2.9	9.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	14	8.0	2.3	3.5	12.6
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	17	8.1	2.0	4.1	12.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	16	7.9	2.1	3.8	12.1
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	15	5.9	1.7	2.6	9.3
Health Insurance Status					
Insured	18	6.9	1.8	3.4	10.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2015

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	893	10.5	0.4	9.8	11.3
Saline County	19	13.5	3.2	7.3	19.7
Age Group					
18 to 44 Years	10	19.7	5.8	8.5	31.0
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	18	14.1	3.4	7.4	20.8
Race					
White	15	13.1	3.4	6.4	19.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	14	18.8	5.0	9.0	28.5
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	12	16.5	4.8	7.2	25.9
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	16	15.5	3.8	8.1	22.9
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	15	17.0	4.3	8.5	25.4
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	14	12.2	3.4	5.5	18.9
Health Insurance Status					
Insured	17	13.8	3.4	7.0	20.5
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2015**

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,099	11.8	0.2	11.3	12.3
Saline County	60	12.9	1.8	9.3	16.4
Gender					
Men	54	23.8	3.4	17.2	30.4
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	17	10.2	2.7	4.9	15.5
65 Years and Older	29	28.8	4.8	19.5	38.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	58	13.9	2.0	10.1	17.8
Race					
White	46	11.0	1.8	7.6	14.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	21	10.8	2.5	5.9	15.6
Some College or College Graduate	39	14.3	2.5	9.4	19.3
Annual Household Income					
Less than \$35,000 per Year	17	9.6	2.7	4.4	14.9
\$35,000 or Higher per Year	30	13.8	2.7	8.5	19.1
Disability Status					
Living with a Disability	16	13.4	3.5	6.4	20.3
Living without a Disability	41	12.7	2.2	8.5	17.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	17	15.0	4.1	7.1	22.9
Overweight (25 ≤ BMI < 30)	18	13.5	3.5	6.7	20.2
Obese (BMI ≥ 30)	22	13.1	2.9	7.5	18.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	39	13.8	2.4	9.1	18.4
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	50	14.5	2.2	10.1	18.8
Health Insurance Status					
Insured	58	14.5	2.1	10.5	18.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2015

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,154	34.2	0.4	33.4	35.0
Saline County	143	37.5	2.9	31.8	43.2
Gender					
Men	61	35.5	4.2	27.4	43.7
Women	82	39.5	4.0	31.6	47.5
Age Group					
18 to 44 Years	48	35.6	4.8	26.3	45.0
45 to 64 Years	58	43.9	4.7	34.6	53.2
65 Years and Older	35	29.5	4.7	20.3	38.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	128	36.7	3.0	30.8	42.6
Race					
White	120	35.6	3.0	29.6	41.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	63	45.8	5.0	36.1	55.5
Some College or College Graduate	80	31.9	3.5	25.1	38.8
Annual Household Income					
Less than \$35,000 per Year	59	47.5	5.6	36.5	58.4
\$35,000 or Higher per Year	60	30.7	3.8	23.3	38.0
Disability Status					
Living with a Disability	44	45.7	5.8	34.2	57.1
Living without a Disability	96	35.2	3.4	28.6	41.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>88</i>	<i>34.3</i>	<i>3.4</i>	<i>27.6</i>	<i>41.0</i>
Does not participate in leisure time physical activity	<i>43</i>	<i>45.4</i>	<i>6.3</i>	<i>33.0</i>	<i>57.8</i>
Smoking Status					
Current smoker	<i>23</i>	<i>33.7</i>	<i>6.7</i>	<i>20.6</i>	<i>46.9</i>
Non-smoker	<i>118</i>	<i>38.6</i>	<i>3.2</i>	<i>32.2</i>	<i>45.0</i>
Health Insurance Status					
Insured	<i>127</i>	<i>37.1</i>	<i>3.1</i>	<i>31.0</i>	<i>43.1</i>
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2015

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	14,432	68.0	0.4	67.2	68.8
Saline County	284	74.3	2.6	69.2	79.4
Gender					
Men	135	80.2	3.5	73.4	87.1
Women	149	68.3	3.7	61.0	75.7
Age Group					
18 to 44 Years	94	76.4	4.3	68.1	84.8
45 to 64 Years	102	74.5	4.0	66.8	82.3
65 Years and Older	86	68.3	4.9	58.7	77.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	258	73.8	2.7	68.4	79.1
Race					
White	252	74.1	2.7	68.8	79.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	110	81.2	3.8	73.8	88.6
Some College or College Graduate	174	69.7	3.4	62.9	76.4
Annual Household Income					
Less than \$35,000 per Year	96	74.9	4.8	65.4	84.4
\$35,000 or Higher per Year	149	76.4	3.3	69.8	82.9
Disability Status					
Living with a Disability	77	76.0	4.9	66.5	85.6
Living without a Disability	201	73.7	3.1	67.7	79.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	190	72.3	3.1	66.2	78.4
Does not participate in leisure time physical activity	76	81.6	4.9	72.0	91.1
Smoking Status					
Current smoker	45	67.2	6.8	54.0	80.4
Non-smoker	234	76.4	2.7	71.0	81.7
Health Insurance Status					
Insured	257	76.1	2.6	70.9	81.3
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Technical Notes

The 2015 BRFSS data for your county/region on health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>