


2015 Kansas Behavioral Risk Factor Surveillance System Local Data

Sedgwick County



January 2017

2015 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Sam Brownback, Governor

Kansas Department of Health and Environment
Susan Mosier, MD, MBA, FACS, Secretary and State Health Officer

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion (BHP)

Report Supervision:
Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance, Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:
Partial funding for the 2015 Behavioral Risk Factor Survey was provided by cooperative agreement 6NU58DP006025-01-01 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion**
January 2017

Kansas Department of Health and Environment (KDHE)


Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov



Sedgwick County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2015 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
Pratik.Pandya@ks.gov

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1949
Fax: 785-296-8059
Ghazala.Perveen@ks.gov



Table of Contents

Alcohol Consumption

Binge Drinking.....	1
Heavy Drinking.....	3

Arthritis

Arthritis	5
Activity Limitation Due to Arthritis	7

Asthma	9
---------------------	---

Cancer

Cancer (Excluding Skin Cancer)	11
Skin Cancer	13

Cardiovascular Health

Heart Attack	15
Coronary Heart Disease	17
Stroke	19
High Blood Pressure	21

Cholesterol

Not Checked Cholesterol within Five Years	23
High Blood Cholesterol Status.....	25

Chronic Obstructive Pulmonary Disease (COPD)	27
---	----

Depressive Disorder	29
----------------------------------	----

Diabetes	31
-----------------------	----

Disability

Activity Limitation Due to Physical, Mental or Emotional Problems	33
Disability	35

Exercise and Physical Activity

Not Participating in the Recommended Level of Physical Activity (Aerobic AND/OR Strengthening)	37
---	----

Did Not Participate in the Recommended Level of Aerobic AND Strengthening Physical Activity.....	39
Not Participating in Any Physical Activity	41
Fruits and Vegetable Consumption	
Consuming Fruits Less than 1 Time Per Day	43
Consuming Vegetables Less than 1 Time Per Day.....	45
Health Care Access	
Lack Health Care Coverage	47
Lack Health Care Coverage 18 to 64 Years Old Only	49
No Personal Doctor	51
Did Not See Doctor Due to Cost.....	53
General Health	55
Healthy Days - Health Related Quality of Life	
Physical Health Status.....	57
Mental Health Status	59
Poor Physical or Mental Health is Barrier to Usual Activities.....	61
Immunization	
Not Immunized Against Influenza.....	63
Not Immunized Against Influenza 65 Years and Older Only	65
Never Had Pneumonia Vaccination 65 Years and Older Only	67
Seatbelt Use	69
Tobacco Use	
Current Smoker	71
Tried Quitting Smoking	73
Smokeless Tobacco Use	75
Male Smokeless Tobacco Use	77
Veteran Status	79
Weight Status (BMI Categories)	
Obese.....	81
Overweight or Obese	83
Technical Notes	85

Percentage of Adults Who Are Binge Drinkers, 2015

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,556	15.6	0.3	15.0	16.3
Sedgwick County	377	14.4	0.8	12.8	15.9
Gender					
Men	235	19.5	1.3	16.9	22.1
Women	142	9.5	0.9	7.8	11.2
Age Group					
18 to 44 Years	240	22.8	1.5	19.9	25.6
45 to 64 Years	112	9.2	1.0	7.2	11.1
65 Years and Older	24	2.2	0.5	1.3	3.2
Ethnicity					
Hispanic	42	18.2	2.9	12.4	23.9
Non-Hispanic	333	13.9	0.8	12.3	15.5
Race					
White	339	15.6	0.9	13.9	17.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	106	13.4	1.4	10.7	16.2
Some College or College Graduate	270	15.0	1.0	13.1	16.8
Annual Household Income					
Less than \$35,000 per Year	90	13.3	1.5	10.4	16.2
\$35,000 or Higher per Year	252	16.6	1.1	14.5	18.8
Disability Status					
Living with a Disability	62	8.8	1.2	6.4	11.3
Living without a Disability	314	16.2	1.0	14.4	18.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	128	16.3	1.5	13.3	19.3
Overweight (25 ≤ BMI < 30)	130	17.0	1.5	13.9	20.0
Obese (BMI ≥ 30)	111	12.4	1.3	9.9	14.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	285	15.8	1.0	13.8	17.7
Does not participate in leisure time physical activity	72	10.9	1.4	8.1	13.6
Smoking Status					
Current smoker	127	26.2	2.3	21.6	30.7
Non-smoker	250	11.6	0.8	10.0	13.1
Health Insurance Status					
Insured	319	13.8	0.8	12.2	15.4
Uninsured	57	19.3	2.6	14.2	24.5

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Heavy Alcohol Consumption in the Past 30 Days, 2015

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	965	5.1	0.2	4.7	5.5
Sedgwick County	128	3.8	0.4	3.0	4.6
Gender					
Men	67	4.7	0.7	3.4	6.1
Women	61	3.0	0.4	2.1	3.8
Age Group					
18 to 44 Years	50	4.7	0.7	3.3	6.1
45 to 64 Years	51	3.7	0.6	2.5	4.8
65 Years and Older	27	2.0	0.4	1.2	2.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	119	4.0	0.4	3.1	4.8
Race					
White	122	4.4	0.5	3.5	5.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	37	3.9	0.7	2.4	5.3
Some College or College Graduate	91	3.8	0.5	2.9	4.7
Annual Household Income					
Less than \$35,000 per Year	28	3.3	0.7	1.8	4.7
\$35,000 or Higher per Year	90	4.5	0.5	3.4	5.5
Disability Status					
Living with a Disability	31	3.4	0.7	2.0	4.9
Living without a Disability	96	4.0	0.5	3.0	4.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	42	4.1	0.8	2.5	5.8
Overweight (25 ≤ BMI < 30)	43	4.3	0.7	2.8	5.7
Obese (BMI ≥ 30)	39	3.5	0.6	2.2	4.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	91	4.0	0.5	3.0	5.0
Does not participate in leisure time physical activity	28	2.8	0.6	1.6	4.0
Smoking Status					
Current smoker	42	6.8	1.2	4.4	9.1
Non-smoker	86	3.1	0.4	2.3	3.9
Health Insurance Status					
Insured	116	4.0	0.4	3.1	4.9
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported consuming an average of more than 14 drinks per week and female respondents who reported consuming an average of more than 7 drink per week during the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults with Doctor Diagnosed Arthritis, 2015

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,320	24.5	0.3	23.9	25.1
Sedgwick County	1,158	24.9	0.8	23.3	26.5
Gender					
Men	414	20.5	1.1	18.3	22.7
Women	744	29.2	1.2	26.9	31.5
Age Group					
18 to 44 Years	104	8.5	0.9	6.8	10.3
45 to 64 Years	470	36.6	1.6	33.6	39.7
65 Years and Older	566	47.8	1.7	44.6	51.1
Ethnicity					
Hispanic	31	9.7	1.9	6.0	13.5
Non-Hispanic	1,118	26.9	0.9	25.2	28.6
Race					
White	996	25.4	0.9	23.7	27.2
African American	81	24.4	3.2	18.1	30.8
Other	31	23.3	4.3	14.9	31.6
Multi-Race	26	23.5	5.0	13.7	33.2
Education					
High School Graduate or Less	401	25.2	1.4	22.4	28.0
Some College or College Graduate	751	24.8	1.0	22.8	26.7
Annual Household Income					
Less than \$35,000 per Year	387	28.7	1.6	25.5	31.9
\$35,000 or Higher per Year	553	22.9	1.1	20.8	25.0
Disability Status					
Living with a Disability	573	55.3	2.1	51.1	59.4
Living without a Disability	531	15.8	0.8	14.2	17.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	278	19.9	1.4	17.2	22.6
Overweight (25 ≤ BMI < 30)	327	23.4	1.4	20.5	26.2
Obese (BMI ≥ 30)	454	32.3	1.6	29.1	35.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	712	23.2	1.0	21.3	25.1
Does not participate in leisure time physical activity	344	32.3	1.8	28.6	35.9
Smoking Status					
Current smoker	177	28.1	2.2	23.7	32.4
Non-smoker	929	24.5	0.9	22.7	26.2
Health Insurance Status					
Insured	1,079	26.7	0.9	24.9	28.4
Uninsured	73	16.5	2.2	12.2	20.7

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2015

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,152	48.2	0.8	46.7	49.7
Sedgwick County	481	47.5	1.9	43.8	51.2
Gender					
Men	146	40.4	3.7	34.3	46.5
Women	335	52.4	2.4	47.7	57.0
Age Group					
18 to 44 Years	40	44.8	5.8	33.5	56.1
45 to 64 Years	211	51.1	2.9	45.5	56.8
65 Years and Older	224	43.6	2.5	38.7	48.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	461	46.9	1.9	43.2	50.7
Race					
White	399	42.9	2.0	39.0	46.8
African American	37	68.0	7.7	54.1	81.9
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	177	53.0	3.2	46.6	59.3
Some College or College Graduate	304	44.2	2.3	39.7	48.8
Annual Household Income					
Less than \$35,000 per Year	203	60.0	3.2	53.7	66.4
\$35,000 or Higher per Year	199	37.5	2.6	32.5	42.6
Disability Status					
Living with a Disability	388	73.2	2.3	68.8	77.7
Living without a Disability	91	20.0	2.3	15.6	24.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	104	41.2	3.8	33.8	48.6
Overweight (25 ≤ BMI <30)	129	43.5	3.5	36.6	50.4
Obese (BMI ≥ 30)	222	53.8	3.0	48.0	59.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	296	44.4	2.3	39.8	49.0
Does not participate in leisure time physical activity	184	53.7	3.3	47.3	60.0
Smoking Status					
Current smoker	88	62.0	4.6	53.1	71.0
Non-smoker	391	43.8	2.0	39.8	47.7
Health Insurance Status					
Insured	452	48.0	1.9	44.2	51.9
Uninsured	26	40.8	7.5	26.0	55.6

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Current Asthma, 2015

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,990	8.7	0.2	8.2	9.1
Sedgwick County	336	9.2	0.6	8.0	10.3
Gender					
Men	129	8.3	0.9	6.6	10.1
Women	207	9.9	0.8	8.3	11.5
Age Group					
18 to 44 Years	103	9.2	1.0	7.2	11.1
45 to 64 Years	134	9.8	0.9	8.0	11.7
65 Years and Older	94	7.9	0.9	6.1	9.7
Ethnicity					
Hispanic	15	4.5	1.2	2.1	6.9
Non-Hispanic	318	9.8	0.7	8.5	11.1
Race					
White	267	8.2	0.6	7.0	9.3
African American	38	16.4	3.1	10.4	22.4
Other	13	13.3	4.0	5.5	21.0
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	108	9.1	1.1	7.0	11.3
Some College or College Graduate	226	9.1	0.7	7.7	10.5
Annual Household Income					
Less than \$35,000 per Year	130	12.8	1.3	10.2	15.4
\$35,000 or Higher per Year	156	7.2	0.7	5.9	8.6
Disability Status					
Living with a Disability	162	18.3	1.6	15.1	21.5
Living without a Disability	156	6.1	0.6	4.9	7.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	69	7.1	1.1	5.0	9.2
Overweight (25 ≤ BMI < 30)	87	8.3	1.1	6.2	10.5
Obese (BMI ≥ 30)	149	11.8	1.1	9.6	14.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	203	9.3	0.8	7.7	10.8
Does not participate in leisure time physical activity	96	8.1	0.9	6.3	9.9
Smoking Status					
Current smoker	67	11.1	1.6	8.0	14.2
Non-smoker	250	8.4	0.7	7.1	9.7
Health Insurance Status					
Insured	300	8.9	0.6	7.8	10.1
Uninsured	31	9.6	2.0	5.7	13.5

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2015

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,273	7.1	0.2	6.8	7.5
Sedgwick County	359	6.6	0.4	5.8	7.5
Gender					
Men	124	5.4	0.6	4.2	6.5
Women	235	7.8	0.6	6.6	9.1
Age Group					
18 to 44 Years	16	1.5	0.4	0.7	2.4
45 to 64 Years	125	8.2	0.9	6.5	9.9
65 Years and Older	212	17.1	1.3	14.6	19.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	345	6.9	0.5	6.1	7.8
Race					
White	320	7.0	0.5	6.1	8.0
African American	17	3.8	1.0	1.8	5.8
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	108	6.2	0.8	4.7	7.7
Some College or College Graduate	249	6.9	0.5	5.9	7.9
Annual Household Income					
Less than \$35,000 per Year	122	8.3	1.0	6.4	10.3
\$35,000 or Higher per Year	173	5.7	0.5	4.7	6.7
Disability Status					
Living with a Disability	146	12.3	1.2	9.9	14.7
Living without a Disability	199	5.0	0.4	4.1	5.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	95	5.1	0.6	3.8	6.3
Overweight (25 ≤ BMI < 30)	115	7.5	0.9	5.9	9.2
Obese (BMI ≥ 30)	117	7.7	0.9	6.0	9.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	207	5.9	0.5	4.9	6.9
Does not participate in leisure time physical activity	114	8.7	1.0	6.8	10.6
Smoking Status					
Current smoker	44	5.1	1.0	3.2	7.1
Non-smoker	300	7.1	0.5	6.1	8.1
Health Insurance Status					
Insured	346	7.2	0.5	6.3	8.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2015

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,155	6.4	0.2	6.1	6.7
Sedgwick County	294	5.3	0.4	4.6	6.0
Gender					
Men	132	5.3	0.5	4.3	6.4
Women	162	5.3	0.5	4.4	6.3
Age Group					
18 to 44 Years	16	1.1	0.3	0.5	1.7
45 to 64 Years	94	6.2	0.7	4.8	7.7
65 Years and Older	182	15.2	1.2	12.8	17.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	290	5.9	0.4	5.1	6.7
Race					
White	282	6.3	0.4	5.5	7.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	72	3.8	0.5	2.8	4.8
Some College or College Graduate	219	6.2	0.5	5.2	7.1
Annual Household Income					
Less than \$35,000 per Year	60	3.5	0.6	2.4	4.6
\$35,000 or Higher per Year	182	6.5	0.6	5.4	7.6
Disability Status					
Living with a Disability	114	9.0	1.0	7.0	11.0
Living without a Disability	169	4.3	0.4	3.5	5.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	87	4.8	0.6	3.6	6.0
Overweight (25 ≤ BMI < 30)	106	6.4	0.7	5.0	7.8
Obese (BMI ≥ 30)	82	5.4	0.7	4.0	6.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	189	5.3	0.4	4.4	6.2
Does not participate in leisure time physical activity	79	6.1	0.8	4.5	7.8
Smoking Status					
Current smoker	31	3.7	0.8	2.1	5.3
Non-smoker	251	5.8	0.4	5.0	6.7
Health Insurance Status					
Insured	284	6.1	0.4	5.3	6.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults Who had a Heart Attack, 2015

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,263	4.0	0.1	3.7	4.2
Sedgwick County	193	3.8	0.3	3.2	4.5
Gender					
Men	114	4.7	0.5	3.7	5.7
Women	79	3.0	0.4	2.1	3.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	59	4.3	0.7	3.0	5.6
65 Years and Older	121	10.7	1.1	8.6	12.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	187	4.1	0.4	3.4	4.8
Race					
White	165	3.7	0.3	3.0	4.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	82	4.9	0.7	3.6	6.2
Some College or College Graduate	110	3.1	0.4	2.4	3.8
Annual Household Income					
Less than \$35,000 per Year	82	5.7	0.8	4.1	7.2
\$35,000 or Higher per Year	78	2.7	0.4	2.0	3.4
Disability Status					
Living with a Disability	104	9.7	1.1	7.6	11.9
Living without a Disability	80	2.1	0.3	1.5	2.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	51	2.6	0.4	1.8	3.4
Overweight (25 ≤ BMI < 30)	64	4.5	0.7	3.1	5.8
Obese (BMI ≥ 30)	65	4.6	0.7	3.3	6.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	108	3.0	0.4	2.3	3.7
Does not participate in leisure time physical activity	64	5.8	0.8	4.1	7.4
Smoking Status					
Current smoker	36	4.3	0.9	2.5	6.0
Non-smoker	147	3.7	0.4	2.9	4.4
Health Insurance Status					
Insured	182	4.1	0.4	3.4	4.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had a heart attack also called a myocardial infarction.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults Who had Angina or Coronary Heart Disease, 2015

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,274	3.8	0.1	3.6	4.0
Sedgwick County	213	3.6	0.3	3.1	4.2
Gender					
Men	109	4.0	0.4	3.2	4.9
Women	104	3.2	0.4	2.5	4.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	62	3.7	0.5	2.7	4.8
65 Years and Older	144	11.9	1.1	9.9	14.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	209	4.0	0.3	3.4	4.7
Race					
White	189	3.9	0.3	3.2	4.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	72	3.5	0.5	2.6	4.5
Some College or College Graduate	139	3.6	0.4	2.9	4.3
Annual Household Income					
Less than \$35,000 per Year	85	4.5	0.6	3.4	5.7
\$35,000 or Higher per Year	92	3.0	0.4	2.3	3.7
Disability Status					
Living with a Disability	117	9.3	1.0	7.4	11.2
Living without a Disability	87	1.9	0.3	1.4	2.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	45	2.0	0.3	1.4	2.7
Overweight (25 ≤ BMI < 30)	75	4.4	0.6	3.2	5.5
Obese (BMI ≥ 30)	78	4.5	0.6	3.3	5.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	124	3.1	0.3	2.4	3.7
Does not participate in leisure time physical activity	68	5.1	0.7	3.8	6.5
Smoking Status					
Current smoker	26	2.8	0.7	1.5	4.1
Non-smoker	180	3.8	0.3	3.2	4.5
Health Insurance Status					
Insured	206	4.2	0.3	3.5	4.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had angina or coronary heart disease.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults Who Had a Stroke, 2015

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	907	3.0	0.1	2.8	3.3
Sedgwick County	163	3.6	0.3	3.0	4.2
Gender					
Men	77	3.9	0.5	2.9	4.9
Women	86	3.3	0.4	2.5	4.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	54	4.7	0.7	3.3	6.1
65 Years and Older	95	9.2	1.0	7.2	11.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	155	3.9	0.4	3.2	4.6
Race					
White	127	3.0	0.3	2.4	3.6
African American	19	7.2	1.8	3.7	10.8
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	76	4.8	0.6	3.6	6.0
Some College or College Graduate	85	2.7	0.3	2.1	3.4
Annual Household Income					
Less than \$35,000 per Year	82	6.2	0.8	4.6	7.7
\$35,000 or Higher per Year	49	1.8	0.3	1.3	2.4
Disability Status					
Living with a Disability	93	9.6	1.1	7.4	11.8
Living without a Disability	60	1.6	0.2	1.1	2.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	41	2.7	0.5	1.7	3.6
Overweight (25 ≤ BMI < 30)	46	3.6	0.6	2.4	4.8
Obese (BMI ≥ 30)	58	4.1	0.6	2.9	5.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	78	2.4	0.3	1.8	3.1
Does not participate in leisure time physical activity	60	5.8	0.8	4.1	7.4
Smoking Status					
Current smoker	24	3.6	0.8	1.9	5.2
Non-smoker	130	3.5	0.3	2.8	4.2
Health Insurance Status					
Insured	151	3.8	0.4	3.1	4.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had a stroke.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults with Diagnosed Hypertension, 2015

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	9,207	31.6	0.4	30.9	32.3
Sedgwick County	1,474	32.0	0.9	30.2	33.8
Gender					
Men	652	32.7	1.4	30.0	35.4
Women	822	31.3	1.2	29.0	33.7
Age Group					
18 to 44 Years	168	14.2	1.2	11.9	16.6
45 to 64 Years	575	42.2	1.6	39.1	45.4
65 Years and Older	710	61.5	1.6	58.3	64.7
Ethnicity					
Hispanic	60	22.4	2.9	16.7	28.2
Non-Hispanic	1,402	33.2	1.0	31.3	35.1
Race					
White	1,239	31.4	1.0	29.6	33.3
African American	132	45.6	4.3	37.1	54.1
Other	34	21.8	3.9	14.2	29.4
Multi-Race	39	39.5	6.4	27.0	52.1
Education					
High School Graduate or Less	538	36.4	1.7	33.1	39.7
Some College or College Graduate	927	29.1	1.0	27.1	31.2
Annual Household Income					
Less than \$35,000 per Year	498	37.7	1.8	34.1	41.3
\$35,000 or Higher per Year	722	29.8	1.2	27.5	32.2
Disability Status					
Living with a Disability	549	52.1	2.1	48.0	56.2
Living without a Disability	856	26.1	1.0	24.1	28.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	287	19.0	1.3	16.4	21.6
Overweight (25 ≤ BMI < 30)	453	32.1	1.6	28.9	35.2
Obese (BMI ≥ 30)	606	44.6	1.8	41.0	48.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	900	29.9	1.1	27.8	32.1
Does not participate in leisure time physical activity	432	40.6	2.0	36.6	44.6
Smoking Status					
Current smoker	208	30.8	2.4	26.2	35.4
Non-smoker	1,189	32.4	1.0	30.4	34.4
Health Insurance Status					
Insured	1,367	33.4	1.0	31.5	35.3
Uninsured	99	25.3	2.7	19.9	30.6

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2015**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,834	25.9	0.4	25.1	26.7
Sedgwick County	612	27.2	1.0	25.1	29.2
Gender					
Men	315	29.9	1.6	26.9	32.9
Women	297	24.6	1.4	21.8	27.4
Age Group					
18 to 44 Years	406	45.2	1.8	41.7	48.7
45 to 64 Years	141	13.5	1.3	11.0	16.1
65 Years and Older	55	5.4	0.8	3.8	7.1
Ethnicity					
Hispanic	96	48.7	3.7	41.5	55.9
Non-Hispanic	510	24.2	1.1	22.2	26.3
Race					
White	491	25.7	1.1	23.6	27.9
African American	41	27.0	4.4	18.4	35.5
Other	31	33.8	5.4	23.2	44.5
Multi-Race	15	31.2	7.6	16.3	46.2
Education					
High School Graduate or Less	247	33.9	1.9	30.2	37.7
Some College or College Graduate	360	23.0	1.2	20.6	25.4
Annual Household Income					
Less than \$35,000 per Year	247	35.8	2.0	31.8	39.8
\$35,000 or Higher per Year	254	19.6	1.3	17.2	22.1
Disability Status					
Living with a Disability	92	17.7	2.1	13.5	21.8
Living without a Disability	480	29.3	1.2	26.9	31.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	213	35.2	2.1	31.0	39.3
Overweight (25 ≤ BMI < 30)	158	21.5	1.7	18.2	24.8
Obese (BMI ≥ 30)	161	21.4	1.8	18.0	24.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	365	24.8	1.3	22.3	27.3
Does not participate in leisure time physical activity	155	29.2	2.3	24.7	33.6
Smoking Status					
Current smoker	<i>148</i>	<i>39.1</i>	<i>2.7</i>	<i>33.8</i>	<i>44.5</i>
Non-smoker	420	23.3	1.1	21.1	25.5
Health Insurance Status					
Insured	430	21.0	1.0	18.9	23.0
Uninsured	<i>170</i>	<i>59.6</i>	<i>3.1</i>	<i>53.5</i>	<i>65.8</i>

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years.

Denominator: All respondents excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2015

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,479	37.4	0.4	36.5	38.2
Sedgwick County	1,404	37.9	1.0	35.9	40.0
Gender					
Men	605	36.8	1.5	33.8	39.9
Women	799	38.9	1.4	36.2	41.6
Age Group					
18 to 44 Years	125	15.4	1.5	12.5	18.3
45 to 64 Years	576	45.5	1.7	42.2	48.7
65 Years and Older	683	60.9	1.7	57.5	64.2
Ethnicity					
Hispanic	46	30.3	4.3	21.8	38.7
Non-Hispanic	1,351	38.7	1.1	36.6	40.7
Race					
White	1,246	39.1	1.1	37.0	41.3
African American	75	33.1	4.2	24.9	41.4
Other	28	27.0	5.2	16.8	37.2
Multi-Race	28	35.2	6.6	22.3	48.0
Education					
High School Graduate or Less	441	40.8	1.9	37.0	44.6
Some College or College Graduate	956	36.3	1.2	33.9	38.6
Annual Household Income					
Less than \$35,000 per Year	392	39.1	2.1	35.0	43.2
\$35,000 or Higher per Year	774	37.0	1.3	34.4	39.6
Disability Status					
Living with a Disability	487	52.2	2.1	48.1	56.3
Living without a Disability	861	32.7	1.2	30.4	35.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	334	31.3	1.8	27.8	34.9
Overweight (25 ≤ BMI <30)	450	37.3	1.8	33.8	40.8
Obese (BMI ≥ 30)	506	43.8	1.9	40.1	47.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	915	36.8	1.3	34.4	39.3
Does not participate in leisure time physical activity	379	45.9	2.2	41.5	50.2
Smoking Status					
Current smoker	175	36.6	2.8	31.2	42.1
Non-smoker	1,176	38.6	1.1	36.4	40.8
Health Insurance Status					
Insured	1,327	38.4	1.1	36.3	40.5
Uninsured	72	33.9	4.0	26.1	41.8

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2015**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,752	6.2	0.2	5.8	6.5
Sedgwick County	286	6.7	0.5	5.8	7.6
Gender					
Men	121	6.0	0.6	4.8	7.2
Women	165	7.4	0.7	6.1	8.7
Age Group					
18 to 44 Years	31	2.5	0.5	1.6	3.5
45 to 64 Years	117	10.2	1.0	8.2	12.2
65 Years and Older	136	12.0	1.1	9.9	14.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	277	7.2	0.5	6.2	8.2
Race					
White	234	6.4	0.5	5.4	7.4
African American	26	10.0	2.2	5.6	14.3
Other	*	*	*	*	*
Multi-Race	14	13.6	3.9	5.9	21.3
Education					
High School Graduate or Less	126	8.6	0.9	6.8	10.3
Some College or College Graduate	158	5.5	0.5	4.5	6.5
Annual Household Income					
Less than \$35,000 per Year	148	11.7	1.1	9.5	14.0
\$35,000 or Higher per Year	94	4.1	0.5	3.2	5.1
Disability Status					
Living with a Disability	189	20.9	1.6	17.7	24.1
Living without a Disability	80	2.3	0.3	1.7	3.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	67	5.5	0.8	4.0	7.0
Overweight (25 ≤ BMI < 30)	87	7.1	0.9	5.3	8.9
Obese (BMI ≥ 30)	115	8.3	0.9	6.6	10.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	151	5.8	0.6	4.7	6.9
Does not participate in leisure time physical activity	103	9.2	1.1	7.1	11.3
Smoking Status					
Current smoker	92	12.7	1.5	9.8	15.6
Non-smoker	179	5.1	0.5	4.2	6.0
Health Insurance Status					
Insured	259	6.9	0.5	6.0	7.9
Uninsured	24	5.5	1.3	3.1	8.0

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,
2015**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,472	19.4	0.3	18.8	20.1
Sedgwick County	765	20.5	0.8	18.8	22.1
Gender					
Men	234	13.8	1.0	11.8	15.9
Women	531	26.9	1.3	24.4	29.3
Age Group					
18 to 44 Years	219	18.9	1.3	16.3	21.4
45 to 64 Years	329	25.4	1.5	22.5	28.3
65 Years and Older	212	17.1	1.3	14.6	19.5
Ethnicity					
Hispanic	45	16.0	2.5	11.1	20.9
Non-Hispanic	716	21.1	0.9	19.3	22.8
Race					
White	651	20.1	0.9	18.4	21.8
African American	49	23.9	4.0	16.1	31.7
Other	27	20.2	4.1	12.2	28.2
Multi-Race	21	23.6	5.3	13.1	34.0
Education					
High School Graduate or Less	261	22.5	1.5	19.5	25.5
Some College or College Graduate	500	19.2	1.0	17.3	21.1
Annual Household Income					
Less than \$35,000 per Year	315	30.6	1.9	26.9	34.2
\$35,000 or Higher per Year	336	16.1	1.0	14.2	18.0
Disability Status					
Living with a Disability	363	41.3	2.1	37.2	45.4
Living without a Disability	371	14.2	0.8	12.5	15.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	193	18.8	1.5	15.8	21.8
Overweight (25 ≤ BMI < 30)	198	17.4	1.4	14.6	20.1
Obese (BMI ≥ 30)	315	26.0	1.6	22.8	29.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	435	18.1	1.0	16.2	20.0
Does not participate in leisure time physical activity	256	27.7	1.9	23.9	31.4
Smoking Status					
Current smoker	181	33.9	2.5	29.0	38.8
Non-smoker	554	17.0	0.8	15.4	18.6
Health Insurance Status					
Insured	655	19.1	0.9	17.4	20.8
Uninsured	104	29.0	2.9	23.4	34.6

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2015

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,878	9.7	0.2	9.3	10.1
Sedgwick County	474	9.9	0.5	8.8	10.9
Gender					
Men	215	9.2	0.7	7.8	10.7
Women	259	10.4	0.8	8.9	11.9
Age Group					
18 to 44 Years	39	3.0	0.5	2.0	4.1
45 to 64 Years	171	12.7	1.1	10.6	14.8
65 Years and Older	257	23.1	1.5	20.2	26.0
Ethnicity					
Hispanic	26	9.4	2.0	5.5	13.4
Non-Hispanic	443	9.9	0.5	8.8	10.9
Race					
White	386	9.6	0.6	8.5	10.7
African American	56	14.8	2.3	10.2	19.4
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	191	11.5	1.0	9.6	13.4
Some College or College Graduate	279	8.7	0.6	7.5	9.9
Annual Household Income					
Less than \$35,000 per Year	194	13.7	1.2	11.4	16.0
\$35,000 or Higher per Year	187	7.4	0.6	6.2	8.6
Disability Status					
Living with a Disability	234	21.8	1.6	18.7	24.9
Living without a Disability	226	6.5	0.5	5.5	7.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	52	3.7	0.6	2.5	5.0
Overweight (25 ≤ BMI < 30)	132	9.0	0.9	7.2	10.7
Obese (BMI ≥ 30)	241	15.7	1.2	13.4	18.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	253	8.6	0.6	7.3	9.8
Does not participate in leisure time physical activity	178	14.5	1.3	12.1	17.0
Smoking Status					
Current smoker	62	8.4	1.2	6.0	10.8
Non-smoker	395	10.4	0.6	9.2	11.6
Health Insurance Status					
Insured	439	10.4	0.6	9.3	11.5
Uninsured	30	7.1	1.5	4.2	9.9

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental or Emotional Problems, 2015**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,248	20.0	0.3	19.3	20.6
Sedgwick County	852	20.9	0.8	19.3	22.5
Gender					
Men	340	18.2	1.1	16.0	20.4
Women	512	23.5	1.2	21.2	25.9
Age Group					
18 to 44 Years	142	12.8	1.2	10.5	15.1
45 to 64 Years	357	28.4	1.6	25.4	31.5
65 Years and Older	347	30.1	1.6	27.0	33.2
Ethnicity					
Hispanic	35	12.7	2.3	8.1	17.3
Non-Hispanic	814	22.0	0.9	20.3	23.8
Race					
White	720	20.2	0.9	18.6	21.9
African American	62	26.7	4.7	18.7	34.8
Other	26	22.4	4.4	13.7	31.1
Multi-Race	27	27.5	5.5	16.6	38.3
Education					
High School Graduate or Less	307	23.7	1.5	20.7	26.8
Some College or College Graduate	544	19.2	1.0	17.3	21.0
Annual Household Income					
Less than \$35,000 per Year	361	30.0	1.8	26.5	33.5
\$35,000 or Higher per Year	366	15.9	0.9	14.1	17.8
Weight Category					
Normal or Underweight (BMI < 25)	217	18.5	1.5	15.5	21.5
Overweight (25 ≤ BMI < 30)	225	16.9	1.3	14.3	19.4
Obese (BMI ≥ 30)	355	27.4	1.6	24.2	30.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	471	17.3	0.9	15.5	19.2
Does not participate in leisure time physical activity	339	33.6	2.0	29.7	37.5
Smoking Status					
Current smoker	189	31.7	2.4	26.9	36.5
Non-smoker	658	18.4	0.8	16.8	20.1
Health Insurance Status					
Insured	772	21.4	0.9	19.6	23.1
Uninsured	74	19.0	2.5	14.2	23.8

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2015

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,842	21.9	0.3	21.2	22.5
Sedgwick County	950	22.9	0.9	21.2	24.6
Gender					
Men	373	19.7	1.2	17.4	22.0
Women	577	26.0	1.2	23.6	28.4
Age Group					
18 to 44 Years	150	13.5	1.2	11.2	15.8
45 to 64 Years	378	29.9	1.6	26.9	33.0
65 Years and Older	415	36.4	1.7	33.1	39.6
Ethnicity					
Hispanic	36	13.4	2.4	8.7	18.2
Non-Hispanic	909	24.2	0.9	22.4	26.0
Race					
White	807	22.5	0.9	20.7	24.2
African American	71	29.2	4.1	21.0	37.3
Other	26	22.5	4.5	13.8	31.2
Multi-Race	28	28.1	5.6	17.2	39.1
Education					
High School Graduate or Less	346	25.9	1.6	22.8	29.0
Some College or College Graduate	603	21.1	1.0	19.2	23.0
Annual Household Income					
Less than \$35,000 per Year	401	32.4	1.8	28.8	36.0
\$35,000 or Higher per Year	404	17.5	1.0	15.6	19.4
Weight Category					
Normal or Underweight (BMI <25)	246	20.7	1.6	17.6	23.7
Overweight (25 ≤ BMI < 30)	252	18.6	1.3	16.0	21.2
Obese (BMI ≥ 30)	388	29.2	1.6	26.0	32.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	515	18.6	1.0	16.7	20.5
Does not participate in leisure time physical activity	385	36.9	2.0	33.0	40.8
Smoking Status					
Current smoker	203	33.9	2.5	29.1	38.8
Non-smoker	739	20.3	0.9	18.6	22.0
Health Insurance Status					
Insured	864	23.5	0.9	21.8	25.3
Uninsured	79	20.0	2.5	15.1	24.9

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2015

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	16,199	80.7	0.4	80.0	81.4
Sedgwick County	2,560	81.6	0.9	79.8	83.3
Gender					
Men	1,086	78.1	1.4	75.2	80.9
Women	1,474	84.8	1.1	82.7	86.9
Age Group					
18 to 44 Years	718	79.1	1.6	76.1	82.2
45 to 64 Years	998	83.4	1.3	80.8	85.9
65 Years and Older	836	84.3	1.3	81.8	86.7
Ethnicity					
Hispanic	165	84.9	2.7	79.5	90.3
Non-Hispanic	2,381	81.1	0.9	79.2	82.9
Race					
White	2,244	82.4	0.9	80.6	84.2
African American	149	77.3	4.4	68.7	85.8
Other	63	71.9	5.7	60.8	83.1
Multi-Race	44	69.4	6.7	56.4	82.4
Education					
High School Graduate or Less	815	87.9	1.4	85.3	90.6
Some College or College Graduate	1,744	78.0	1.2	75.7	80.3
Annual Household Income					
Less than \$35,000 per Year	769	84.5	1.5	81.5	87.5
\$35,000 or Higher per Year	1,435	80.0	1.2	77.7	82.4
Disability Status					
Living with a Disability	751	87.9	1.4	85.0	90.7
Living without a Disability	1,792	79.8	1.1	77.7	81.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	694	75.8	1.9	72.0	79.5
Overweight (25 ≤ BMI < 30)	812	81.0	1.5	78.0	84.0
Obese (BMI ≥ 30)	895	85.8	1.4	83.1	88.6
Smoking Status					
Current smoker	424	85.3	2.0	81.4	89.3
Non-smoker	2,125	80.6	1.0	78.6	82.5
Health Insurance Status					
Insured	2,312	80.9	1.0	79.1	82.8
Uninsured	236	85.9	2.5	81.0	90.8

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2015

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,120	40.3	0.4	39.4	41.2
Sedgwick County	1,265	40.8	1.1	38.6	42.9
Gender					
Men	496	36.1	1.6	33.0	39.3
Women	769	45.1	1.5	42.1	48.0
Age Group					
18 to 44 Years	341	37.2	1.8	33.6	40.8
45 to 64 Years	517	46.1	1.7	42.7	49.5
65 Years and Older	401	39.7	1.8	36.2	43.2
Ethnicity					
Hispanic	100	51.5	4.0	43.6	59.4
Non-Hispanic	1,155	39.3	1.1	37.1	41.6
Race					
White	1,082	39.5	1.2	37.2	41.8
African American	94	54.9	4.9	45.4	64.5
Other	32	32.1	5.6	21.1	43.1
Multi-Race	21	33.7	6.8	20.3	47.1
Education					
High School Graduate or Less	456	50.0	2.1	46.0	54.0
Some College or College Graduate	809	35.6	1.3	33.1	38.0
Annual Household Income					
Less than \$35,000 per Year	427	46.9	2.1	42.7	51.0
\$35,000 or Higher per Year	651	36.8	1.4	34.0	39.5
Disability Status					
Living with a Disability	446	52.9	2.2	48.6	57.2
Living without a Disability	811	37.2	1.3	34.7	39.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	290	32.1	2.0	28.3	36.0
Overweight (25 ≤ BMI <30)	366	38.2	1.9	34.4	42.0
Obese (BMI ≥ 30)	505	46.3	1.9	42.5	50.1
Smoking Status					
Current smoker	230	50.4	2.8	44.9	55.9
Non-smoker	1,029	38.2	1.2	35.9	40.5
Health Insurance Status					
Insured	1,114	38.5	1.1	36.3	40.8
Uninsured	142	54.6	3.5	47.7	61.5

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2015

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,698	26.5	0.4	25.8	27.3
Sedgwick County	884	26.4	1.0	24.5	28.3
Gender					
Men	352	23.6	1.4	20.9	26.3
Women	532	29.0	1.4	26.3	31.6
Age Group					
18 to 44 Years	211	22.5	1.6	19.4	25.5
45 to 64 Years	344	29.5	1.6	26.4	32.7
65 Years and Older	321	31.5	1.7	28.3	34.8
Ethnicity					
Hispanic	66	33.9	3.8	26.5	41.3
Non-Hispanic	808	25.4	1.0	23.4	27.3
Race					
White	737	24.9	1.0	23.0	26.8
African American	74	36.7	4.7	27.5	45.8
Other	31	30.5	5.4	20.0	41.0
Multi-Race	18	22.7	5.6	11.8	33.6
Education					
High School Graduate or Less	358	34.0	1.9	30.4	37.7
Some College or College Graduate	526	22.0	1.1	20.0	24.1
Annual Household Income					
Less than \$35,000 per Year	346	34.8	2.0	30.9	38.8
\$35,000 or Higher per Year	399	21.3	1.1	19.0	23.5
Disability Status					
Living with a Disability	385	41.6	2.1	37.4	45.7
Living without a Disability	492	21.8	1.1	19.7	23.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	198	19.6	1.6	16.5	22.8
Overweight (25 ≤ BMI <30)	247	24.3	1.7	21.0	27.5
Obese (BMI ≥ 30)	363	31.2	1.8	27.8	34.7
Smoking Status					
Current smoker	<i>190</i>	<i>38.2</i>	<i>2.7</i>	<i>32.9</i>	<i>43.5</i>
Non-smoker	688	23.3	1.0	21.4	25.2
Health Insurance Status					
Insured	771	24.6	1.0	22.6	26.5
Uninsured	<i>108</i>	<i>38.5</i>	<i>3.4</i>	<i>32.0</i>	<i>45.1</i>

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2015**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,386	43.7	0.4	42.9	44.6
Sedgwick County	1,338	44.2	1.1	42.0	46.4
Gender					
Men	667	49.6	1.6	46.4	52.8
Women	671	39.1	1.5	36.3	42.0
Age Group					
18 to 44 Years	430	46.7	1.9	43.0	50.4
45 to 64 Years	545	45.8	1.7	42.4	49.1
65 Years and Older	344	35.0	1.7	31.6	38.4
Ethnicity					
Hispanic	90	42.6	3.9	34.9	50.2
Non-Hispanic	1,237	44.3	1.1	42.0	46.5
Race					
White	1,160	44.1	1.2	41.9	46.4
African American	84	47.5	4.9	37.9	57.1
Other	39	44.0	5.8	32.6	55.5
Multi-Race	19	27.5	6.4	15.1	40.0
Education					
High School Graduate or Less	465	49.8	2.0	45.8	53.7
Some College or College Graduate	872	41.0	1.3	38.5	43.6
Annual Household Income					
Less than \$35,000 per Year	424	46.4	2.1	42.4	50.5
\$35,000 or Higher per Year	711	42.1	1.4	39.3	44.9
Disability Status					
Living with a Disability	393	50.3	2.2	46.0	54.5
Living without a Disability	931	42.1	1.3	39.6	44.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	333	40.0	2.1	35.9	44.1
Overweight (25 ≤ BMI < 30)	423	44.0	1.9	40.2	47.8
Obese (BMI ≥ 30)	502	48.2	1.9	44.4	51.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	857	39.9	1.3	37.4	42.4
Does not participate in leisure time physical activity	456	55.7	2.2	51.4	59.9
Smoking Status					
Current smoker	275	55.3	2.7	50.0	60.7
Non-smoker	1,057	41.4	1.2	39.1	43.8
Health Insurance Status					
Insured	1,184	43.1	1.2	40.8	45.4
Uninsured	146	51.2	3.5	44.4	57.9

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2015**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,217	22.3	0.4	21.6	23.1
Sedgwick County	699	23.5	1.0	21.6	25.4
Gender					
Men	348	27.4	1.5	24.3	30.4
Women	351	19.8	1.2	17.5	22.1
Age Group					
18 to 44 Years	204	23.7	1.7	20.4	26.9
45 to 64 Years	268	23.5	1.5	20.6	26.3
65 Years and Older	220	23.5	1.6	20.3	26.6
Ethnicity					
Hispanic	43	19.4	3.1	13.4	25.4
Non-Hispanic	650	23.9	1.0	21.9	25.9
Race					
White	584	21.8	1.0	19.9	23.8
African American	62	37.5	4.8	28.0	47.0
Other	20	28.9	5.9	17.4	40.5
Multi-Race	15	18.4	5.2	8.3	28.5
Education					
High School Graduate or Less	285	29.1	1.8	25.5	32.7
Some College or College Graduate	414	20.3	1.1	18.1	22.5
Annual Household Income					
Less than \$35,000 per Year	244	25.9	1.8	22.3	29.4
\$35,000 or Higher per Year	340	20.5	1.2	18.1	23.0
Disability Status					
Living with a Disability	219	26.9	2.0	23.0	30.8
Living without a Disability	471	22.2	1.1	20.0	24.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	180	22.3	1.9	18.5	26.0
Overweight (25 ≤ BMI < 30)	220	23.2	1.7	19.9	26.5
Obese (BMI ≥ 30)	253	24.0	1.6	20.8	27.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	434	20.2	1.1	18.0	22.3
Does not participate in leisure time physical activity	259	32.8	2.1	28.7	36.8
Smoking Status					
Current smoker	144	27.8	2.5	23.0	32.7
Non-smoker	553	22.4	1.0	20.4	24.5
Health Insurance Status					
Insured	606	22.6	1.0	20.6	24.6
Uninsured	85	26.6	3.0	20.8	32.4

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2015

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,027	12.8	0.3	12.2	13.4
Sedgwick County	351	14.7	0.8	13.0	16.3
Gender					
Men	178	16.5	1.3	14.0	19.1
Women	173	12.9	1.1	10.8	15.0
Age Group					
18 to 44 Years	194	20.9	1.5	18.0	23.8
45 to 64 Years	139	13.0	1.2	10.7	15.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	99	48.0	3.6	40.9	55.1
Non-Hispanic	249	10.3	0.7	8.9	11.8
Race					
White	260	13.0	0.9	11.3	14.7
African American	36	19.2	3.6	12.1	26.3
Other	19	16.8	4.0	8.9	24.7
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	191	24.4	1.7	21.1	27.8
Some College or College Graduate	156	8.5	0.8	7.0	10.0
Annual Household Income					
Less than \$35,000 per Year	227	29.9	1.9	26.2	33.6
\$35,000 or Higher per Year	62	5.1	0.8	3.6	6.6
Disability Status					
Living with a Disability	79	12.3	1.6	9.2	15.3
Living without a Disability	246	14.7	1.0	12.8	16.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	91	12.9	1.5	10.0	15.7
Overweight (25 ≤ BMI <30)	90	11.4	1.3	8.8	14.0
Obese (BMI ≥ 30)	121	16.0	1.6	13.0	19.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	184	11.3	0.9	9.5	13.1
Does not participate in leisure time physical activity	108	19.7	1.9	16.0	23.3
Smoking Status					
Current smoker	114	25.2	2.3	20.6	29.8
Non-smoker	211	11.3	0.9	9.7	13.0

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2015**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,921	15.7	0.4	15.0	16.5
Sedgwick County	333	17.7	1.0	15.7	19.7
Gender					
Men	168	19.5	1.5	16.5	22.5
Women	165	16.0	1.3	13.3	18.6
Age Group					
18 to 44 Years	194	20.9	1.5	18.0	23.8
45 to 64 Years	139	13.0	1.2	10.7	15.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	97	50.1	3.8	42.7	57.4
Non-Hispanic	234	12.7	0.9	10.9	14.5
Race					
White	247	16.1	1.1	14.0	18.2
African American	33	21.8	4.2	13.6	29.9
Other	19	18.1	4.3	9.6	26.6
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	183	30.3	2.1	26.2	34.4
Some College or College Graduate	147	10.1	0.9	8.3	11.9
Annual Household Income					
Less than \$35,000 per Year	214	36.9	2.3	32.4	41.4
\$35,000 or Higher per Year	60	5.9	0.9	4.1	7.6
Disability Status					
Living with a Disability	72	16.8	2.1	12.6	21.0
Living without a Disability	235	17.1	1.2	14.8	19.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	85	15.3	1.8	11.9	18.8
Overweight (25 ≤ BMI < 30)	83	14.3	1.7	10.9	17.6
Obese (BMI ≥ 30)	116	18.8	1.8	15.2	22.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	174	13.4	1.1	11.3	15.6
Does not participate in leisure time physical activity	102	24.7	2.4	20.1	29.4
Smoking Status					
Current smoker	110	27.0	2.5	22.1	31.9
Non-smoker	197	14.0	1.1	11.9	16.2

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2015

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,278	20.1	0.4	19.4	20.8
Sedgwick County	447	18.5	0.9	16.7	20.3
Gender					
Men	273	23.6	1.4	20.8	26.3
Women	174	13.7	1.1	11.5	15.9
Age Group					
18 to 44 Years	271	28.2	1.6	25.1	31.4
45 to 64 Years	136	12.8	1.2	10.5	15.0
65 Years and Older	35	3.5	0.7	2.2	4.9
Ethnicity					
Hispanic	91	44.8	3.7	37.6	51.9
Non-Hispanic	351	15.1	0.9	13.4	16.8
Race					
White	339	16.5	0.9	14.7	18.3
African American	38	23.9	4.0	16.0	31.9
Other	27	23.2	4.5	14.5	31.9
Multi-Race	13	19.0	5.1	8.9	29.1
Education					
High School Graduate or Less	220	28.1	1.8	24.6	31.5
Some College or College Graduate	223	12.5	0.9	10.7	14.2
Annual Household Income					
Less than \$35,000 per Year	213	29.3	1.9	25.6	33.1
\$35,000 or Higher per Year	146	10.6	1.0	8.8	12.5
Disability Status					
Living with a Disability	77	13.9	1.7	10.6	17.3
Living without a Disability	347	20.0	1.1	17.9	22.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	140	19.4	1.7	16.1	22.7
Overweight (25 ≤ BMI < 30)	138	17.6	1.5	14.6	20.6
Obese (BMI ≥ 30)	114	15.8	1.6	12.7	18.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	247	15.1	1.0	13.1	17.1
Does not participate in leisure time physical activity	129	23.4	2.0	19.5	27.3
Smoking Status					
Current smoker	138	31.3	2.5	26.5	36.1
Non-smoker	281	15.1	1.0	13.2	16.9
Health Insurance Status					
Insured	252	10.8	0.8	9.4	12.3
Uninsured	185	61.1	3.0	55.3	67.0

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2015

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,120	11.0	0.3	10.5	11.6
Sedgwick County	385	12.7	0.7	11.3	14.2
Gender					
Men	136	10.2	1.0	8.3	12.2
Women	249	15.1	1.1	13.0	17.2
Age Group					
18 to 44 Years	176	16.3	1.3	13.7	18.8
45 to 64 Years	151	12.1	1.1	10.0	14.1
65 Years and Older	52	4.8	0.8	3.2	6.3
Ethnicity					
Hispanic	56	19.7	2.7	14.4	25.1
Non-Hispanic	325	11.8	0.8	10.3	13.3
Race					
White	300	12.0	0.8	10.5	13.5
African American	39	17.7	3.4	11.1	24.2
Other	19	16.4	4.0	8.6	24.2
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	152	15.0	1.3	12.4	17.7
Some College or College Graduate	229	11.2	0.8	9.5	12.8
Annual Household Income					
Less than \$35,000 per Year	225	24.6	1.7	21.2	28.0
\$35,000 or Higher per Year	113	7.1	0.8	5.6	8.6
Disability Status					
Living with a Disability	151	18.8	1.7	15.5	22.2
Living without a Disability	203	10.4	0.8	8.8	12.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	95	11.3	1.3	8.9	13.8
Overweight (25 ≤ BMI < 30)	93	9.8	1.2	7.5	12.1
Obese (BMI ≥ 30)	152	16.1	1.5	13.2	19.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	219	11.7	0.9	9.9	13.4
Does not participate in leisure time physical activity	105	13.3	1.4	10.5	16.1
Smoking Status					
Current smoker	115	22.6	2.1	18.4	26.8
Non-smoker	242	9.8	0.8	8.4	11.3
Health Insurance Status					
Insured	237	8.0	0.6	6.9	9.2
Uninsured	144	40.5	3.7	34.4	46.6

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2015

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,945	15.7	0.3	15.1	16.2
Sedgwick County	607	15.7	0.7	14.2	17.2
Gender					
Men	257	14.7	1.1	12.6	16.9
Women	350	16.6	1.0	14.6	18.6
Age Group					
18 to 44 Years	108	10.5	1.1	8.3	12.6
45 to 64 Years	237	19.6	1.3	17.0	22.2
65 Years and Older	256	23.5	1.5	20.6	26.5
Ethnicity					
Hispanic	54	22.3	3.0	16.5	28.1
Non-Hispanic	546	14.8	0.7	13.3	16.3
Race					
White	487	14.5	0.8	13.1	16.0
African American	60	22.7	3.5	15.9	29.6
Other	24	18.5	4.0	10.7	26.4
Multi-Race	17	16.6	4.4	8.0	25.2
Education					
High School Graduate or Less	298	23.9	1.5	20.9	26.9
Some College or College Graduate	305	10.5	0.7	9.1	11.9
Annual Household Income					
Less than \$35,000 per Year	297	26.6	1.7	23.2	29.9
\$35,000 or Higher per Year	172	8.2	0.8	6.7	9.7
Disability Status					
Living with a Disability	400	42.0	2.0	38.0	46.0
Living without a Disability	168	7.4	0.7	6.0	8.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	144	12.1	1.3	9.7	14.6
Overweight (25 ≤ BMI < 30)	147	12.2	1.2	9.9	14.5
Obese (BMI ≥ 30)	246	20.8	1.5	17.8	23.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	267	11.5	0.9	9.8	13.2
Does not participate in leisure time physical activity	266	26.7	1.8	23.2	30.2
Smoking Status					
Current smoker	138	24.1	2.2	19.8	28.4
Non-smoker	429	13.1	0.8	11.6	14.6
Health Insurance Status					
Insured	522	14.3	0.7	12.8	15.7
Uninsured	75	23.8	2.8	18.4	29.3

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Physical Health Was Not Good on 14 or More Days in the Past 30 Days, 2015

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,560	10.0	0.2	9.5	10.4
Sedgwick County	419	10.5	0.6	9.3	11.7
Gender					
Men	169	9.8	0.9	8.1	11.6
Women	250	11.2	0.9	9.5	12.9
Age Group					
18 to 44 Years	78	7.0	0.9	5.3	8.7
45 to 64 Years	174	13.8	1.2	11.5	16.1
65 Years and Older	163	14.8	1.3	12.3	17.3
Ethnicity					
Hispanic	22	9.1	2.1	4.9	13.2
Non-Hispanic	393	10.7	0.6	9.4	11.9
Race					
White	349	10.3	0.7	9.0	11.6
African American	28	10.1	2.3	5.6	14.6
Other	*	*	*	*	*
Multi-Race	18	20.4	5.0	10.6	30.1
Education					
High School Graduate or Less	168	13.6	1.2	11.2	15.9
Some College or College Graduate	249	8.6	0.7	7.3	9.9
Annual Household Income					
Less than \$35,000 per Year	182	14.9	1.3	12.3	17.5
\$35,000 or Higher per Year	158	7.9	0.8	6.4	9.4
Disability Status					
Living with a Disability	298	32.6	1.9	28.8	36.4
Living without a Disability	98	3.6	0.5	2.7	4.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	110	9.2	1.1	7.1	11.3
Overweight (25 ≤ BMI < 30)	104	7.8	0.9	5.9	9.6
Obese (BMI ≥ 30)	161	13.8	1.3	11.3	16.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	196	8.1	0.7	6.7	9.5
Does not participate in leisure time physical activity	191	18.6	1.5	15.6	21.5
Smoking Status					
Current smoker	88	14.0	1.7	10.6	17.5
Non-smoker	308	9.3	0.6	8.0	10.5
Health Insurance Status					
Insured	377	10.5	0.6	9.2	11.8
Uninsured	37	10.6	2.0	6.8	14.5

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14
or More Days in the Past 30 Days, 2015**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,978	9.7	0.3	9.2	10.2
Sedgwick County	308	9.5	0.6	8.3	10.8
Gender					
Men	103	6.6	0.8	5.1	8.1
Women	205	12.3	1.0	10.4	14.3
Age Group					
18 to 44 Years	117	11.2	1.1	9.0	13.4
45 to 64 Years	131	9.8	1.0	8.0	11.7
65 Years and Older	58	5.0	0.8	3.4	6.5
Ethnicity					
Hispanic	29	11.9	2.4	7.3	16.6
Non-Hispanic	276	9.2	0.7	7.9	10.5
Race					
White	255	9.4	0.7	8.0	10.7
African American	18	7.7	2.1	3.5	11.9
Other	15	12.7	3.6	5.8	19.7
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	122	12.0	1.2	9.6	14.4
Some College or College Graduate	184	8.0	0.7	6.6	9.4
Annual Household Income					
Less than \$35,000 per Year	149	16.2	1.5	13.3	19.1
\$35,000 or Higher per Year	108	5.6	0.6	4.4	6.9
Disability Status					
Living with a Disability	177	21.9	1.8	18.4	25.3
Living without a Disability	117	5.7	0.6	4.5	7.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	77	8.4	1.2	6.1	10.7
Overweight (25 ≤ BMI < 30)	71	6.7	0.9	4.9	8.5
Obese (BMI ≥ 30)	124	12.0	1.2	9.6	14.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	153	7.4	0.7	6.0	8.8
Does not participate in leisure time physical activity	119	14.8	1.5	11.8	17.7
Smoking Status					
Current smoker	99	19.3	2.1	15.3	23.3
Non-smoker	194	6.9	0.6	5.7	8.0
Health Insurance Status					
Insured	239	7.6	0.6	6.4	8.7
Uninsured	66	21.1	2.7	15.9	26.3

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2015

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,379	38.7	0.6	37.6	39.9
Sedgwick County	743	38.7	1.4	35.9	41.5
Gender					
Men	286	36.2	2.2	31.9	40.5
Women	457	40.7	1.8	37.1	44.3
Age Group					
18 to 44 Years	207	34.6	2.2	30.2	39.0
45 to 64 Years	305	43.5	2.2	39.1	47.9
65 Years and Older	221	41.4	2.5	36.5	46.3
Ethnicity					
Hispanic	44	37.7	5.3	27.3	48.1
Non-Hispanic	695	38.8	1.5	35.9	41.7
Race					
White	631	38.3	1.5	35.4	41.3
African American	56	44.9	5.8	33.6	56.2
Other	20	35.1	7.5	20.5	49.8
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	235	39.9	2.5	35.0	44.7
Some College or College Graduate	506	38.0	1.7	34.7	41.3
Annual Household Income					
Less than \$35,000 per Year	298	48.9	2.6	43.9	53.9
\$35,000 or Higher per Year	337	34.4	1.9	30.7	38.1
Disability Status					
Living with a Disability	423	62.7	2.3	58.1	67.2
Living without a Disability	292	26.5	1.6	23.3	29.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	206	36.1	2.6	31.0	41.2
Overweight (25 ≤ BMI < 30)	194	38.4	2.7	33.2	43.7
Obese (BMI ≥ 30)	278	42.0	2.4	37.3	46.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	432	36.6	1.8	33.1	40.1
Does not participate in leisure time physical activity	253	46.9	2.7	41.6	52.1
Smoking Status					
Current smoker	152	44.8	3.3	38.4	51.2
Non-smoker	565	37.3	1.6	34.2	40.4
Health Insurance Status					
Insured	646	38.2	1.5	35.2	41.1
Uninsured	90	41.7	4.1	33.7	49.8

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2015**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	10,526	57.4	0.4	56.6	58.3
Sedgwick County	1,665	58.7	1.1	56.6	60.8
Gender					
Men	785	62.7	1.5	59.7	65.7
Women	880	55.0	1.5	52.1	57.9
Age Group					
18 to 44 Years	583	65.7	1.8	62.3	69.2
45 to 64 Years	674	59.6	1.7	56.4	62.9
65 Years and Older	387	39.4	1.8	36.0	42.9
Ethnicity					
Hispanic	130	67.8	3.7	60.7	75.0
Non-Hispanic	1,523	57.5	1.1	55.3	59.7
Race					
White	1,406	57.3	1.1	55.1	59.6
African American	119	66.7	4.3	58.4	75.1
Other	45	51.4	6.1	39.4	63.4
Multi-Race	42	70.0	6.1	58.0	81.9
Education					
High School Graduate or Less	591	66.5	1.8	62.9	70.1
Some College or College Graduate	1,071	54.1	1.3	51.6	56.7
Annual Household Income					
Less than \$35,000 per Year	521	64.4	1.9	60.6	68.1
\$35,000 or Higher per Year	884	54.9	1.4	52.1	57.7
Disability Status					
Living with a Disability	416	55.1	2.1	50.9	59.2
Living without a Disability	1,234	60.1	1.2	57.6	62.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	481	58.1	2.1	54.0	62.2
Overweight (25 ≤ BMI < 30)	530	58.8	1.8	55.2	62.3
Obese (BMI ≥ 30)	547	58.8	1.9	55.2	62.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	1,194	57.2	1.3	54.7	59.7
Does not participate in leisure time physical activity	469	62.8	2.0	59.0	66.7
Smoking Status					
Current smoker	323	70.8	2.3	66.2	75.4
Non-smoker	1,333	55.6	1.2	53.3	58.0
Health Insurance Status					
Insured	1,420	55.0	1.1	52.7	57.2
Uninsured	231	81.7	2.6	76.6	86.9

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2015**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,557	38.3	0.7	36.9	39.6
Sedgwick County	387	39.4	1.8	36.0	42.9
Gender					
Men	175	42.4	2.8	37.0	47.8
Women	212	37.1	2.3	32.7	41.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	378	39.3	1.8	35.9	42.8
Race					
White	343	38.0	1.8	34.5	41.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	157	45.1	3.0	39.2	51.0
Some College or College Graduate	228	35.2	2.1	31.0	39.3
Annual Household Income					
Less than \$35,000 per Year	140	40.3	3.1	34.2	46.4
\$35,000 or Higher per Year	162	35.3	2.4	30.6	40.1
Disability Status					
Living with a Disability	132	35.0	2.9	29.3	40.6
Living without a Disability	250	41.5	2.2	37.2	45.8
Weight Category					
Normal or Underweight (BMI <25)	134	44.9	3.2	38.7	51.1
Overweight (25 ≤ BMI < 30)	133	36.8	2.8	31.3	42.4
Obese (BMI ≥ 30)	103	36.4	3.3	30.0	42.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	259	37.5	2.1	33.4	41.5
Does not participate in leisure time physical activity	128	43.9	3.3	37.5	50.4
Smoking Status					
Current smoker	34	35.9	5.8	24.5	47.3
Non-smoker	350	39.6	1.8	35.9	43.2
Health Insurance Status					
Insured	380	39.4	1.8	35.9	42.8
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they did not receive a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Never Had Pneumonia
Vaccination, 2015**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,711	26.2	0.6	25.0	27.4
Sedgwick County	266	28.9	1.7	25.6	32.3
Gender					
Men	124	33.4	2.8	28.0	38.8
Women	142	25.5	2.1	21.3	29.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	259	28.4	1.7	25.1	31.7
Race					
White	235	26.8	1.7	23.5	30.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	97	34.0	3.0	28.0	40.0
Some College or College Graduate	168	25.4	1.9	21.7	29.2
Annual Household Income					
Less than \$35,000 per Year	92	31.4	3.1	25.3	37.5
\$35,000 or Higher per Year	129	28.0	2.3	23.5	32.6
Disability Status					
Living with a Disability	76	20.6	2.6	15.6	25.6
Living without a Disability	188	33.7	2.2	29.3	38.0
Weight Category					
Normal or Underweight (BMI <25)	100	35.8	3.2	29.6	42.0
Overweight (25 ≤ BMI < 30)	89	25.8	2.6	20.6	30.9
Obese (BMI ≥ 30)	64	24.9	3.2	18.7	31.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	176	27.5	2.0	23.6	31.4
Does not participate in leisure time physical activity	90	32.2	3.2	25.9	38.5
Smoking Status					
Current smoker	28	28.9	5.4	18.4	39.5
Non-smoker	236	28.8	1.8	25.3	32.3
Health Insurance Status					
Insured	262	28.8	1.7	25.4	32.1
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they never had a pneumonia vaccination.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2015**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,288	17.0	0.3	16.3	17.6
Sedgwick County	357	13.3	0.8	11.7	14.8
Gender					
Men	213	17.5	1.3	14.9	20.1
Women	144	9.3	1.0	7.4	11.1
Age Group					
18 to 44 Years	142	16.7	1.5	13.8	19.6
45 to 64 Years	122	10.8	1.1	8.7	12.9
65 Years and Older	88	9.0	1.1	6.9	11.1
Ethnicity					
Hispanic	26	14.2	2.8	8.7	19.7
Non-Hispanic	328	13.2	0.9	11.5	14.8
Race					
White	311	13.2	0.8	11.5	14.8
African American	17	13.2	3.9	5.4	20.9
Other	14	16.7	4.7	7.5	25.9
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	132	16.4	1.6	13.3	19.5
Some College or College Graduate	225	11.5	0.9	9.7	13.2
Annual Household Income					
Less than \$35,000 per Year	127	14.4	1.4	11.6	17.2
\$35,000 or Higher per Year	182	12.5	1.1	10.4	14.5
Disability Status					
Living with a Disability	103	12.9	1.5	10.0	15.8
Living without a Disability	251	13.3	0.9	11.4	15.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	90	11.6	1.5	8.7	14.5
Overweight (25 ≤ BMI < 30)	103	12.9	1.4	10.2	15.6
Obese (BMI ≥ 30)	147	16.0	1.5	13.0	19.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	248	12.6	0.9	10.7	14.4
Does not participate in leisure time physical activity	109	15.2	1.6	12.0	18.3
Smoking Status					
Current smoker	88	19.5	2.2	15.2	23.9
Non-smoker	267	11.7	0.9	10.0	13.4
Health Insurance Status					
Insured	301	12.2	0.8	10.6	13.8
Uninsured	54	19.4	2.9	13.7	25.1

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2015

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,343	17.7	0.3	17.0	18.4
Sedgwick County	564	20.2	0.9	18.5	22.0
Gender					
Men	279	21.5	1.4	18.9	24.2
Women	285	19.0	1.2	16.6	21.4
Age Group					
18 to 44 Years	216	22.5	1.5	19.5	25.5
45 to 64 Years	252	23.9	1.6	20.9	27.0
65 Years and Older	93	8.6	1.0	6.7	10.5
Ethnicity					
Hispanic	49	22.4	3.2	16.2	28.6
Non-Hispanic	513	20.1	1.0	18.2	21.9
Race					
White	476	20.4	1.0	18.5	22.3
African American	41	23.7	4.3	15.2	32.2
Other	21	21.8	4.7	12.7	30.9
Multi-Race	15	14.5	4.2	6.3	22.7
Education					
High School Graduate or Less	252	27.3	1.8	23.8	30.7
Some College or College Graduate	312	16.0	1.0	14.1	18.0
Annual Household Income					
Less than \$35,000 per Year	254	30.6	1.9	26.8	34.3
\$35,000 or Higher per Year	243	15.4	1.1	13.3	17.6
Disability Status					
Living with a Disability	203	29.7	2.1	25.6	33.8
Living without a Disability	354	17.3	1.0	15.4	19.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	186	23.0	1.8	19.5	26.4
Overweight (25 ≤ BMI < 30)	183	20.9	1.6	17.8	24.1
Obese (BMI ≥ 30)	171	18.6	1.6	15.5	21.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	323	16.5	1.0	14.5	18.5
Does not participate in leisure time physical activity	190	28.7	2.1	24.5	32.8
Health Insurance Status					
Insured	444	17.7	0.9	15.8	19.5
Uninsured	114	36.0	3.2	29.9	42.2

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Stopped Smoking for One Day or Longer Because
They Were Trying to Quit Smoking, 2015**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,790	55.1	1.1	53.0	57.2
Sedgwick County	292	51.8	2.6	46.7	56.9
Gender					
Men	144	54.5	3.6	47.4	61.6
Women	148	48.9	3.7	41.7	56.2
Age Group					
18 to 44 Years	127	56.9	3.8	49.3	64.4
45 to 64 Years	126	46.7	3.9	39.2	54.3
65 Years and Older	37	42.1	5.9	30.5	53.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	259	49.7	2.7	44.3	55.0
Race					
White	239	52.6	2.7	47.3	57.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	131	53.3	3.9	45.7	61.0
Some College or College Graduate	161	50.3	3.4	43.6	57.0
Annual Household Income					
Less than \$35,000 per Year	129	49.0	3.9	41.4	56.7
\$35,000 or Higher per Year	122	51.1	3.9	43.5	58.7
Disability Status					
Living with a Disability	118	55.9	4.6	46.9	64.9
Living without a Disability	171	49.9	3.2	43.7	56.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	90	51.2	4.5	42.5	60.0
Overweight (25 ≤ BMI < 30)	103	56.4	4.5	47.7	65.2
Obese (BMI ≥ 30)	89	49.0	4.8	39.7	58.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	183	57.9	3.3	51.3	64.4
Does not participate in leisure time physical activity	88	44.4	4.6	35.4	53.3
Health Insurance Status					
Insured	230	51.5	3.0	45.6	57.3
Uninsured	59	53.2	5.4	42.5	63.8

Numerator: Current smokers who stopped smoking for one day or longer because they were trying to quit smoking.

Denominator: Current smokers, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2015

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	982	5.6	0.2	5.2	6.0
Sedgwick County	109	4.1	0.4	3.3	5.0
Gender					
Men	99	7.8	0.9	6.1	9.5
Women	*	*	*	*	*
Age Group					
18 to 44 Years	55	5.2	0.7	3.7	6.6
45 to 64 Years	36	3.8	0.7	2.4	5.2
65 Years and Older	17	1.9	0.6	0.8	3.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	103	4.2	0.5	3.3	5.1
Race					
White	95	4.2	0.5	3.3	5.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	42	4.2	0.7	2.8	5.6
Some College or College Graduate	67	4.0	0.6	3.0	5.1
Annual Household Income					
Less than \$35,000 per Year	30	3.9	0.8	2.3	5.4
\$35,000 or Higher per Year	67	4.8	0.6	3.5	6.0
Disability Status					
Living with a Disability	24	3.6	0.8	2.0	5.2
Living without a Disability	84	4.2	0.5	3.2	5.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	18	2.3	0.6	1.1	3.5
Overweight (25 ≤ BMI < 30)	43	4.7	0.8	3.1	6.3
Obese (BMI ≥ 30)	47	5.8	0.9	4.0	7.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	78	4.5	0.6	3.4	5.6
Does not participate in leisure time physical activity	21	2.8	0.7	1.5	4.2
Smoking Status					
Current smoker	39	7.9	1.4	5.2	10.6
Non-smoker	68	3.1	0.4	2.2	3.9
Health Insurance Status					
Insured	93	4.0	0.5	3.1	4.9
Uninsured	16	5.4	1.4	2.6	8.2

Numerator: Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2015

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	893	10.5	0.4	9.8	11.3
Sedgwick County	99	7.8	0.9	6.1	9.5
Age Group					
18 to 44 Years	52	9.3	1.4	6.7	12.0
45 to 64 Years	32	7.5	1.4	4.6	10.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	94	8.0	0.9	6.3	9.8
Race					
White	85	8.1	1.0	6.2	10.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	41	7.8	1.3	5.2	10.5
Some College or College Graduate	58	7.8	1.1	5.7	10.0
Annual Household Income					
Less than \$35,000 per Year	28	7.9	1.6	4.7	11.0
\$35,000 or Higher per Year	62	8.6	1.2	6.3	10.9
Disability Status					
Living with a Disability	21	7.9	1.8	4.3	11.4
Living without a Disability	77	7.7	1.0	5.9	9.6
Weight Category					
Normal or Underweight (BMI <25)	17	5.0	1.3	2.4	7.7
Overweight (25 ≤ BMI < 30)	38	7.2	1.3	4.7	9.7
Obese (BMI ≥ 30)	43	11.1	1.8	7.6	14.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	71	8.5	1.1	6.4	10.6
Does not participate in leisure time physical activity	19	5.7	1.5	2.8	8.6
Smoking Status					
Current smoker	36	14.0	2.5	9.2	18.8
Non-smoker	61	5.9	0.8	4.3	7.6
Health Insurance Status					
Insured	84	7.7	0.9	5.9	9.5
Uninsured	15	9.7	2.6	4.7	14.8

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2015**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,099	11.8	0.2	11.3	12.3
Sedgwick County	485	11.2	0.6	10.0	12.3
Gender					
Men	439	20.2	1.1	18.0	22.3
Women	46	2.5	0.4	1.6	3.3
Age Group					
18 to 44 Years	67	6.2	0.8	4.6	7.8
45 to 64 Years	142	10.4	1.0	8.5	12.3
65 Years and Older	268	25.4	1.5	22.5	28.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	474	12.3	0.7	11.0	13.6
Race					
White	425	11.5	0.6	10.3	12.8
African American	27	11.1	2.5	6.2	16.1
Other	*	*	*	*	*
Multi-Race	14	19.9	5.6	9.0	30.9
Education					
High School Graduate or Less	141	9.5	0.9	7.7	11.2
Some College or College Graduate	342	12.2	0.8	10.7	13.7
Annual Household Income					
Less than \$35,000 per Year	126	10.1	1.0	8.0	12.1
\$35,000 or Higher per Year	292	12.9	0.9	11.1	14.6
Disability Status					
Living with a Disability	156	15.2	1.3	12.6	17.9
Living without a Disability	315	10.1	0.7	8.8	11.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	113	9.1	1.0	7.0	11.1
Overweight (25 ≤ BMI < 30)	203	15.7	1.2	13.3	18.1
Obese (BMI ≥ 30)	160	11.8	1.1	9.7	14.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	321	11.7	0.8	10.2	13.2
Does not participate in leisure time physical activity	128	11.8	1.2	9.5	14.1
Smoking Status					
Current smoker	72	9.5	1.3	7.0	12.0
Non-smoker	403	12.0	0.7	10.7	13.4
Health Insurance Status					
Insured	463	12.5	0.7	11.1	13.8
Uninsured	20	4.2	1.1	2.1	6.3

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2015

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,154	34.2	0.4	33.4	35.0
Sedgwick County	1,158	36.0	1.1	34.0	38.1
Gender					
Men	512	34.5	1.5	31.5	37.5
Women	646	37.7	1.5	34.8	40.5
Age Group					
18 to 44 Years	348	34.1	1.7	30.8	37.5
45 to 64 Years	482	42.0	1.7	38.6	45.3
65 Years and Older	323	31.0	1.6	27.8	34.2
Ethnicity					
Hispanic	85	44.9	4.7	36.9	52.9
Non-Hispanic	1,067	35.1	1.1	32.9	37.2
Race					
White	959	34.3	1.1	32.2	36.5
African American	110	51.2	4.6	42.1	60.3
Other	32	29.8	4.9	20.2	39.4
Multi-Race	27	37.7	6.6	24.9	50.6
Education					
High School Graduate or Less	388	39.7	1.9	35.9	43.5
Some College or College Graduate	770	33.9	1.2	31.5	36.3
Annual Household Income					
Less than \$35,000 per Year	373	39.6	2.0	35.7	43.6
\$35,000 or Higher per Year	641	35.9	1.4	33.2	38.5
Disability Status					
Living with a Disability	388	45.4	2.2	41.2	49.7
Living without a Disability	752	33.0	1.2	30.6	35.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	714	33.5	1.3	31.0	36.0
Does not participate in leisure time physical activity	363	44.8	2.2	40.4	49.1
Smoking Status					
Current smoker	171	32.5	2.5	27.6	37.4
Non-smoker	970	37.2	1.2	34.9	39.5
Health Insurance Status					
Insured	1,034	35.4	1.1	33.2	37.5
Uninsured	121	43.0	3.4	36.3	49.8

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2015

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	14,432	68.0	0.4	67.2	68.8
Sedgwick County	2,304	68.5	1.0	66.5	70.5
Gender					
Men	1,145	72.6	1.4	69.8	75.5
Women	1,159	64.3	1.4	61.4	67.1
Age Group					
18 to 44 Years	659	63.9	1.8	60.5	67.4
45 to 64 Years	898	75.2	1.4	72.4	77.9
65 Years and Older	728	68.9	1.6	65.8	72.0
Ethnicity					
Hispanic	151	77.5	3.3	71.1	83.9
Non-Hispanic	2,141	67.5	1.1	65.4	69.7
Race					
White	1,968	68.3	1.1	66.2	70.4
African American	165	76.3	4.0	68.5	84.2
Other	67	56.3	5.6	45.4	67.2
Multi-Race	49	62.1	7.1	48.1	76.0
Education					
High School Graduate or Less	733	72.2	1.8	68.7	75.6
Some College or College Graduate	1,570	66.4	1.2	64.0	68.9
Annual Household Income					
Less than \$35,000 per Year	666	68.6	1.9	64.9	72.2
\$35,000 or Higher per Year	1,340	71.0	1.3	68.4	73.5
Disability Status					
Living with a Disability	640	71.9	2.0	68.0	75.7
Living without a Disability	1,630	67.6	1.2	65.3	70.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	1,527	66.7	1.3	64.2	69.2
Does not participate in leisure time physical activity	610	76.0	1.9	72.4	79.7
Smoking Status					
Current smoker	354	65.4	2.5	60.4	70.3
Non-smoker	1,910	69.6	1.1	67.4	71.8
Health Insurance Status					
Insured	2,082	68.7	1.1	66.6	70.8
Uninsured	211	70.5	3.7	64.4	76.5

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Technical Notes

The 2015 BRFSS data for your county/region on health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>