

2015 Kansas Behavioral Risk Factor Surveillance System Local Data

Sumner County



January 2017

2015 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Sam Brownback, Governor

Kansas Department of Health and Environment
Susan Mosier, MD, MBA, FACS, Secretary and State Health Officer

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion (BHP)

Report Supervision:
Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance, Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:
Partial funding for the 2015 Behavioral Risk Factor Survey was provided by cooperative agreement 6NU58DP006025-01-01 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion
January 2017**

Kansas Department of Health and Environment (KDHE)


Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov



Sumner County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2015 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
Pratik.Pandya@ks.gov

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1949
Fax: 785-296-8059
Ghazala.Perveen@ks.gov



Table of Contents

Alcohol Consumption

Binge Drinking.....	1
---------------------	---

Arthritis

Arthritis	3
Activity Limitation Due to Arthritis	5

Asthma	7
---------------------	---

Cancer

Cancer (Excluding Skin Cancer)	9
Skin Cancer	11

Cardiovascular Health

High Blood Pressure	13
---------------------------	----

Cholesterol

Not Checked Cholesterol within Five Years	15
High Blood Cholesterol Status.....	17

Chronic Obstructive Pulmonary Disease (COPD)	19
---	----

Depressive Disorder	21
----------------------------------	----

Diabetes	23
-----------------------	----

Disability

Activity Limitation Due to Physical, Mental or Emotional Problems	25
Disability	27

Exercise and Physical Activity

Not Participating in the Recommended Level of Physical Activity (Aerobic AND/OR Strengthening)	29
Did Not Participate in the Recommended Level of Aerobic AND Strengthening Physical Activity.....	31
Not Participating in Any Physical Activity	33

Fruits and Vegetable Consumption

Consuming Fruits Less than 1 Time Per Day35
Consuming Vegetables Less than 1 Time Per Day.....37

Health Care Access

Lack of Health Care Coverage.....39
Lack of Health Care Coverage 18 to 64 Years Old Only41
Did Not See Doctor Due to Cost.....43

General Health45

Healthy Days - Health Related Quality of Life

Physical Health Status.....47
Poor Physical or Mental Health is Barrier to Usual Activities.....49

Immunization

Not Immunized Against Influenza.....51
Not Immunized Against Influenza 65 Years and Older Only53
Never Had Pneumonia Vaccination 65 Years and Older Only55

Seatbelt Use.....57

Tobacco Use

Current Smoker59
Smokeless Tobacco Use61
Male Smokeless Tobacco Use63

Veteran Status65

Weight Status (BMI Categories)

Obese.....67
Overweight or Obese69

Technical Notes.....71

Unpublished Tables - The following data tables are not published due to insufficient sample and/or statistically unreliable estimates for Sumner County: Heavy Drinking, Heart Attack, Coronary Heart Disease, Stroke, No Personal Doctor, Mental Health Status and Tried Quitting Smoking,

Percentage of Adults Who Are Binge Drinkers, 2015

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,556	15.6	0.3	15.0	16.3
Sumner County	17	12.3	3.2	6.1	18.6
Gender					
Men	13	20.1	5.5	9.4	30.8
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	14	11.2	3.2	4.9	17.4
Race					
White	17	12.9	3.3	6.4	19.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	15	17.6	4.6	8.5	26.7
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	14	15.0	4.2	6.8	23.3
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	12	13.9	4.1	5.9	21.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>13</i>	<i>13.4</i>	<i>3.8</i>	<i>5.9</i>	<i>20.9</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	<i>14</i>	<i>11.3</i>	<i>3.2</i>	<i>4.9</i>	<i>17.6</i>
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis, 2015

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,320	24.5	0.3	23.9	25.1
Sumner County	84	35.2	4.3	26.8	43.5
Gender					
Men	28	23.9	4.9	14.3	33.5
Women	56	46.1	6.3	33.8	58.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	36	40.4	6.2	28.1	52.6
65 Years and Older	40	55.1	7.1	41.2	68.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	79	34.6	4.4	26.0	43.1
Race					
White	79	34.2	4.3	25.7	42.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	31	39.9	7.6	25.1	54.7
Some College or College Graduate	53	32.0	4.7	22.7	41.3
Annual Household Income					
Less than \$35,000 per Year	30	49.0	10.4	28.6	69.5
\$35,000 or Higher per Year	36	25.0	4.5	16.3	33.8
Disability Status					
Living with a Disability	46	56.1	7.8	40.8	71.3
Living without a Disability	36	25.2	5.2	15.0	35.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	26	29.9	6.6	16.9	42.9
Obese (BMI ≥ 30)	35	34.5	6.3	22.2	46.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	47	26.5	4.2	18.2	34.7
Does not participate in leisure time physical activity	31	49.9	8.4	33.5	66.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	69	34.0	4.3	25.6	42.3
Health Insurance Status					
Insured	80	37.2	4.6	28.2	46.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2015

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,152	48.2	0.8	46.7	49.7
Sumner County	39	43.5	7.8	28.1	58.8
Gender					
Men	*	*	*	*	*
Women	26	38.2	9.6	19.3	57.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	37	42.4	8.1	26.5	58.3
Race					
White	38	46.0	8.3	29.6	62.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>33</i>	<i>49.6</i>	<i>7.9</i>	<i>34.0</i>	<i>65.1</i>
Health Insurance Status					
Insured	<i>38</i>	<i>45.9</i>	<i>8.4</i>	<i>29.5</i>	<i>62.4</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Current Asthma, 2015

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,990	8.7	0.2	8.2	9.1
Sumner County	19	9.0	2.4	4.4	13.6
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	19	9.3	2.4	4.6	14.1
Race					
White	18	8.6	2.3	4.0	13.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	15	7.9	2.3	3.5	12.4
Health Insurance Status					
Insured	16	8.2	2.4	3.5	13.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2015

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,273	7.1	0.2	6.8	7.5
Sumner County	17	5.9	1.7	2.6	9.2
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	13	21.9	6.3	9.6	34.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	16	6.0	1.7	2.6	9.3
Race					
White	16	6.0	1.7	2.6	9.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	15	6.9	2.0	2.9	10.9
Health Insurance Status					
Insured	17	6.8	1.9	3.0	10.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2015

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,155	6.4	0.2	6.1	6.7
Sumner County	23	7.7	1.8	4.2	11.2
Gender					
Men	18	12.9	3.3	6.5	19.4
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	14	20.2	5.5	9.4	31.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	23	8.0	1.8	4.4	11.6
Race					
White	22	7.5	1.8	4.0	11.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	15	8.4	2.4	3.7	13.0
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	17	10.1	2.6	4.9	15.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	21	8.6	2.1	4.6	12.7
Health Insurance Status					
Insured	23	8.9	2.0	4.9	12.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Hypertension, 2015

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	9,207	31.6	0.4	30.9	32.3
Sumner County	108	52.6	4.4	44.0	61.1
Gender					
Men	50	52.9	6.2	40.8	65.0
Women	58	52.3	6.2	40.1	64.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	43	56.1	6.3	43.7	68.5
65 Years and Older	48	68.6	7.0	54.7	82.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	103	52.4	4.5	43.6	61.1
Race					
White	102	52.5	4.5	43.8	61.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	45	63.5	6.7	50.3	76.7
Some College or College Graduate	62	45.0	5.4	34.4	55.5
Annual Household Income					
Less than \$35,000 per Year	35	72.8	8.0	57.1	88.6
\$35,000 or Higher per Year	50	42.0	5.3	31.6	52.5
Disability Status					
Living with a Disability	49	73.8	7.1	59.9	87.7
Living without a Disability	55	41.9	5.5	31.2	52.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	33	47.4	7.7	32.3	62.4
Obese (BMI ≥ 30)	47	64.8	6.5	52.1	77.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	65	47.8	5.2	37.6	58.1
Does not participate in leisure time physical activity	36	63.7	7.8	48.4	79.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	91	51.4	4.6	42.4	60.5
Health Insurance Status					
Insured	102	55.5	4.5	46.7	64.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2015**

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,834	25.9	0.4	25.1	26.7
Sumner County	22	18.3	4.3	9.9	26.7
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	20	18.0	4.4	9.4	26.7
Race					
White	22	19.1	4.4	10.4	27.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	14	16.1	4.3	7.7	24.6
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	17	18.2	5.2	7.9	28.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	14	16.9	4.6	7.9	25.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	15	11.5	3.1	5.4	17.5
Health Insurance Status					
Insured	15	15.6	4.5	6.7	24.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years.

Denominator: All respondents excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2015

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,479	37.4	0.4	36.5	38.2
Sumner County	100	49.1	4.4	40.5	57.8
Gender					
Men	41	47.1	6.4	34.6	59.5
Women	59	51.4	6.1	39.5	63.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	48	62.1	6.0	50.3	73.9
65 Years and Older	45	65.4	6.8	52.1	78.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	95	48.8	4.5	39.9	57.6
Race					
White	95	49.6	4.5	40.7	58.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	36	50.1	7.2	36.0	64.2
Some College or College Graduate	64	48.8	5.6	37.8	59.8
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	59	49.8	5.7	38.6	60.9
Disability Status					
Living with a Disability	43	68.4	7.1	54.5	82.2
Living without a Disability	56	41.9	5.3	31.5	52.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	34	54.3	8.3	38.0	70.7
Obese (BMI ≥ 30)	43	58.3	7.0	44.7	71.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	65	47.5	5.4	37.0	58.1
Does not participate in leisure time physical activity	31	56.8	8.0	41.1	72.5
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	89	51.4	4.8	42.0	60.8
Health Insurance Status					
Insured	95	49.7	4.5	40.8	58.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2015**

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,752	6.2	0.2	5.8	6.5
Sumner County	22	9.1	2.2	4.8	13.4
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	15	21.9	5.9	10.3	33.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	22	9.4	2.3	5.0	13.8
Race					
White	20	8.2	2.1	4.1	12.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	17	20.8	5.5	9.9	31.6
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	18	8.9	2.4	4.2	13.6
Health Insurance Status					
Insured	20	8.9	2.2	4.5	13.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,
2015**

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,472	19.4	0.3	18.8	20.1
Sumner County	36	19.4	3.4	12.6	26.1
Gender					
Men	*	*	*	*	*
Women	25	25.3	5.2	15.0	35.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	19	27.6	6.0	15.8	39.5
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	35	19.5	3.5	12.6	26.4
Race					
White	32	17.7	3.4	11.0	24.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	21.1	5.4	10.5	31.8
Some College or College Graduate	18	18.2	4.5	9.4	27.0
Annual Household Income					
Less than \$35,000 per Year	14	32.6	9.3	14.4	50.8
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	17	25.6	6.5	12.8	38.4
Living without a Disability	17	15.7	4.0	7.8	23.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	16	21.9	6.0	10.2	33.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	20	15.7	3.9	8.1	23.4
Does not participate in leisure time physical activity	15	27.7	7.2	13.7	41.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	30	20.8	4.0	13.0	28.5
Health Insurance Status					
Insured	30	16.3	3.3	9.9	22.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2015

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,878	9.7	0.2	9.3	10.1
Sumner County	40	13.9	2.6	8.8	19.0
Gender					
Men	21	16.5	4.2	8.3	24.6
Women	19	11.4	3.7	5.3	17.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	27	34.4	6.7	21.4	47.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	34	11.7	2.5	6.9	16.6
Race					
White	37	13.8	2.7	8.6	19.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	27	15.3	3.5	8.3	22.2
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	16	11.2	3.2	5.0	17.4
Disability Status					
Living with a Disability	22	27.4	6.5	14.7	40.1
Living without a Disability	18	8.2	2.3	3.8	12.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	24	24.1	5.5	13.2	34.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	20	11.3	2.9	5.6	16.9
Does not participate in leisure time physical activity	18	19.3	5.6	8.3	30.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	35	15.8	3.1	9.7	21.8
Health Insurance Status					
Insured	38	14.4	2.8	8.9	19.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental or Emotional Problems, 2015**

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,248	20.0	0.3	19.3	20.6
Sumner County	64	29.2	4.0	21.4	37.0
Gender					
Men	27	30.8	5.8	19.4	42.2
Women	37	27.6	5.4	17.1	38.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	26	30.8	6.0	19.1	42.5
65 Years and Older	30	44.8	7.5	30.1	59.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	63	29.7	4.1	21.7	37.7
Race					
White	61	29.1	4.1	21.1	37.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	30	34.8	6.7	21.7	47.9
Some College or College Graduate	34	25.3	4.9	15.6	35.0
Annual Household Income					
Less than \$35,000 per Year	24	40.1	9.7	21.1	59.1
\$35,000 or Higher per Year	26	20.1	4.5	11.3	28.9
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	19	25.4	6.4	12.7	38.0
Obese (BMI ≥ 30)	28	37.5	6.9	23.9	51.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>36</i>	<i>27.9</i>	<i>4.9</i>	<i>18.3</i>	<i>37.6</i>
Does not participate in leisure time physical activity	<i>24</i>	<i>32.6</i>	<i>7.5</i>	<i>17.9</i>	<i>47.4</i>
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>51</i>	<i>27.8</i>	<i>4.2</i>	<i>19.7</i>	<i>36.0</i>
Health Insurance Status					
Insured	<i>61</i>	<i>30.2</i>	<i>4.2</i>	<i>22.0</i>	<i>38.4</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2015

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,842	21.9	0.3	21.2	22.5
Sumner County	69	31.1	4.0	23.2	39.0
Gender					
Men	30	34.0	5.9	22.4	45.6
Women	39	28.2	5.4	17.6	38.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	27	32.4	6.0	20.6	44.2
65 Years and Older	34	51.3	7.4	36.8	65.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	67	31.1	4.1	23.0	39.2
Race					
White	66	31.2	4.1	23.0	39.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	32	37.4	6.8	24.0	50.7
Some College or College Graduate	37	26.8	5.0	17.0	36.5
Annual Household Income					
Less than \$35,000 per Year	28	46.2	10.2	26.3	66.2
\$35,000 or Higher per Year	27	20.8	4.5	12.0	29.7
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	19	25.4	6.4	12.7	38.0
Obese (BMI ≥ 30)	30	40.1	6.9	26.5	53.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	36	27.9	4.9	18.3	37.6
Does not participate in leisure time physical activity	27	36.1	7.7	21.0	51.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	55	29.5	4.2	21.2	37.8
Health Insurance Status					
Insured	66	32.4	4.3	24.0	40.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2015

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	16,199	80.7	0.4	80.0	81.4
Sumner County	155	88.6	2.7	83.4	93.8
Gender					
Men	66	87.9	4.0	79.9	95.8
Women	89	89.3	3.5	82.4	96.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	65	90.2	3.5	83.2	97.1
65 Years and Older	55	90.8	4.3	82.4	99.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	149	88.6	2.8	83.2	94.0
Race					
White	151	90.1	2.6	85.1	95.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	56	87.3	4.6	78.3	96.3
Some College or College Graduate	99	89.6	3.2	83.4	95.8
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	94	85.3	3.8	77.8	92.8
Disability Status					
Living with a Disability	49	87.9	5.0	78.0	97.8
Living without a Disability	104	88.7	3.2	82.5	95.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	44	88.6	4.6	79.5	97.7
Obese (BMI ≥ 30)	67	95.6	2.2	91.3	99.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	135	87.6	3.0	81.7	93.5
Health Insurance Status					
Insured	143	87.4	2.9	81.7	93.2
Uninsured	*	*	*	*	*

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2015

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,120	40.3	0.4	39.4	41.2
Sumner County	84	56.4	4.5	47.6	65.3
Gender					
Men	*	*	*	*	*
Women	52	62.5	5.9	50.9	74.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	79	55.3	4.7	46.1	64.5
Race					
White	82	57.3	4.6	48.3	66.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	48	52.1	5.6	41.1	63.1
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	52	54.0	5.6	43.1	64.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>71</i>	<i>52.9</i>	<i>4.8</i>	<i>43.6</i>	<i>62.2</i>
Health Insurance Status					
Insured	<i>78</i>	<i>56.2</i>	<i>4.7</i>	<i>47.0</i>	<i>65.4</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2015

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,698	26.5	0.4	25.8	27.3
Sumner County	61	38.0	4.7	28.9	47.2
Gender					
Men	26	35.8	6.4	23.3	48.3
Women	35	40.1	6.7	27.0	53.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	22	38.0	6.8	24.7	51.3
65 Years and Older	25	45.4	7.8	30.2	60.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	58	37.7	4.8	28.3	47.0
Race					
White	59	38.0	4.8	28.6	47.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	31	51.3	7.5	36.7	66.0
Some College or College Graduate	30	28.7	5.3	18.3	39.1
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	29	28.8	5.2	18.7	38.9
Disability Status					
Living with a Disability	27	43.8	8.0	28.1	59.5
Living without a Disability	33	34.8	5.8	23.4	46.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	17	36.0	8.3	19.8	52.3
Obese (BMI ≥ 30)	29	42.2	6.9	28.6	55.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	51	35.6	4.7	26.4	44.7
Health Insurance Status					
Insured	57	39.3	4.9	29.6	49.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2015**

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,386	43.7	0.4	42.9	44.6
Sumner County	88	48.9	4.5	40.1	57.8
Gender					
Men	44	49.7	6.4	37.1	62.3
Women	44	48.3	6.4	35.7	60.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	33	43.0	6.5	30.3	55.7
65 Years and Older	26	45.7	7.9	30.3	61.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	84	48.4	4.7	39.3	57.5
Race					
White	83	47.6	4.7	38.5	56.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	37	54.7	7.3	40.4	69.0
Some College or College Graduate	51	44.8	5.6	33.8	55.8
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	56	49.4	5.5	38.6	60.1
Disability Status					
Living with a Disability	26	40.1	7.7	25.0	55.2
Living without a Disability	61	52.6	5.5	41.8	63.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	20	35.7	8.0	20.0	51.3
Obese (BMI ≥ 30)	38	48.3	6.9	34.7	61.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	56	42.9	5.1	32.8	53.0
Does not participate in leisure time physical activity	32	61.3	7.8	46.0	76.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	77	50.3	4.7	41.2	59.5
Health Insurance Status					
Insured	79	48.5	4.8	39.1	57.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2015**

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,217	22.3	0.4	21.6	23.1
Sumner County	47	23.7	3.6	16.5	30.8
Gender					
Men	23	26.8	5.5	15.9	37.6
Women	24	20.9	4.8	11.6	30.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	15	20.1	5.3	9.8	30.4
65 Years and Older	19	33.8	7.9	18.3	49.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	44	22.5	3.7	15.3	29.6
Race					
White	44	23.0	3.7	15.8	30.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	21	27.0	6.4	14.5	39.5
Some College or College Graduate	26	21.3	4.3	12.9	29.8
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	25	20.9	4.2	12.6	29.3
Disability Status					
Living with a Disability	21	33.9	7.5	19.1	48.6
Living without a Disability	26	19.3	3.9	11.5	27.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	17	23.0	5.7	11.8	34.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	25	21.3	4.2	13.1	29.6
Does not participate in leisure time physical activity	22	28.2	6.9	14.6	41.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	42	26.0	4.1	18.0	34.1
Health Insurance Status					
Insured	42	23.2	3.8	15.7	30.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2015

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,027	12.8	0.3	12.2	13.4
Sumner County	17	12.7	3.2	6.4	19.0
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	17	13.2	3.3	6.6	19.7
Race					
White	16	12.0	3.2	5.8	18.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	12	16.8	4.8	7.4	26.2
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	14	14.3	4.0	6.5	22.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2015**

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,921	15.7	0.4	15.0	16.5
Sumner County	16	15.9	4.1	7.9	23.8
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	16	16.3	4.2	8.2	24.5
Race					
White	15	14.9	4.0	7.1	22.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	12	20.3	5.7	9.1	31.5
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	13	16.3	4.6	7.2	25.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2015

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,120	11.0	0.3	10.5	11.6
Sumner County	16	10.5	2.9	4.8	16.2
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	15	10.3	3.0	4.4	16.1
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>13</i>	<i>12.0</i>	<i>3.5</i>	<i>5.1</i>	<i>18.9</i>
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2015

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,945	15.7	0.3	15.1	16.2
Sumner County	42	19.5	3.4	12.9	26.1
Gender					
Men	19	21.2	5.0	11.4	31.1
Women	23	17.8	4.4	9.1	26.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	21	24.9	5.7	13.8	36.1
65 Years and Older	17	32.0	7.6	17.1	46.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	39	18.7	3.4	12.0	25.3
Race					
White	40	19.9	3.5	13.1	26.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	22.6	5.9	11.1	34.1
Some College or College Graduate	24	17.4	4.0	9.6	25.3
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	32	49.9	7.7	34.8	65.0
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	13	21.0	6.3	8.8	33.3
Obese (BMI ≥ 30)	18	22.6	5.9	11.0	34.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	23	14.9	3.5	8.0	21.7
Does not participate in leisure time physical activity	14	24.4	7.0	10.7	38.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	31	19.9	3.8	12.4	27.4
Health Insurance Status					
Insured	38	19.7	3.6	12.6	26.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Physical Health Was Not Good on 14 or More Days in the Past 30 Days, 2015

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,560	10.0	0.2	9.5	10.4
Sumner County	33	16.3	3.2	10.0	22.5
Gender					
Men	16	19.4	4.9	9.7	29.1
Women	17	13.2	3.9	5.5	20.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	16	21.4	5.5	10.6	32.1
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	31	15.7	3.2	9.4	22.0
Race					
White	31	16.2	3.3	9.7	22.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	17	23.1	6.0	11.4	34.8
Some College or College Graduate	16	11.6	3.4	4.9	18.3
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	29	50.4	8.0	34.8	66.0
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	16	22.9	6.1	10.9	34.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	13	9.8	2.9	4.1	15.5
Does not participate in leisure time physical activity	18	27.6	7.2	13.5	41.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	24	16.2	3.6	9.1	23.3
Health Insurance Status					
Insured	31	17.2	3.5	10.3	24.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2015

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,379	38.7	0.6	37.6	39.9
Sumner County	35	36.8	6.3	24.5	49.1
Gender					
Men	*	*	*	*	*
Women	22	35.5	8.4	18.9	52.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	34	37.3	6.5	24.5	50.1
Race					
White	33	36.7	6.5	24.0	49.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	22	41.6	7.9	26.1	57.1
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	18	34.4	7.8	19.1	49.6
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	26	35.1	6.5	22.2	47.9
Health Insurance Status					
Insured	34	38.0	6.6	25.0	50.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2015**

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	10,526	57.4	0.4	56.6	58.3
Sumner County	119	69.0	4.0	61.2	76.8
Gender					
Men	51	68.4	5.9	56.7	80.0
Women	68	69.6	5.3	59.1	80.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	54	68.5	6.1	56.5	80.6
65 Years and Older	32	54.9	7.6	40.1	69.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	112	68.1	4.1	60.0	76.1
Race					
White	112	68.0	4.1	60.0	76.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	50	74.6	5.8	63.2	86.0
Some College or College Graduate	69	64.9	5.3	54.6	75.3
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	70	62.6	5.3	52.2	73.1
Disability Status					
Living with a Disability	40	69.5	7.1	55.6	83.4
Living without a Disability	78	68.6	4.9	59.1	78.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	36	68.6	7.8	53.3	83.8
Obese (BMI ≥ 30)	45	68.4	6.0	56.7	80.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	79	64.2	4.9	54.6	73.9
Does not participate in leisure time physical activity	40	76.5	6.3	64.0	88.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	97	64.3	4.4	55.6	72.9
Health Insurance Status					
Insured	104	64.8	4.4	56.2	73.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2015**

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,557	38.3	0.7	36.9	39.6
Sumner County	32	54.9	7.6	40.1	69.8
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	28	50.8	8.0	35.0	66.5
Race					
White	30	55.4	7.8	40.2	70.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	29	51.5	7.9	36.0	67.0
Health Insurance Status					
Insured	32	54.9	7.6	40.1	69.8
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they did not receive a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Never Had Pneumonia
Vaccination, 2015**

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,711	26.2	0.6	25.0	27.4
Sumner County	24	45.2	8.0	29.4	60.9
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	21	40.6	8.4	24.2	57.0
Race					
White	23	45.7	8.2	29.6	61.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	22	41.5	8.2	25.4	57.7
Health Insurance Status					
Insured	24	45.2	8.0	29.4	60.9
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they never had a pneumonia vaccination.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2015**

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,288	17.0	0.3	16.3	17.6
Sumner County	34	21.8	4.4	13.2	30.5
Gender					
Men	20	27.5	6.1	15.6	39.4
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	12	22.2	6.1	10.2	34.2
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	34	22.8	4.6	13.8	31.8
Race					
White	33	22.3	4.6	13.3	31.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	21	18.6	4.7	9.4	27.8
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	21	22.4	4.9	12.8	32.0
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	24	24.8	5.8	13.4	36.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	19	25.1	6.0	13.3	36.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	21	17.3	4.2	9.1	25.4
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	30	18.9	3.8	11.4	26.4
Health Insurance Status					
Insured	32	23.6	4.9	14.1	33.1
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2015

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,343	17.7	0.3	17.0	18.4
Sumner County	29	19.3	4.1	11.2	27.4
Gender					
Men	15	18.9	5.1	8.9	28.8
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	17	18.7	4.7	9.4	28.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	28	19.8	4.3	11.5	28.2
Race					
White	27	19.6	4.3	11.2	28.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	31.5	7.7	16.3	46.6
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	16	47.8	10.5	27.1	68.5
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	17	17.9	5.2	7.8	28.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	17	16.4	4.4	7.8	24.9
Does not participate in leisure time physical activity	*	*	*	*	*
Health Insurance Status					
Insured	24	17.8	4.4	9.2	26.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2015

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	982	5.6	0.2	5.2	6.0
Sumner County	17	12.1	3.1	5.9	18.3
Gender					
Men	17	24.4	5.8	13.1	35.7
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	16	12.2	3.3	5.8	18.6
Race					
White	17	12.6	3.3	6.2	19.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	13	14.9	4.3	6.4	23.4
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	16	13.0	3.4	6.3	19.7
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2015

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	893	10.5	0.4	9.8	11.3
Sumner County	17	24.4	5.8	13.1	35.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	16	25.1	6.0	13.3	36.9
Race					
White	17	25.3	5.9	13.7	37.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	13	25.8	6.9	12.2	39.4
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	16	26.1	6.3	13.9	38.4
Health Insurance Status					
Insured	13	18.8	5.3	8.3	29.2
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2015**

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,099	11.8	0.2	11.3	12.3
Sumner County	30	12.4	2.6	7.2	17.5
Gender					
Men	28	22.7	4.8	13.2	32.1
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	17	19.2	4.9	9.6	28.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	28	11.7	2.6	6.6	16.8
Race					
White	30	12.9	2.7	7.5	18.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	25	16.8	3.9	9.1	24.4
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	17	12.3	3.5	5.5	19.1
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	19	11.1	3.1	5.0	17.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	17	24.7	6.6	11.7	37.6
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	18	11.2	2.9	5.5	17.0
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	28	13.7	3.0	7.8	19.6
Health Insurance Status					
Insured	29	12.7	2.7	7.5	18.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2015

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,154	34.2	0.4	33.4	35.0
Sumner County	78	43.2	4.5	34.4	51.9
Gender					
Men	35	42.4	6.2	30.4	54.5
Women	43	44.1	6.4	31.5	56.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	31	42.5	6.7	29.3	55.7
65 Years and Older	28	41.2	7.4	26.7	55.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	74	42.4	4.6	33.4	51.3
Race					
White	75	43.1	4.5	34.2	52.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	28	42.2	7.1	28.3	56.0
Some College or College Graduate	50	43.8	5.7	32.6	55.0
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	46	40.8	5.6	29.8	51.7
Disability Status					
Living with a Disability	30	52.9	8.0	37.2	68.6
Living without a Disability	48	38.5	5.2	28.4	48.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	48	42.2	5.6	31.3	53.1
Does not participate in leisure time physical activity	29	52.9	8.2	36.9	68.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	72	46.4	4.8	36.9	55.9
Health Insurance Status					
Insured	70	41.5	4.6	32.5	50.5
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2015

Sumner County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	14,432	68.0	0.4	67.2	68.8
Sumner County	140	78.1	3.5	71.2	85.0
Gender					
Men	78	86.8	3.8	79.4	94.2
Women	62	67.2	6.0	55.3	79.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	63	87.4	4.0	79.6	95.1
65 Years and Older	48	73.7	6.8	60.5	87.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	132	77.1	3.7	69.9	84.4
Race					
White	134	78.7	3.5	71.8	85.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	48	75.1	5.9	63.6	86.5
Some College or College Graduate	92	80.0	4.4	71.3	88.7
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	87	79.3	4.5	70.5	88.1
Disability Status					
Living with a Disability	49	80.0	6.2	67.9	92.1
Living without a Disability	91	77.4	4.3	68.9	85.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	87	75.1	4.6	66.0	84.2
Does not participate in leisure time physical activity	46	84.7	5.6	73.7	95.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	123	79.9	3.8	72.5	87.3
Health Insurance Status					
Insured	126	77.5	3.7	70.2	84.8
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Technical Notes

The 2015 BRFSS data for your county/region on health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>