

2015 Kansas Behavioral Risk Factor Surveillance System Local Data

SEK Multi-County Region



January 2017

2015 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Sam Brownback, Governor

Kansas Department of Health and Environment
Susan Mosier, MD, MBA, FACS, Secretary and State Health Officer

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion (BHP)

Report Supervision:
Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance, Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:
Partial funding for the 2015 Behavioral Risk Factor Survey was provided by cooperative agreement 6NU58DP006025-01-01 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion**
January 2017

Kansas Department of Health and Environment (KDHE)


Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov



The SEK Multi-County Region comprises the following counties:
Allen, Anderson, Bourbon, Woodson

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2015 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
Pratik.Pandya@ks.gov

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1949
Fax: 785-296-8059
Ghazala.Perveen@ks.gov

Table of Contents

Alcohol Consumption

Binge Drinking.....	1
---------------------	---

Arthritis

Arthritis	3
Activity Limitation Due to Arthritis	5

Asthma	7
---------------------	---

Cancer

Cancer (Excluding Skin Cancer)	9
Skin Cancer	11

Cardiovascular Health

Heart Attack	13
Coronary Heart Disease	15
Stroke	17
High Blood Pressure	19

Cholesterol

Not Checked Cholesterol within Five Years	21
High Blood Cholesterol Status.....	23

Chronic Obstructive Pulmonary Disease (COPD)	25
---	----

Depressive Disorder	27
----------------------------------	----

Diabetes	29
-----------------------	----

Disability

Activity Limitation Due to Physical, Mental or Emotional Problems	31
Disability	33

Exercise and Physical Activity

Not Participating in the Recommended Level of Physical Activity (Aerobic AND/OR Strengthening)	35
Did Not Participate in the Recommended Level of Aerobic AND Strengthening Physical Activity.....	37

Not Participating in Any Physical Activity	39
--	----

Fruits and Vegetable Consumption

Consuming Fruits Less than 1 Time Per Day	41
Consuming Vegetables Less than 1 Time Per Day.....	43

Health Care Access

Lack of Health Care Coverage.....	45
Lack of Health Care Coverage 18 to 64 Years Old Only	47
No Personal Doctor	49
Did Not See Doctor Due to Cost.....	51

General Health	53
-----------------------------	----

Healthy Days - Health Related Quality of Life

Physical Health Status.....	55
Mental Health Status.....	57
Poor Physical or Mental Health is Barrier to Usual Activities.....	59

Immunization

Not Immunized Against Influenza.....	61
Not Immunized Against Influenza 65 Years and Older Only	63
Never Had Pneumonia Vaccination 65 Years and Older Only	65

Seatbelt Use	67
---------------------------	----

Tobacco Use

Current Smoker	69
Tried Quitting Smoking	71
Smokeless Tobacco Use	73
Male Smokeless Tobacco Use	75

Veteran Status	77
-----------------------------	----

Weight Status (BMI Categories)

Obese.....	79
Overweight or Obese	81

Technical Notes	83
------------------------------	----

Unpublished Tables - The following data table is not published due to insufficient sample and/or statistically unreliable estimates for SEK Multi-County Region: Heavy Drinking.

Percentage of Adults Who Are Binge Drinkers, 2015

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,556	15.6	0.3	15.0	16.3
SEK Multi-County Region	43	15.5	2.5	10.7	20.4
Gender					
Men	30	22.8	4.0	15.0	30.7
Women	*	*	*	*	*
Age Group					
18 to 44 Years	20	23.3	5.0	13.6	33.1
45 to 64 Years	15	13.4	3.6	6.4	20.4
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	39	15.2	2.5	10.3	20.1
Race					
White	42	16.3	2.6	11.2	21.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	15.1	3.5	8.2	22.0
Some College or College Graduate	25	16.0	3.5	9.2	22.8
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	28	22.7	4.0	14.8	30.5
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	34	16.9	2.9	11.1	22.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	18	19.5	4.7	10.3	28.7
Obese (BMI ≥ 30)	11	13.5	4.1	5.6	21.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	33	19.0	3.4	12.4	25.7
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	14	24.6	6.5	11.9	37.2
Non-smoker	29	12.6	2.4	7.9	17.4
Health Insurance Status					
Insured	38	14.9	2.5	10.0	19.8
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis, 2015

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,320	24.5	0.3	23.9	25.1
SEK Multi-County Region	143	30.0	2.6	25.0	35.1
Gender					
Men	50	23.7	3.5	16.9	30.6
Women	93	35.8	3.8	28.4	43.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	53	39.5	4.7	30.4	48.6
65 Years and Older	78	52.7	4.8	43.4	62.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	139	30.2	2.6	25.0	35.4
Race					
White	131	29.3	2.6	24.1	34.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	75	36.0	4.1	28.0	44.1
Some College or College Graduate	67	23.9	3.1	17.9	29.9
Annual Household Income					
Less than \$35,000 per Year	66	39.3	4.7	30.1	48.4
\$35,000 or Higher per Year	47	23.3	3.5	16.3	30.2
Disability Status					
Living with a Disability	72	61.6	5.5	50.9	72.3
Living without a Disability	62	19.0	2.6	14.0	24.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	26	19.2	4.2	10.9	27.5
Overweight (25 ≤ BMI < 30)	42	28.3	4.6	19.3	37.3
Obese (BMI ≥ 30)	58	39.9	4.8	30.5	49.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	79	27.1	3.2	20.8	33.4
Does not participate in leisure time physical activity	52	38.8	5.1	28.9	48.8
Smoking Status					
Current smoker	19	22.8	5.4	12.3	33.3
Non-smoker	116	32.3	3.0	26.5	38.2
Health Insurance Status					
Insured	140	32.6	2.8	27.2	38.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2015

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,152	48.2	0.8	46.7	49.7
SEK Multi-County Region	62	49.2	5.1	39.2	59.2
Gender					
Men	*	*	*	*	*
Women	42	49.7	6.3	37.3	62.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	32	38.2	6.7	25.1	51.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	60	48.7	5.1	38.7	58.8
Race					
White	57	50.4	5.3	40.0	60.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	32	48.9	6.9	35.3	62.6
Some College or College Graduate	30	49.6	7.4	35.2	64.0
Annual Household Income					
Less than \$35,000 per Year	33	53.5	7.2	39.4	67.5
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	45	68.5	6.3	56.1	80.8
Living without a Disability	15	28.6	7.0	14.8	42.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	32	60.9	7.1	46.9	74.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	27	41.2	6.7	28.0	54.3
Does not participate in leisure time physical activity	35	60.6	7.8	45.3	75.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	52	46.8	5.5	36.0	57.5
Health Insurance Status					
Insured	62	50.0	5.1	40.0	60.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Current Asthma, 2015

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,990	8.7	0.2	8.2	9.1
SEK Multi-County Region	28	6.7	1.4	3.9	9.5
Gender					
Men	*	*	*	*	*
Women	19	7.5	1.9	3.7	11.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	26	6.2	1.4	3.5	8.8
Race					
White	24	5.9	1.4	3.2	8.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	13	7.2	2.2	3.0	11.5
Some College or College Graduate	15	6.2	1.8	2.7	9.8
Annual Household Income					
Less than \$35,000 per Year	18	11.3	3.0	5.4	17.2
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	17	6.9	1.8	3.4	10.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	15	9.9	2.8	4.4	15.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	13	6.3	1.9	2.6	9.9
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	20	6.4	1.6	3.2	9.6
Health Insurance Status					
Insured	26	6.9	1.5	3.9	9.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2015

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,273	7.1	0.2	6.8	7.5
SEK Multi-County Region	46	10.0	1.6	6.8	13.1
Gender					
Men	14	7.1	2.1	3.0	11.3
Women	32	12.6	2.4	7.9	17.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	13	8.6	2.5	3.6	13.6
65 Years and Older	28	23.8	4.4	15.2	32.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	46	10.2	1.6	7.0	13.4
Race					
White	43	9.7	1.6	6.5	12.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	25	12.4	2.7	7.2	17.6
Some College or College Graduate	20	7.3	1.8	3.8	10.8
Annual Household Income					
Less than \$35,000 per Year	30	18.8	3.7	11.6	26.1
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	23	22.0	4.7	12.7	31.3
Living without a Disability	19	6.0	1.5	3.1	8.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	19	17.1	4.3	8.8	25.5
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	28	10.1	2.1	6.0	14.2
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	36	11.5	2.1	7.4	15.6
Health Insurance Status					
Insured	44	10.8	1.8	7.3	14.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2015

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,155	6.4	0.2	6.1	6.7
SEK Multi-County Region	43	8.2	1.4	5.5	11.0
Gender					
Men	18	7.7	1.9	3.9	11.5
Women	25	8.8	2.0	4.8	12.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	32	26.4	4.5	17.6	35.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	43	8.4	1.4	5.6	11.3
Race					
White	43	8.7	1.5	5.8	11.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	25	10.7	2.4	6.1	15.3
Some College or College Graduate	18	5.9	1.6	2.9	9.0
Annual Household Income					
Less than \$35,000 per Year	22	12.4	3.0	6.5	18.2
\$35,000 or Higher per Year	14	6.1	1.8	2.7	9.5
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	24	6.4	1.4	3.6	9.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	14	8.0	2.3	3.5	12.5
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	21	6.9	1.6	3.7	10.0
Does not participate in leisure time physical activity	17	11.9	3.3	5.4	18.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	36	9.7	1.8	6.2	13.3
Health Insurance Status					
Insured	42	9.3	1.6	6.2	12.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who had a Heart Attack, 2015

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,263	4.0	0.1	3.7	4.2
SEK Multi-County Region	31	5.8	1.1	3.6	7.9
Gender					
Men	14	6.2	1.8	2.8	9.7
Women	17	5.3	1.4	2.6	8.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	19	12.5	3.0	6.6	18.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	31	5.9	1.1	3.7	8.1
Race					
White	30	5.9	1.2	3.6	8.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	14	5.4	1.6	2.4	8.5
Some College or College Graduate	15	5.4	1.5	2.4	8.3
Annual Household Income					
Less than \$35,000 per Year	14	7.4	2.1	3.3	11.5
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	18	14.3	3.5	7.5	21.1
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	14	9.5	2.7	4.3	14.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	26	6.9	1.4	4.1	9.8
Health Insurance Status					
Insured	29	5.9	1.2	3.6	8.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had a heart attack also called a myocardial infarction.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who had Angina or Coronary Heart Disease, 2015

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,274	3.8	0.1	3.6	4.0
SEK Multi-County Region	28	6.2	1.3	3.7	8.7
Gender					
Men	13	7.5	2.1	3.3	11.6
Women	15	5.0	1.4	2.2	7.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	14	10.2	2.8	4.7	15.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	28	6.3	1.3	3.8	8.9
Race					
White	27	6.4	1.3	3.7	9.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	14	6.1	1.7	2.7	9.5
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	17	15.6	4.0	7.8	23.4
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	13	7.5	2.2	3.2	11.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	14	5.6	1.7	2.4	8.9
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	25	7.9	1.7	4.5	11.2
Health Insurance Status					
Insured	28	7.1	1.4	4.2	9.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had angina or coronary heart disease.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Had a Stroke, 2015

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	907	3.0	0.1	2.8	3.3
SEK Multi-County Region	18	3.3	0.9	1.6	5.0
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	18	3.3	0.9	1.6	5.1
Race					
White	17	3.3	0.9	1.5	5.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	15	3.5	1.0	1.5	5.4
Health Insurance Status					
Insured	15	2.6	0.7	1.2	4.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had a stroke.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults with Diagnosed Hypertension, 2015

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	9,207	31.6	0.4	30.9	32.3
SEK Multi-County Region	176	36.6	2.7	31.2	41.9
Gender					
Men	76	37.6	4.1	29.6	45.7
Women	100	35.6	3.6	28.4	42.7
Age Group					
18 to 44 Years	19	15.9	3.8	8.5	23.3
45 to 64 Years	61	41.4	4.6	32.4	50.4
65 Years and Older	93	61.7	4.7	52.5	71.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	170	36.5	2.8	31.0	41.9
Race					
White	166	36.9	2.8	31.3	42.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	73	34.0	4.0	26.3	41.8
Some College or College Graduate	101	38.9	3.8	31.5	46.4
Annual Household Income					
Less than \$35,000 per Year	73	45.9	4.8	36.4	55.4
\$35,000 or Higher per Year	62	28.7	3.7	21.4	36.1
Disability Status					
Living with a Disability	61	52.4	5.5	41.6	63.2
Living without a Disability	100	30.3	3.1	24.2	36.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	24	19.4	4.5	10.6	28.3
Overweight (25 ≤ BMI < 30)	48	33.0	4.9	23.4	42.6
Obese (BMI ≥ 30)	78	51.8	5.0	42.0	61.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	92	33.6	3.6	26.7	40.6
Does not participate in leisure time physical activity	63	44.0	5.1	33.9	54.0
Smoking Status					
Current smoker	25	30.3	6.1	18.4	42.2
Non-smoker	135	37.5	3.1	31.3	43.6
Health Insurance Status					
Insured	166	38.2	2.9	32.5	43.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2015**

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,834	25.9	0.4	25.1	26.7
SEK Multi-County Region	69	25.2	3.0	19.3	31.0
Gender					
Men	32	23.1	4.0	15.3	30.9
Women	37	27.1	4.3	18.6	35.5
Age Group					
18 to 44 Years	40	46.8	5.9	35.2	58.4
45 to 64 Years	21	16.7	3.7	9.3	24.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	64	24.4	3.0	18.6	30.3
Race					
White	62	24.7	3.1	18.7	30.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	38	28.9	4.5	20.0	37.7
Some College or College Graduate	31	21.7	3.8	14.3	29.2
Annual Household Income					
Less than \$35,000 per Year	33	31.5	5.0	21.7	41.4
\$35,000 or Higher per Year	21	14.9	3.1	8.8	21.1
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	55	29.6	3.8	22.2	36.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	26	31.7	5.7	20.4	42.9
Overweight (25 ≤ BMI < 30)	16	22.2	5.3	11.8	32.6
Obese (BMI ≥ 30)	17	18.4	4.4	9.9	26.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	40	24.1	3.9	16.4	31.7
Does not participate in leisure time physical activity	19	21.9	4.7	12.7	31.2
Smoking Status					
Current smoker	21	38.6	7.6	23.7	53.5
Non-smoker	45	21.5	3.1	15.4	27.5
Health Insurance Status					
Insured	53	20.8	3.0	15.0	26.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years.

Denominator: All respondents excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2015

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,479	37.4	0.4	36.5	38.2
SEK Multi-County Region	133	36.6	3.0	30.7	42.5
Gender					
Men	58	38.2	4.6	29.2	47.2
Women	75	35.0	3.9	27.3	42.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	56	44.8	5.0	35.1	54.6
65 Years and Older	65	46.4	4.9	36.8	56.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	131	36.8	3.1	30.8	42.8
Race					
White	128	37.9	3.2	31.8	44.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	57	37.2	4.6	28.2	46.2
Some College or College Graduate	73	35.1	4.0	27.3	43.0
Annual Household Income					
Less than \$35,000 per Year	47	41.2	5.4	30.6	51.8
\$35,000 or Higher per Year	55	34.3	4.5	25.4	43.1
Disability Status					
Living with a Disability	45	45.0	5.8	33.7	56.4
Living without a Disability	79	32.7	3.6	25.6	39.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	23	19.5	4.6	10.5	28.4
Overweight (25 ≤ BMI <30)	34	35.3	5.9	23.7	46.8
Obese (BMI ≥ 30)	55	44.8	5.2	34.6	54.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	72	34.1	3.9	26.4	41.7
Does not participate in leisure time physical activity	45	39.8	5.6	28.9	50.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	110	39.1	3.5	32.3	46.0
Health Insurance Status					
Insured	127	36.9	3.1	30.8	43.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2015**

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,752	6.2	0.2	5.8	6.5
SEK Multi-County Region	34	6.6	1.2	4.2	9.1
Gender					
Men	*	*	*	*	*
Women	28	10.9	2.2	6.6	15.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	19	12.2	2.9	6.6	17.8
65 Years and Older	12	6.2	1.9	2.6	9.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	33	6.5	1.2	4.1	9.0
Race					
White	28	5.8	1.2	3.5	8.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	14	6.8	1.9	3.0	10.6
Some College or College Graduate	20	6.6	1.6	3.5	9.8
Annual Household Income					
Less than \$35,000 per Year	23	12.8	2.8	7.3	18.3
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	26	21.4	4.1	13.3	29.5
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	14	9.1	2.5	4.2	14.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	15	4.3	1.2	1.9	6.6
Does not participate in leisure time physical activity	16	11.7	3.1	5.7	17.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	19	4.9	1.2	2.5	7.3
Health Insurance Status					
Insured	32	7.1	1.4	4.4	9.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,
2015**

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,472	19.4	0.3	18.8	20.1
SEK Multi-County Region	80	21.8	2.5	16.9	26.7
Gender					
Men	23	13.0	2.9	7.4	18.6
Women	57	30.1	3.9	22.5	37.7
Age Group					
18 to 44 Years	20	20.3	4.5	11.4	29.2
45 to 64 Years	39	28.4	4.2	20.2	36.7
65 Years and Older	21	15.4	3.4	8.8	22.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	79	22.1	2.5	17.2	27.1
Race					
White	73	21.5	2.6	16.4	26.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	36	20.1	3.5	13.3	27.0
Some College or College Graduate	43	23.4	3.6	16.4	30.5
Annual Household Income					
Less than \$35,000 per Year	40	29.1	4.5	20.4	37.9
\$35,000 or Higher per Year	21	12.5	2.8	7.1	17.9
Disability Status					
Living with a Disability	36	38.4	5.6	27.4	49.3
Living without a Disability	39	15.7	2.6	10.5	20.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	16	18.7	5.2	8.6	28.8
Overweight (25 ≤ BMI < 30)	21	18.9	4.2	10.7	27.1
Obese (BMI ≥ 30)	33	25.6	4.3	17.1	34.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	39	19.1	3.2	12.9	25.3
Does not participate in leisure time physical activity	30	25.6	4.6	16.5	34.7
Smoking Status					
Current smoker	20	28.0	6.5	15.3	40.8
Non-smoker	54	19.2	2.6	14.1	24.2
Health Insurance Status					
Insured	72	21.1	2.5	16.2	26.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2015

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,878	9.7	0.2	9.3	10.1
SEK Multi-County Region	69	15.1	2.0	11.2	18.9
Gender					
Men	28	13.6	2.8	8.1	19.0
Women	41	16.5	2.8	11.0	21.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	29	22.7	4.0	14.8	30.6
65 Years and Older	37	24.5	4.0	16.6	32.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	67	15.1	2.0	11.2	19.0
Race					
White	65	15.3	2.0	11.3	19.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	29	14.0	2.8	8.6	19.4
Some College or College Graduate	40	16.4	2.8	10.8	21.9
Annual Household Income					
Less than \$35,000 per Year	30	19.2	3.7	12.0	26.3
\$35,000 or Higher per Year	22	11.6	2.8	6.2	17.0
Disability Status					
Living with a Disability	37	32.7	5.2	22.6	42.9
Living without a Disability	28	8.8	1.8	5.2	12.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	20	17.1	4.0	9.2	25.0
Obese (BMI ≥ 30)	33	21.4	3.9	13.7	29.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	35	12.6	2.4	8.0	17.3
Does not participate in leisure time physical activity	30	23.0	4.3	14.7	31.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	57	16.8	2.4	12.2	21.5
Health Insurance Status					
Insured	62	14.9	2.1	10.9	19.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental or Emotional Problems, 2015**

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,248	20.0	0.3	19.3	20.6
SEK Multi-County Region	103	23.0	2.4	18.3	27.8
Gender					
Men	42	21.0	3.4	14.3	27.8
Women	61	24.9	3.4	18.3	31.6
Age Group					
18 to 44 Years	15	12.6	3.5	5.8	19.3
45 to 64 Years	41	29.5	4.3	21.1	37.9
65 Years and Older	47	32.2	4.6	23.1	41.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	99	22.9	2.4	18.1	27.7
Race					
White	95	23.1	2.5	18.2	28.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	55	26.8	3.8	19.4	34.1
Some College or College Graduate	48	19.5	3.1	13.6	25.5
Annual Household Income					
Less than \$35,000 per Year	56	34.1	4.6	25.2	43.0
\$35,000 or Higher per Year	25	12.3	2.6	7.2	17.3
Weight Category					
Normal or Underweight (BMI < 25)	19	17.7	4.5	8.8	26.6
Overweight (25 ≤ BMI < 30)	36	25.1	4.4	16.5	33.8
Obese (BMI ≥ 30)	40	27.1	4.3	18.6	35.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	47	17.6	2.8	12.1	23.1
Does not participate in leisure time physical activity	52	38.3	5.1	28.4	48.2
Smoking Status					
Current smoker	20	23.8	5.6	12.7	34.8
Non-smoker	82	23.4	2.7	18.1	28.6
Health Insurance Status					
Insured	96	24.1	2.6	19.0	29.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2015

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,842	21.9	0.3	21.2	22.5
SEK Multi-County Region	112	24.3	2.4	19.6	29.1
Gender					
Men	44	21.7	3.5	14.9	28.4
Women	68	26.9	3.5	20.1	33.6
Age Group					
18 to 44 Years	15	12.6	3.5	5.8	19.3
45 to 64 Years	42	29.9	4.3	21.5	38.4
65 Years and Older	55	37.0	4.7	27.7	46.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	108	24.2	2.5	19.4	29.1
Race					
White	103	24.4	2.5	19.4	29.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	60	28.4	3.8	20.9	35.9
Some College or College Graduate	52	20.6	3.1	14.5	26.6
Annual Household Income					
Less than \$35,000 per Year	61	35.7	4.6	26.7	44.7
\$35,000 or Higher per Year	25	12.3	2.6	7.2	17.3
Weight Category					
Normal or Underweight (BMI <25)	21	19.3	4.6	10.2	28.4
Overweight (25 ≤ BMI < 30)	39	26.6	4.5	17.8	35.4
Obese (BMI ≥ 30)	44	28.4	4.4	19.9	36.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	52	18.7	2.8	13.1	24.2
Does not participate in leisure time physical activity	56	40.4	5.1	30.4	50.4
Smoking Status					
Current smoker	20	23.8	5.6	12.7	34.8
Non-smoker	91	25.1	2.7	19.8	30.5
Health Insurance Status					
Insured	105	25.6	2.6	20.4	30.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2015

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	16,199	80.7	0.4	80.0	81.4
SEK Multi-County Region	285	85.3	2.4	80.6	89.9
Gender					
Men	129	85.4	3.6	78.2	92.5
Women	156	85.2	3.1	79.1	91.2
Age Group					
18 to 44 Years	69	78.2	5.0	68.5	87.9
45 to 64 Years	106	88.0	3.2	81.7	94.4
65 Years and Older	110	92.7	2.3	88.2	97.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	276	85.7	2.4	81.1	90.4
Race					
White	265	85.3	2.5	80.5	90.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	134	87.9	3.6	80.9	95.0
Some College or College Graduate	151	82.6	3.2	76.4	88.8
Annual Household Income					
Less than \$35,000 per Year	116	88.5	3.5	81.6	95.4
\$35,000 or Higher per Year	117	81.4	3.8	74.0	88.8
Disability Status					
Living with a Disability	94	92.3	3.0	86.5	98.2
Living without a Disability	188	82.7	3.0	76.8	88.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	72	83.4	4.4	74.8	92.0
Overweight (25 ≤ BMI < 30)	82	77.8	5.5	67.1	88.5
Obese (BMI ≥ 30)	107	91.7	3.0	85.7	97.7
Smoking Status					
Current smoker	56	87.0	4.7	77.7	96.2
Non-smoker	227	84.5	2.8	79.0	89.9
Health Insurance Status					
Insured	262	85.4	2.5	80.6	90.2
Uninsured	*	*	*	*	*

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2015

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,120	40.3	0.4	39.4	41.2
SEK Multi-County Region	158	47.4	3.3	41.0	53.8
Gender					
Men	68	42.6	4.6	33.5	51.6
Women	90	52.1	4.5	43.3	61.0
Age Group					
18 to 44 Years	38	42.9	6.1	30.9	54.9
45 to 64 Years	61	51.8	5.0	41.9	61.6
65 Years and Older	59	48.4	5.3	38.1	58.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	151	47.2	3.3	40.7	53.8
Race					
White	144	46.5	3.4	39.8	53.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	77	51.4	4.9	41.7	61.0
Some College or College Graduate	81	43.5	4.3	35.1	52.0
Annual Household Income					
Less than \$35,000 per Year	68	49.3	5.1	39.2	59.3
\$35,000 or Higher per Year	61	41.3	4.7	32.2	50.5
Disability Status					
Living with a Disability	65	64.0	5.6	53.0	75.0
Living without a Disability	92	41.8	3.9	34.1	49.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	41	38.2	5.7	27.1	49.4
Obese (BMI ≥ 30)	71	60.3	5.2	50.1	70.5
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	122	42.9	3.5	36.0	49.7
Health Insurance Status					
Insured	141	45.6	3.4	38.9	52.3
Uninsured	*	*	*	*	*

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2015

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,698	26.5	0.4	25.8	27.3
SEK Multi-County Region	118	31.7	2.9	26.1	37.3
Gender					
Men	51	30.2	4.1	22.2	38.3
Women	67	33.0	4.0	25.2	40.9
Age Group					
18 to 44 Years	21	22.4	4.8	12.9	31.8
45 to 64 Years	42	34.7	4.7	25.4	43.9
65 Years and Older	55	42.8	5.0	33.0	52.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	114	31.8	2.9	26.1	37.5
Race					
White	108	31.1	3.0	25.3	36.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	63	38.4	4.5	29.5	47.3
Some College or College Graduate	55	25.3	3.5	18.4	32.1
Annual Household Income					
Less than \$35,000 per Year	55	38.3	4.8	28.8	47.7
\$35,000 or Higher per Year	38	23.4	3.9	15.8	31.0
Disability Status					
Living with a Disability	56	50.1	5.7	39.0	61.2
Living without a Disability	61	25.4	3.2	19.1	31.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	20	20.2	4.8	10.7	29.7
Overweight (25 ≤ BMI <30)	31	28.7	5.2	18.5	38.9
Obese (BMI ≥ 30)	51	38.9	4.9	29.3	48.6
Smoking Status					
Current smoker	25	37.0	6.9	23.5	50.6
Non-smoker	92	29.6	3.1	23.6	35.6
Health Insurance Status					
Insured	106	31.2	3.0	25.3	37.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2015**

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,386	43.7	0.4	42.9	44.6
SEK Multi-County Region	155	48.9	3.2	42.7	55.1
Gender					
Men	76	52.7	4.7	43.6	61.9
Women	79	45.1	4.3	36.7	53.6
Age Group					
18 to 44 Years	47	55.2	6.0	43.6	66.9
45 to 64 Years	55	46.9	5.0	37.1	56.7
65 Years and Older	53	44.2	5.1	34.2	54.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	148	48.3	3.2	41.9	54.6
Race					
White	144	48.2	3.3	41.7	54.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	78	55.0	4.7	45.8	64.1
Some College or College Graduate	77	43.4	4.3	34.9	51.9
Annual Household Income					
Less than \$35,000 per Year	65	54.1	5.1	44.2	64.1
\$35,000 or Higher per Year	62	41.3	4.6	32.3	50.3
Disability Status					
Living with a Disability	53	52.5	5.7	41.3	63.7
Living without a Disability	100	47.5	3.8	40.0	55.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	36	46.4	6.3	34.1	58.7
Overweight (25 ≤ BMI < 30)	47	46.6	5.9	35.1	58.2
Obese (BMI ≥ 30)	62	52.7	5.2	42.5	62.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	88	43.8	4.0	36.0	51.5
Does not participate in leisure time physical activity	65	58.7	5.3	48.3	69.2
Smoking Status					
Current smoker	39	66.5	6.6	53.6	79.5
Non-smoker	114	43.1	3.5	36.2	49.9
Health Insurance Status					
Insured	136	45.1	3.3	38.7	51.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2015**

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,217	22.3	0.4	21.6	23.1
SEK Multi-County Region	84	26.0	2.8	20.5	31.5
Gender					
Men	36	25.8	4.2	17.6	34.1
Women	48	26.2	3.8	18.7	33.6
Age Group					
18 to 44 Years	26	28.2	5.3	17.7	38.6
45 to 64 Years	27	22.6	4.2	14.5	30.8
65 Years and Older	31	28.4	4.9	18.9	37.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	82	26.5	2.9	20.8	32.1
Race					
White	78	25.5	2.9	19.8	31.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	45	32.8	4.5	24.0	41.6
Some College or College Graduate	39	19.7	3.4	13.1	26.4
Annual Household Income					
Less than \$35,000 per Year	35	28.8	4.8	19.5	38.1
\$35,000 or Higher per Year	28	17.6	3.4	10.8	24.3
Disability Status					
Living with a Disability	35	37.7	5.8	26.4	49.1
Living without a Disability	49	22.0	3.2	15.8	28.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	20	25.5	5.6	14.4	36.5
Overweight (25 ≤ BMI < 30)	25	25.8	5.2	15.6	36.0
Obese (BMI ≥ 30)	33	28.1	4.8	18.8	37.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	44	19.9	3.2	13.7	26.1
Does not participate in leisure time physical activity	38	36.9	5.3	26.4	47.3
Smoking Status					
Current smoker	19	31.8	6.7	18.6	45.0
Non-smoker	65	24.4	3.1	18.4	30.5
Health Insurance Status					
Insured	77	26.4	3.0	20.6	32.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2015

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,027	12.8	0.3	12.2	13.4
SEK Multi-County Region	30	11.4	2.2	7.0	15.7
Gender					
Men	18	13.4	3.3	6.9	19.9
Women	*	*	*	*	*
Age Group					
18 to 44 Years	17	18.6	4.5	9.8	27.4
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	26	10.5	2.2	6.2	14.9
Race					
White	25	10.7	2.3	6.3	15.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	16	12.2	3.2	6.0	18.4
Some College or College Graduate	14	10.7	3.2	4.5	17.0
Annual Household Income					
Less than \$35,000 per Year	16	15.9	4.0	8.0	23.8
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	21	12.4	2.8	6.9	17.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	13	9.5	2.7	4.1	14.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	13	23.7	6.3	11.4	36.1
Non-smoker	14	7.0	2.1	2.9	11.0

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2015**

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,921	15.7	0.4	15.0	16.5
SEK Multi-County Region	29	15.2	2.9	9.5	20.9
Gender					
Men	17	16.4	4.0	8.5	24.2
Women	*	*	*	*	*
Age Group					
18 to 44 Years	17	18.6	4.5	9.8	27.4
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	25	14.1	2.9	8.4	19.8
Race					
White	24	14.4	3.0	8.5	20.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	16	16.5	4.2	8.3	24.7
Some College or College Graduate	13	14.0	4.1	5.9	22.0
Annual Household Income					
Less than \$35,000 per Year	16	22.7	5.5	11.8	33.5
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	21	15.7	3.5	8.9	22.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>13</i>	<i>12.3</i>	<i>3.5</i>	<i>5.4</i>	<i>19.2</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	<i>13</i>	<i>25.5</i>	<i>6.7</i>	<i>12.3</i>	<i>38.7</i>
Non-smoker	<i>14</i>	<i>10.1</i>	<i>2.9</i>	<i>4.3</i>	<i>15.8</i>

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2015

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,278	20.1	0.4	19.4	20.8
SEK Multi-County Region	43	13.3	2.2	9.0	17.6
Gender					
Men	30	19.8	3.7	12.6	27.1
Women	*	*	*	*	*
Age Group					
18 to 44 Years	24	23.2	4.7	14.1	32.4
45 to 64 Years	14	10.0	3.0	4.2	15.7
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	41	13.1	2.2	8.7	17.4
Race					
White	37	12.4	2.2	8.1	16.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	19	12.4	3.7	6.4	18.4
Some College or College Graduate	24	14.3	3.2	8.1	20.6
Annual Household Income					
Less than \$35,000 per Year	19	16.5	4.7	8.5	24.5
\$35,000 or Higher per Year	16	10.7	2.7	5.4	16.0
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	31	14.2	2.7	9.0	19.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	16	15.9	4.2	7.7	24.1
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	24	12.3	2.7	6.9	17.6
Does not participate in leisure time physical activity	13	13.5	3.8	6.0	21.1
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	32	12.9	2.5	8.0	17.7
Health Insurance Status					
Insured	32	11.0	2.1	6.9	15.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2015

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,120	11.0	0.3	10.5	11.6
SEK Multi-County Region	37	12.1	2.3	7.6	16.5
Gender					
Men	14	8.1	2.4	3.5	12.8
Women	23	15.7	3.7	8.4	23.0
Age Group					
18 to 44 Years	17	18.8	4.9	9.1	28.4
45 to 64 Years	17	11.2	2.8	5.7	16.7
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	35	11.9	2.3	7.3	16.4
Race					
White	31	11.6	2.4	6.9	16.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	23	13.5	3.0	7.7	19.3
Annual Household Income					
Less than \$35,000 per Year	22	18.8	4.0	10.9	26.7
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	23	11.4	2.8	6.0	16.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	16	16.5	4.1	8.5	24.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	21	12.4	3.2	6.1	18.6
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	13	25.1	7.1	11.2	39.0
Non-smoker	22	7.6	1.7	4.3	11.0
Health Insurance Status					
Insured	27	9.6	2.3	5.2	14.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2015

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,945	15.7	0.3	15.1	16.2
SEK Multi-County Region	88	21.0	2.3	16.4	25.6
Gender					
Men	36	20.5	3.5	13.6	27.4
Women	52	21.5	3.1	15.4	27.6
Age Group					
18 to 44 Years	16	13.7	3.6	6.6	20.7
45 to 64 Years	34	26.5	4.2	18.3	34.8
65 Years and Older	38	26.1	4.2	17.8	34.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	85	20.9	2.4	16.3	25.6
Race					
White	80	20.3	2.4	15.6	25.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	56	28.3	3.8	20.8	35.8
Some College or College Graduate	32	14.0	2.6	8.8	19.2
Annual Household Income					
Less than \$35,000 per Year	51	34.0	4.6	24.9	43.0
\$35,000 or Higher per Year	19	13.4	3.1	7.2	19.5
Disability Status					
Living with a Disability	55	53.7	5.5	42.8	64.5
Living without a Disability	26	10.4	2.2	6.2	14.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	26	23.3	4.7	14.2	32.5
Obese (BMI ≥ 30)	37	29.4	4.6	20.4	38.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	37	15.2	2.7	9.8	20.5
Does not participate in leisure time physical activity	40	34.6	5.1	24.7	44.6
Smoking Status					
Current smoker	19	27.3	6.1	15.3	39.3
Non-smoker	62	19.0	2.5	14.1	24.0
Health Insurance Status					
Insured	79	20.8	2.5	16.0	25.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Physical Health Was Not Good on 14 or More Days in the Past 30 Days, 2015

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,560	10.0	0.2	9.5	10.4
SEK Multi-County Region	49	11.1	1.8	7.6	14.6
Gender					
Men	17	9.8	2.6	4.7	15.0
Women	32	12.3	2.4	7.6	17.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	18	13.4	3.2	7.1	19.7
65 Years and Older	26	19.1	4.0	11.2	26.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	47	11.0	1.8	7.5	14.6
Race					
White	46	11.0	1.8	7.4	14.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	27	13.5	2.9	7.9	19.1
Some College or College Graduate	22	9.0	2.2	4.7	13.4
Annual Household Income					
Less than \$35,000 per Year	31	20.5	4.0	12.6	28.4
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	37	38.0	5.7	26.9	49.1
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	16	12.7	3.5	5.9	19.4
Obese (BMI ≥ 30)	22	15.2	3.6	8.2	22.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	19	8.1	2.1	3.9	12.2
Does not participate in leisure time physical activity	24	18.0	3.9	10.3	25.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	38	11.5	2.1	7.4	15.6
Health Insurance Status					
Insured	47	12.2	2.0	8.3	16.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14
or More Days in the Past 30 Days, 2015**

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,978	9.7	0.3	9.2	10.2
SEK Multi-County Region	33	11.2	2.3	6.7	15.7
Gender					
Men	*	*	*	*	*
Women	22	14.8	3.8	7.4	22.2
Age Group					
18 to 44 Years	17	19.2	5.0	9.5	29.0
45 to 64 Years	13	9.1	2.7	3.9	14.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	31	11.0	2.3	6.5	15.6
Race					
White	29	10.7	2.4	6.1	15.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	20	14.4	3.9	6.9	22.0
Some College or College Graduate	13	8.2	2.5	3.4	13.1
Annual Household Income					
Less than \$35,000 per Year	22	17.0	3.8	9.5	24.5
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	15	19.4	5.1	9.4	29.3
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	11	11.7	3.5	4.8	18.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	18	10.9	3.1	4.7	17.1
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	14	27.3	7.4	12.9	41.8
Non-smoker	17	5.8	1.5	2.8	8.7
Health Insurance Status					
Insured	30	11.3	2.4	6.5	16.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2015

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,379	38.7	0.6	37.6	39.9
SEK Multi-County Region	71	36.7	4.3	28.3	45.1
Gender					
Men	21	33.3	7.1	19.5	47.2
Women	50	38.5	5.4	28.0	49.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	32	51.5	7.1	37.5	65.5
65 Years and Older	26	43.0	7.3	28.7	57.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	69	36.6	4.3	28.2	45.1
Race					
White	63	36.8	4.5	27.9	45.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	43	41.3	6.3	29.0	53.7
Some College or College Graduate	28	31.2	5.7	20.0	42.4
Annual Household Income					
Less than \$35,000 per Year	38	48.7	6.7	35.5	61.9
\$35,000 or Higher per Year	19	25.3	5.7	14.1	36.4
Disability Status					
Living with a Disability	44	61.8	6.6	49.0	74.7
Living without a Disability	22	19.9	4.5	11.1	28.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	23	36.6	6.7	23.4	49.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	33	29.5	5.3	19.1	39.9
Does not participate in leisure time physical activity	28	46.3	7.6	31.4	61.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	48	36.9	4.9	27.3	46.6
Health Insurance Status					
Insured	64	36.1	4.5	27.3	44.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2015**

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	10,526	57.4	0.4	56.6	58.3
SEK Multi-County Region	187	59.7	3.1	53.7	65.8
Gender					
Men	91	60.9	4.5	52.0	69.8
Women	96	58.6	4.3	50.3	67.0
Age Group					
18 to 44 Years	61	68.1	5.6	57.1	79.1
45 to 64 Years	68	59.2	4.8	49.7	68.7
65 Years and Older	57	47.2	5.1	37.1	57.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	181	59.9	3.1	53.7	66.0
Race					
White	175	59.9	3.2	53.6	66.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	83	59.2	4.6	50.1	68.3
Some College or College Graduate	104	60.3	4.1	52.2	68.3
Annual Household Income					
Less than \$35,000 per Year	72	59.5	4.8	50.0	69.0
\$35,000 or Higher per Year	86	61.4	4.6	52.5	70.4
Disability Status					
Living with a Disability	52	52.0	5.7	40.8	63.2
Living without a Disability	134	62.7	3.7	55.5	69.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	51	57.5	6.1	45.6	69.5
Overweight (25 ≤ BMI <30)	52	50.8	5.9	39.2	62.5
Obese (BMI ≥ 30)	67	64.2	4.7	55.0	73.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	122	58.9	3.9	51.3	66.5
Does not participate in leisure time physical activity	65	62.5	5.0	52.6	72.4
Smoking Status					
Current smoker	40	67.0	6.8	53.7	80.3
Non-smoker	145	56.8	3.4	50.1	63.6
Health Insurance Status					
Insured	167	58.4	3.2	52.1	64.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2015**

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,557	38.3	0.7	36.9	39.6
SEK Multi-County Region	57	47.2	5.1	37.1	57.2
Gender					
Men	*	*	*	*	*
Women	34	46.0	6.4	33.5	58.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	56	47.1	5.2	36.9	57.2
Race					
White	56	47.6	5.2	37.3	57.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	28	47.6	7.2	33.4	61.8
Some College or College Graduate	29	46.6	7.2	32.5	60.8
Annual Household Income					
Less than \$35,000 per Year	28	50.9	7.7	35.9	66.0
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	23	46.3	8.4	29.9	62.6
Living without a Disability	33	48.0	6.6	35.1	60.8
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	31	41.3	6.6	28.3	54.3
Does not participate in leisure time physical activity	26	55.0	7.7	39.8	70.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	53	48.8	5.4	38.2	59.4
Health Insurance Status					
Insured	56	46.5	5.2	36.4	56.6
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they did not receive a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Never Had Pneumonia
Vaccination, 2015**

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,711	26.2	0.6	25.0	27.4
SEK Multi-County Region	45	39.0	5.1	29.1	48.9
Gender					
Men	*	*	*	*	*
Women	25	35.0	6.1	23.0	47.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	44	38.8	5.1	28.8	48.7
Race					
White	44	40.0	5.2	29.9	50.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	24	45.3	7.3	31.1	59.5
Some College or College Graduate	21	31.3	6.5	18.5	44.1
Annual Household Income					
Less than \$35,000 per Year	21	40.7	7.6	25.8	55.5
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	19	38.2	8.0	22.6	53.8
Living without a Disability	26	40.0	6.6	27.0	52.9
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	22	32.4	6.4	19.8	45.1
Does not participate in leisure time physical activity	23	47.6	8.0	32.0	63.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	40	38.9	5.4	28.4	49.4
Health Insurance Status					
Insured	44	38.2	5.1	28.2	48.1
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they never had a pneumonia vaccination.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2015**

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,288	17.0	0.3	16.3	17.6
SEK Multi-County Region	71	23.0	2.9	17.3	28.7
Gender					
Men	49	33.7	4.4	25.0	42.4
Women	22	12.9	3.7	5.7	20.2
Age Group					
18 to 44 Years	22	26.1	5.7	15.0	37.2
45 to 64 Years	25	24.7	4.5	15.8	33.5
65 Years and Older	24	16.8	3.5	9.8	23.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	69	23.0	2.9	17.3	28.8
Race					
White	64	21.9	3.0	16.1	27.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	36	26.5	4.6	17.5	35.5
Some College or College Graduate	35	19.6	3.5	12.8	26.5
Annual Household Income					
Less than \$35,000 per Year	30	25.4	4.6	16.4	34.4
\$35,000 or Higher per Year	29	21.5	3.9	13.8	29.2
Disability Status					
Living with a Disability	24	25.6	5.1	15.5	35.6
Living without a Disability	46	22.1	3.5	15.3	29.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	22	24.4	5.2	14.2	34.6
Obese (BMI ≥ 30)	32	30.9	4.9	21.2	40.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	40	20.8	3.7	13.6	28.0
Does not participate in leisure time physical activity	31	28.1	4.7	18.8	37.4
Smoking Status					
Current smoker	18	31.3	7.5	16.5	46.1
Non-smoker	53	20.5	2.8	14.9	26.0
Health Insurance Status					
Insured	63	21.8	3.0	15.9	27.7
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2015

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,343	17.7	0.3	17.0	18.4
SEK Multi-County Region	68	25.1	3.0	19.3	31.0
Gender					
Men	33	22.2	3.8	14.7	29.7
Women	35	27.9	4.5	19.2	36.6
Age Group					
18 to 44 Years	26	33.8	5.8	22.5	45.1
45 to 64 Years	31	28.0	4.5	19.1	36.9
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	64	24.9	3.0	18.9	30.8
Race					
White	59	24.0	3.1	17.9	30.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	35	29.1	4.6	20.1	38.1
Some College or College Graduate	33	21.2	3.8	13.8	28.6
Annual Household Income					
Less than \$35,000 per Year	32	29.6	4.8	20.2	39.0
\$35,000 or Higher per Year	24	19.0	3.7	11.7	26.3
Disability Status					
Living with a Disability	20	24.2	5.2	13.9	34.5
Living without a Disability	48	25.6	3.6	18.6	32.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	21	25.9	5.6	14.9	37.0
Overweight (25 ≤ BMI < 30)	15	17.5	4.5	8.6	26.4
Obese (BMI ≥ 30)	27	28.1	4.8	18.6	37.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	39	23.0	3.8	15.5	30.5
Does not participate in leisure time physical activity	25	29.5	5.2	19.4	39.7
Health Insurance Status					
Insured	55	21.8	3.0	15.9	27.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Stopped Smoking for One Day or Longer Because
They Were Trying to Quit Smoking, 2015**

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,790	55.1	1.1	53.0	57.2
SEK Multi-County Region	38	51.5	7.2	37.3	65.7
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	36	51.3	7.4	36.7	65.8
Race					
White	30	47.3	7.7	32.3	62.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Health Insurance Status					
Insured	32	52.1	8.2	36.0	68.3
Uninsured	*	*	*	*	*

Numerator: Current smokers who stopped smoking for one day or longer because they were trying to quit smoking.

Denominator: Current smokers, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2015

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	982	5.6	0.2	5.2	6.0
SEK Multi-County Region	30	10.1	1.9	6.3	13.9
Gender					
Men	30	21.2	3.8	13.8	28.7
Women	*	*	*	*	*
Age Group					
18 to 44 Years	17	18.3	4.3	10.0	26.7
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	28	9.6	1.9	5.9	13.4
Race					
White	28	10.0	2.0	6.1	13.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	13.8	3.3	7.4	20.2
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	12	10.6	3.0	4.7	16.6
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	22	11.2	2.4	6.4	16.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	14	13.8	3.7	6.5	21.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	17	10.1	2.5	5.2	15.1
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	24	10.0	2.2	5.8	14.3
Health Insurance Status					
Insured	26	9.9	2.0	5.9	13.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2015

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	893	10.5	0.4	9.8	11.3
SEK Multi-County Region	30	21.2	3.8	13.8	28.7
Age Group					
18 to 44 Years	17	35.5	7.3	21.2	49.9
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	28	20.4	3.8	12.9	27.9
Race					
White	28	21.0	3.9	13.3	28.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	27.3	5.9	15.6	38.9
Some College or College Graduate	12	14.5	4.3	6.1	23.0
Annual Household Income					
Less than \$35,000 per Year	12	20.7	6.1	8.8	32.7
\$35,000 or Higher per Year	12	18.1	4.9	8.4	27.7
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	22	22.7	4.6	13.7	31.7
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	14	25.7	6.4	13.1	38.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	17	20.5	4.8	11.1	29.9
Does not participate in leisure time physical activity	11	22.4	6.4	9.7	35.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	24	20.1	4.1	12.0	28.2
Health Insurance Status					
Insured	26	21.5	4.1	13.4	29.5
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2015**

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,099	11.8	0.2	11.3	12.3
SEK Multi-County Region	43	9.7	1.7	6.4	13.0
Gender					
Men	40	19.0	3.3	12.5	25.5
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	28	20.5	3.9	12.9	28.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	42	9.7	1.7	6.4	13.1
Race					
White	40	9.8	1.7	6.3	13.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	15	9.0	2.4	4.3	13.7
Some College or College Graduate	28	10.4	2.4	5.8	15.0
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	25	14.9	3.3	8.5	21.4
Disability Status					
Living with a Disability	13	10.7	3.2	4.5	16.9
Living without a Disability	28	9.6	2.1	5.6	13.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	18	16.2	4.2	7.8	24.5
Obese (BMI ≥ 30)	12	7.9	2.3	3.3	12.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	21	8.0	1.9	4.2	11.7
Does not participate in leisure time physical activity	18	12.3	3.0	6.4	18.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	30	9.5	1.9	5.9	13.2
Health Insurance Status					
Insured	40	10.5	1.9	6.8	14.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2015

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,154	34.2	0.4	33.4	35.0
SEK Multi-County Region	132	37.8	3.0	31.8	43.7
Gender					
Men	64	39.7	4.4	31.1	48.4
Women	68	35.6	4.1	27.6	43.7
Age Group					
18 to 44 Years	36	36.3	5.5	25.6	47.1
45 to 64 Years	47	40.3	4.9	30.7	49.9
65 Years and Older	48	34.9	4.7	25.7	44.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	128	37.7	3.1	31.7	43.8
Race					
White	121	36.7	3.1	30.6	42.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	59	36.8	4.4	28.3	45.4
Some College or College Graduate	73	38.8	4.2	30.6	47.1
Annual Household Income					
Less than \$35,000 per Year	54	41.3	5.0	31.5	51.2
\$35,000 or Higher per Year	58	37.7	4.4	29.1	46.4
Disability Status					
Living with a Disability	44	42.2	5.7	31.1	53.3
Living without a Disability	85	35.7	3.6	28.7	42.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	72	33.4	3.7	26.0	40.7
Does not participate in leisure time physical activity	51	49.4	5.7	38.2	60.6
Smoking Status					
Current smoker	27	43.9	7.1	30.0	57.8
Non-smoker	101	35.5	3.3	29.0	41.9
Health Insurance Status					
Insured	121	38.7	3.2	32.4	44.9
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2015

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	14,432	68.0	0.4	67.2	68.8
SEK Multi-County Region	245	70.8	2.9	65.1	76.5
Gender					
Men	127	79.7	3.7	72.6	86.9
Women	118	61.2	4.3	52.7	69.7
Age Group					
18 to 44 Years	66	72.2	5.3	61.8	82.5
45 to 64 Years	93	74.8	4.3	66.3	83.2
65 Years and Older	85	62.2	5.2	52.0	72.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	235	70.5	3.0	64.7	76.3
Race					
White	227	70.4	3.0	64.5	76.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	110	71.3	4.1	63.2	79.4
Some College or College Graduate	135	70.7	4.1	62.7	78.7
Annual Household Income					
Less than \$35,000 per Year	93	70.8	4.7	61.7	80.0
\$35,000 or Higher per Year	116	74.9	3.9	67.3	82.5
Disability Status					
Living with a Disability	83	77.5	5.1	67.4	87.5
Living without a Disability	158	68.4	3.5	61.5	75.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	144	66.1	3.8	58.7	73.5
Does not participate in leisure time physical activity	82	80.1	4.7	70.8	89.3
Smoking Status					
Current smoker	42	67.7	6.9	54.3	81.2
Non-smoker	197	70.9	3.2	64.6	77.2
Health Insurance Status					
Insured	224	71.7	2.9	66.1	77.4
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Technical Notes

The 2015 BRFSS data for your county/region on health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>