

# 2017 Kansas Behavioral Risk Factor Surveillance System Local Data

## Ford County



This page is intentionally blank.

# **2017 Kansas Behavioral Risk Factor Surveillance System Local Data**

State of Kansas  
Laura Kelly, Governor

Kansas Department of Health and Environment  
Lee A. Norman, M.D., Acting Secretary

**Report Preparation:**  
Pratik Pandya, MPH  
Advanced Epidemiologist  
Health Promotion and BRFSS Epidemiology  
Bureau of Epidemiology and Public Health Informatics (BEPHI)

**Report Supervision:**  
Belle Federman, ScD  
Senior Epidemiologist  
Health Promotion and BRFSS Epidemiology  
Bureau of Epidemiology and Public Health Informatics (BEPHI)

**Project Funding:**  
Partial funding for the 2017 Behavioral Risk Factor Survey was provided by cooperative agreement 6NU58DP006025-03-01 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment  
Bureau of Health Promotion  
February 2019**

# **Kansas Department of Health and Environment (KDHE)**


## **Mission**

To protect and improve the health and environment of all Kansans

## **Vision**

Healthy Kansans living in safe and sustainable environments

**[www.kdheks.gov](http://www.kdheks.gov)**



Ford County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2017 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH  
Advanced Epidemiologist  
Health Promotion and BRFSS Epidemiology  
Bureau of Epidemiology and Public Health Informatics (BEPHI)  
Kansas Department of Health and Environment  
Curtis State Office Building,  
1000 SW Jackson Street, Suite 230  
Topeka, KS 66612-1274  
Telephone: 785-296-6513  
Fax: 785-296-8059  
Pratik.Pandya@ks.gov

Belle Federman, ScD  
Senior Epidemiologist  
Health Promotion and BRFSS Epidemiology  
Bureau of Epidemiology and Public Health Informatics (BEPHI)  
Kansas Department of Health & Environment  
Curtis State Office Building  
1000 SW Jackson, Suite 230  
Topeka, KS 66612-1274  
Telephone: 785-296-1152  
Fax: 785-296-8059  
Belle.Federman@ks.gov



# Table of Contents

## **Alcohol Consumption**

Binge Drinking .....	1
----------------------	---

## **Arthritis**

Arthritis .....	3
Activity Limitation Due to Arthritis .....	5

<b>Asthma</b> .....	7
---------------------	---

## **Cancer**

Skin Cancer .....	9
-------------------	---

## **Cardiovascular Health**

High Blood Pressure .....	11
---------------------------	----

## **Cholesterol**

Not Checked Cholesterol within Five Years .....	13
High Blood Cholesterol Status.....	15

<b>Depressive Disorder</b> .....	17
----------------------------------	----

<b>Diabetes</b> .....	19
-----------------------	----

<b>Disability</b> .....	21
-------------------------	----

## **Exercise and Physical Activity**

Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening) .....	23
---	----

Did Not Participate in the Recommended Level of Aerobic and Strengthening Physical Activity .....	25
--	----

Not Participating in Any Physical Activity .....	27
--	----

## **Fruits and Vegetable Consumption**

Consuming Fruits Less than 1 Time Per Day .....	29
---	----

Consuming Vegetables Less than 1 Time Per Day.....	31
--	----

## **Health Care Access**

Lack of Health Care Coverage.....	33
-----------------------------------	----

Lack of Health Care Coverage 18 to 64 Years Old Only .....	35
No Personal Doctor .....	37
Did Not See Doctor Due to Cost.....	39
<b>General Health</b> .....	41
<b>Healthy Days - Health Related Quality of Life</b>	
Poor Physical or Mental Health is Barrier to Usual Activities.....	43
<b>Immunization</b>	
Not Immunized Against Influenza.....	45
Not Immunized Against Influenza 65 Years and Older Only .....	47
Never Had Pneumonia Vaccination 65 Years and Older Only .....	49
<b>Seatbelt Use</b> .....	51
<b>Tobacco Use</b>	
Current Smoker .....	53
<b>Veteran Status</b> .....	55
<b>Weight Status (BMI Categories)</b>	
Obese.....	57
Overweight or Obese .....	59
<b>Technical Notes</b> .....	61

**Unpublished Tables** - The following data tables are not published due to insufficient sample and/or statistically unreliable estimates for Ford County: Heavy Drinking, Cancer (excluding skin cancer), Heart Attack, Coronary Heart Disease, Stroke, Chronic Obstructive Pulmonary Disease (COPD), Physical Health Status, Mental Health Status, Tried Quitting Smoking, Smokeless Tobacco Use, and Male Smokeless Tobacco Use.

# Percentage of Adults Who Are Binge Drinkers, 2017

## Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,785	17.2	0.4	16.5	17.9
Ford County	27	18.4	3.9	10.8	26.1
<b>Gender</b>					
Men	19	23.6	5.7	12.3	34.8
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	17	23.6	5.6	12.6	34.6
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	20	15.9	4.0	8.0	23.8
<b>Race</b>					
White	23	17.3	4.2	9.0	25.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	18	19.0	5.1	8.9	29.1
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	15	22.9	6.3	10.6	35.2
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	26	23.5	4.8	14.1	32.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	17	19.8	5.2	9.6	30.0
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	22	16.6	4.1	8.4	24.7
<b>Health Insurance Status</b>					
Insured	19	14.6	4.1	6.5	22.7
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults with Doctor Diagnosed Arthritis, 2017

### Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,634	24.1	0.3	23.5	24.8
Ford County	61	16.6	2.9	10.8	22.3
<b>Gender</b>					
Men	23	15.5	4.6	6.5	24.6
Women	38	17.7	3.6	10.7	24.7
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	41	43.6	7.3	29.2	57.9
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	56	20.1	3.2	13.8	26.5
<b>Race</b>					
White	58	17.2	3.0	11.3	23.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	21	17.8	5.2	7.7	27.9
Some College or College Graduate	40	15.7	3.3	9.3	22.1
<b>Annual Household Income</b>					
Less than \$35,000 per Year	24	19.1	5.2	8.9	29.3
\$35,000 or Higher per Year	29	15.4	3.7	8.2	22.7
<b>Disability Status</b>					
Living with a Disability†	26	34.4	8.7	17.3	51.5
Living without a Disability	34	11.4	2.5	6.5	16.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	22	13.8	3.8	6.2	21.3
Obese (BMI ≥ 30)	21	24.9	6.6	11.9	37.9
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	34	16.7	3.7	9.5	23.9
Does not participate in leisure time physical activity	24	16.5	4.4	7.8	25.1
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	53	16.9	3.1	10.8	23.0
<b>Health Insurance Status</b>					
Insured	57	16.2	2.7	10.9	21.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2017**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,148	49.7	0.8	48.2	51.2
Ford County	25	56.8	9.0	39.2	74.5
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	22	48.9	8.4	32.4	65.3
<b>Race</b>					
White	24	53.9	9.1	36.1	71.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	<i>20</i>	<i>49.3</i>	<i>10.0</i>	<i>29.8</i>	<i>68.8</i>
<b>Health Insurance Status</b>					
Insured	<i>22</i>	<i>45.2</i>	<i>8.6</i>	<i>28.4</i>	<i>62.1</i>
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

**Denominator:** Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults with Current Asthma, 2017

### Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,901	9.1	0.3	8.6	9.6
Ford County	18	8.2	2.4	3.4	13.0
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.**

**Please refer to Technical Notes for more information.**

## Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2017

### Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,960	6.3	0.2	5.9	6.6
Ford County	17	2.5	0.7	1.2	3.8
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	15	14.0	3.8	6.5	21.5
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	17	4.4	1.2	2.1	6.7
<b>Race</b>					
White	17	2.9	0.8	1.4	4.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	15	3.9	1.1	1.7	6.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	16	3.0	0.8	1.4	4.7
<b>Health Insurance Status</b>					
Insured	17	3.3	0.9	1.5	5.0
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

**Denominator:** All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults with Diagnosed Hypertension, 2017

### Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,757	32.8	0.4	32.0	33.5
Ford County	85	27.3	3.7	20.0	34.6
<b>Gender</b>					
Men	38	34.3	6.1	22.4	46.1
Women	47	20.0	3.8	12.6	27.4
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	29	50.2	8.5	33.6	66.8
65 Years and Older	47	45.9	7.3	31.6	60.2
<b>Ethnicity</b>					
Hispanic	11	23.3	6.6	10.3	36.2
Non-Hispanic	73	30.0	4.2	21.7	38.3
<b>Race</b>					
White	81	29.7	4.0	21.8	37.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	28	27.4	6.1	15.4	39.5
Some College or College Graduate	57	27.4	4.6	18.4	36.5
<b>Annual Household Income</b>					
Less than \$35,000 per Year	34	30.4	6.4	17.8	42.9
\$35,000 or Higher per Year	44	30.6	5.5	19.8	41.4
<b>Disability Status</b>					
Living with a Disability†	28	40.7	9.2	22.6	58.7
Living without a Disability	56	24.5	4.1	16.5	32.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	35	26.4	5.8	15.0	37.8
Obese (BMI ≥ 30)	31	45.0	8.1	29.1	60.9
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	57	29.8	4.7	20.6	39.1
Does not participate in leisure time physical activity	25	24.6	6.8	11.3	37.8
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	70	26.8	4.0	18.9	34.7
<b>Health Insurance Status</b>					
Insured	77	26.0	3.8	18.6	33.4
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

**Denominator:** All respondents, excluding unknowns and refusals.

† **Living with a Disability:** Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.**

Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked  
Within the Past Five Years, 2017 ‡**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,246	15.2	0.4	14.5	15.9
Ford County	31	19.2	3.7	12.0	26.4
<b>Gender</b>					
Men	17	21.8	5.6	10.9	32.7
Women	14	16.2	4.7	7.1	25.4
<b>Age Group</b>					
18 to 44 Years	20	28.7	6.1	16.8	40.7
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	21	16.7	3.9	9.1	24.4
<b>Race</b>					
White	24	14.6	3.3	8.1	21.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	17	24.8	6.5	12.1	37.4
Some College or College Graduate	14	14.8	4.0	6.9	22.7
<b>Annual Household Income</b>					
Less than \$35,000 per Year	12	22.1	6.6	9.2	35.0
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	22	17.3	4.0	9.6	25.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	13	20.8	6.0	8.9	32.6
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	16	16.1	4.2	7.8	24.4
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	20	16.0	3.8	8.5	23.5
<b>Health Insurance Status</b>					
Insured	20	15.7	3.9	8.1	23.3
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had not checked their blood cholesterol in the past five years or never had their blood cholesterol checked.

**Denominator:** All respondents excluding unknowns and refusals.

‡ In 2017, the cholesterol questions have been modified for all states.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Tested and Diagnosed with High Cholesterol, 2017 ‡**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,314	34.1	0.4	33.2	34.9
Ford County	59	31.6	4.7	22.5	40.8
<b>Gender</b>					
Men	26	34.8	7.2	20.7	49.0
Women	33	28.1	5.5	17.3	38.9
<b>Age Group</b>					
18 to 44 Years	10	25.4	7.4	11.0	39.9
45 to 64 Years	21	39.7	8.5	23.0	56.4
65 Years and Older	28	32.9	6.7	19.7	46.1
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	50	33.4	5.2	23.2	43.5
<b>Race</b>					
White	56	32.6	4.9	23.0	42.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	20	31.1	7.7	16.0	46.2
Some College or College Graduate	39	32.1	5.8	20.7	43.4
<b>Annual Household Income</b>					
Less than \$35,000 per Year	23	33.7	7.9	18.2	49.2
\$35,000 or Higher per Year	31	34.8	6.6	21.9	47.7
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	40	28.6	5.2	18.5	38.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	18	26.6	7.7	11.5	41.6
Obese (BMI ≥ 30)	24	43.0	8.6	26.1	59.8
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	38	33.3	5.7	22.1	44.5
Does not participate in leisure time physical activity	20	33.0	9.1	15.2	50.8
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	50	34.3	5.3	24.0	44.7
<b>Health Insurance Status</b>					
Insured	53	31.8	5.0	21.9	41.6
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

**Denominator:** Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

‡ In 2017, the cholesterol questions have been modified for all states.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

*Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.*

Please refer to Technical Notes for more information.

**Percentage of Adults Who Were Ever Diagnosed with a Depressive Disorder,  
2017**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,374	20.9	0.4	20.2	21.6
Ford County	45	17.0	3.1	10.9	23.0
<b>Gender</b>					
Men	*	*	*	*	*
Women	31	22.4	4.5	13.6	31.2
<b>Age Group</b>					
18 to 44 Years	17	18.2	4.7	9.0	27.4
45 to 64 Years	*	*	*	*	*
65 Years and Older	17	16.7	4.7	7.5	25.9
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	37	18.5	3.5	11.7	25.3
<b>Race</b>					
White	38	14.9	3.0	9.0	20.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	18	20.7	5.6	9.7	31.7
Some College or College Graduate	27	14.1	3.2	7.9	20.4
<b>Annual Household Income</b>					
Less than \$35,000 per Year	21	21.7	5.6	10.8	32.7
\$35,000 or Higher per Year	18	11.8	3.4	5.1	18.5
<b>Disability Status</b>					
Living with a Disability†	17	27.7	8.3	11.4	44.0
Living without a Disability	26	12.8	2.9	7.1	18.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	30	18.0	3.9	10.3	25.6
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	37	17.0	3.4	10.4	23.6
<b>Health Insurance Status</b>					
Insured	39	16.2	3.1	10.2	22.3
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

**Denominator:** All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults with Diagnosed Diabetes, 2017

### Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,844	10.5	0.2	10.0	11.0
Ford County	27	13.2	3.3	6.7	19.7
<b>Gender</b>					
Men	17	21.6	5.9	10.0	33.1
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	25	12.1	3.3	5.7	18.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	15	28.6	8.1	12.7	44.5
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	24	12.4	3.5	5.6	19.3
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

**Denominator:** All respondents, excluding unknowns and refusals.

† **Living with a Disability:** Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2017†

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,832	25.9	0.4	25.2	26.7
Ford County	51	20.9	3.6	13.9	27.9
<b>Gender</b>					
Men	19	20.1	5.5	9.3	30.8
Women	32	21.7	4.6	12.7	30.6
<b>Age Group</b>					
18 to 44 Years	11	17.2	5.1	7.2	27.1
45 to 64 Years	*	*	*	*	*
65 Years and Older	27	28.7	6.0	16.9	40.5
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	38	14.5	2.8	9.0	20.0
<b>Race</b>					
White	45	18.9	3.5	12.0	25.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	19	21.6	5.9	10.0	33.2
Some College or College Graduate	31	19.6	4.4	11.1	28.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	25	28.8	6.7	15.7	41.8
\$35,000 or Higher per Year	*	*	*	*	*
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	17	29.7	7.8	14.5	44.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	26	18.8	4.3	10.4	27.2
Does not participate in leisure time physical activity	22	25.2	7.0	11.5	38.9
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	43	20.9	3.9	13.3	28.5
<b>Health Insurance Status</b>					
Insured	43	18.3	3.6	11.3	25.4
Uninsured	*	*	*	*	*

Numerator: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living)

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2017**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	15,354	81.0	0.4	80.3	81.7
Ford County	167	80.9	3.6	73.9	87.9
<b>Gender</b>					
Men	70	82.9	4.5	74.0	91.7
Women	97	79.1	5.4	68.4	89.7
<b>Age Group</b>					
18 to 44 Years	58	75.4	5.7	64.4	86.5
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	134	81.1	4.2	72.9	89.4
<b>Race</b>					
White	149	80.4	3.8	72.9	87.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	108	77.1	5.1	67.0	87.1
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	87	81.1	5.0	71.3	90.9
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	126	81.2	3.9	73.5	88.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	143	78.7	4.2	70.6	86.8
<b>Health Insurance Status</b>					
Insured	146	82.0	4.0	74.1	89.8
Uninsured	*	*	*	*	*

**Numerator:** Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

**Denominator:** All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2017**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,754	41.2	0.5	40.3	42.1
Ford County	99	42.7	4.5	33.9	51.6
<b>Gender</b>					
Men	39	44.1	6.9	30.7	57.6
Women	60	41.4	5.9	29.9	53.0
<b>Age Group</b>					
18 to 44 Years	30	35.5	6.1	23.7	47.4
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	83	46.9	5.2	36.8	57.0
<b>Race</b>					
White	91	42.8	4.8	33.3	52.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	33	38.3	7.1	24.4	52.3
Some College or College Graduate	66	45.8	5.8	34.5	57.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	34	39.1	7.0	25.3	52.9
\$35,000 or Higher per Year	54	45.6	6.5	33.0	58.3
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	73	41.5	5.0	31.7	51.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	23	29.5	6.8	16.1	42.9
Overweight (25 ≤ BMI < 30)	36	41.7	7.5	27.0	56.4
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	82	39.8	4.8	30.5	49.2
<b>Health Insurance Status</b>					
Insured	88	43.1	5.0	33.2	52.9
Uninsured	*	*	*	*	*

**Numerator:** Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

**Denominator:** All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2017**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,721	27.9	0.4	27.1	28.7
Ford County	74	29.7	3.9	22.0	37.5
<b>Gender</b>					
Men	28	29.2	6.1	17.3	41.1
Women	46	30.2	5.1	20.2	40.3
<b>Age Group</b>					
18 to 44 Years	24	28.9	5.6	17.9	39.9
45 to 64 Years	17	28.3	7.8	13.0	43.5
65 Years and Older	33	38.4	7.1	24.6	52.2
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	61	32.7	4.6	23.7	41.8
<b>Race</b>					
White	66	27.8	4.0	19.9	35.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	25	27.0	6.2	14.9	39.1
Some College or College Graduate	49	31.9	5.1	21.8	42.0
<b>Annual Household Income</b>					
Less than \$35,000 per Year	29	30.9	6.3	18.5	43.3
\$35,000 or Higher per Year	35	27.9	5.6	16.9	39.0
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	51	27.6	4.3	19.1	36.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	22	31.8	7.1	17.8	45.7
Overweight (25 ≤ BMI < 30)	22	20.9	5.6	9.9	32.0
Obese (BMI ≥ 30)	20	34.6	8.0	18.9	50.2
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	60	27.2	4.1	19.1	35.3
<b>Health Insurance Status</b>					
Insured	65	29.8	4.3	21.3	38.3
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

**Denominator:** All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,  
2017‡**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,946	37.5	0.4	36.7	38.4
Ford County	95	45.8	4.5	37.0	54.6
<b>Gender</b>					
Men	49	52.8	6.7	39.6	66.0
Women	46	39.5	6.0	27.8	51.2
<b>Age Group</b>					
18 to 44 Years	36	45.3	6.3	32.8	57.7
45 to 64 Years	23	43.9	8.6	27.0	60.8
65 Years and Older	35	50.9	8.0	35.2	66.6
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	77	48.3	5.1	38.4	58.2
<b>Race</b>					
White	86	45.4	4.8	36.0	54.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	33	47.9	7.4	33.4	62.4
Some College or College Graduate	62	44.7	5.6	33.7	55.7
<b>Annual Household Income</b>					
Less than \$35,000 per Year	28	34.9	7.1	21.0	48.9
\$35,000 or Higher per Year	58	54.4	6.2	42.2	66.6
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	76	48.6	5.0	38.7	58.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	28	55.2	8.3	38.8	71.5
Overweight (25 ≤ BMI < 30)	34	49.6	7.6	34.7	64.4
Obese (BMI ≥ 30)	25	40.6	8.3	24.3	56.9
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	57	44.9	5.5	34.2	55.7
Does not participate in leisure time physical activity	36	47.8	7.9	32.2	63.4
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	74	39.9	4.8	30.5	49.2
<b>Health Insurance Status</b>					
Insured	79	45.0	5.0	35.2	54.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

‡ In 2017, the fruit and vegetable questions have been modified for all states. Fruit consumption includes: fruits and 100% PURE fruit juices/blends.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time  
Per Day, 2017‡**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,049	17.3	0.4	16.6	18.0
Ford County	50	27.2	4.2	19.0	35.3
<b>Gender</b>					
Men	27	36.3	6.8	23.1	49.6
Women	23	18.7	4.5	9.8	27.5
<b>Age Group</b>					
18 to 44 Years	18	23.7	5.6	12.8	34.6
45 to 64 Years	13	29.3	8.0	13.7	45.0
65 Years and Older	19	36.2	9.2	18.1	54.3
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	41	31.5	5.1	21.5	41.5
<b>Race</b>					
White	47	27.7	4.4	19.0	36.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	16	29.8	7.6	14.9	44.7
Some College or College Graduate	34	25.4	4.7	16.2	34.7
<b>Annual Household Income</b>					
Less than \$35,000 per Year	22	32.4	7.4	17.8	46.9
\$35,000 or Higher per Year	23	23.6	5.2	13.5	33.8
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	39	28.7	4.7	19.5	38.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	13	26.0	7.4	11.5	40.6
Overweight (25 ≤ BMI < 30)	19	32.1	7.5	17.3	46.8
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	29	25.8	5.1	15.9	35.8
Does not participate in leisure time physical activity	21	30.8	7.2	16.6	44.9
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	42	25.6	4.3	17.1	34.1
<b>Health Insurance Status</b>					
Insured	43	26.3	4.5	17.5	35.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

‡ In 2017, the fruit and vegetable questions have been modified for all states. Vegetable consumption includes: green leafy or lettuce salad, fried potatoes, any other kind of potatoes/sweet potatoes, or other vegetables.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults Who Lack Health Care Coverage, 2017

### Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,969	12.5	0.3	11.8	13.1
Ford County	32	23.2	3.9	15.5	30.8
<b>Gender</b>					
Men	21	33.5	6.3	21.1	45.9
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	23	32.8	5.9	21.2	44.4
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	22	44.1	7.6	29.2	59.0
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	24	19.8	4.0	12.0	27.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	22	39.0	6.9	25.5	52.6
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	15	31.2	7.0	17.5	45.0
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	21	17.6	3.8	10.1	25.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	10	25.0	7.0	11.4	38.7
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	19	20.5	4.6	11.5	29.5
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	21	18.3	3.9	10.7	25.9

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,  
2017**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,830	15.3	0.4	14.5	16.1
Ford County	31	27.4	4.6	18.5	36.4
<b>Gender</b>					
Men	21	39.5	7.1	25.5	53.5
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	23	32.8	5.9	21.2	44.4
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	21	43.9	7.7	28.9	58.9
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	23	23.9	4.8	14.5	33.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	22	46.6	7.8	31.4	61.8
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	15	38.5	8.2	22.5	54.5
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	21	20.8	4.5	12.1	29.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	19	24.4	5.4	13.9	35.0
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	20	21.6	4.6	12.6	30.6

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults with No Personal Doctor or Health Care Provider, 2017**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,646	22.4	0.4	21.7	23.2
Ford County	57	28.6	3.9	21.1	36.2
<b>Gender</b>					
Men	38	40.6	6.1	28.7	52.5
Women	19	16.0	4.3	7.6	24.4
<b>Age Group</b>					
18 to 44 Years	35	36.5	5.6	25.5	47.4
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	22	38.8	7.2	24.7	52.8
Non-Hispanic	35	21.0	3.9	13.2	28.7
<b>Race</b>					
White	46	26.5	4.1	18.5	34.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	30	40.2	6.7	27.2	53.3
Some College or College Graduate	27	19.5	4.0	11.6	27.3
<b>Annual Household Income</b>					
Less than \$35,000 per Year	25	39.0	7.0	25.3	52.6
\$35,000 or Higher per Year	21	15.7	3.8	8.2	23.1
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	44	30.6	4.5	21.8	39.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	14	26.9	7.0	13.2	40.7
Overweight (25 ≤ BMI < 30)	24	39.2	7.2	25.0	53.4
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	31	25.2	4.7	15.9	34.5
Does not participate in leisure time physical activity	19	30.1	7.1	16.2	44.0
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	39	21.2	3.6	14.1	28.2
<b>Health Insurance Status</b>					
Insured	40	22.3	3.9	14.7	29.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2017**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,144	12.1	0.3	11.5	12.7
Ford County	27	14.4	3.1	8.4	20.5
<b>Gender</b>					
Men	13	16.0	4.8	6.6	25.3
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	14	12.9	3.9	5.3	20.4
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	17	10.5	2.6	5.4	15.5
<b>Race</b>					
White	25	15.8	3.5	8.9	22.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	16	21.6	5.7	10.4	32.8
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	16	24.2	6.3	11.7	36.6
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	20	13.3	3.3	6.8	19.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	20	18.5	4.4	9.9	27.2
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	21	13.7	3.3	7.2	20.2
<b>Health Insurance Status</b>					
Insured	16	8.0	2.3	3.5	12.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2017

### Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,766	16.7	0.3	16.0	17.3
Ford County	30	8.8	2.2	4.6	13.1
<b>Gender</b>					
Men	*	*	*	*	*
Women	19	10.6	2.8	5.1	16.0
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	28	14.6	3.6	7.6	21.6
<b>Race</b>					
White	28	9.6	2.5	4.8	14.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	17	6.7	2.0	2.8	10.6
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	18	17.2	4.9	7.5	26.8
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	25	7.6	1.8	4.0	11.2
<b>Health Insurance Status</b>					
Insured	26	9.8	2.7	4.6	15.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2017**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,399	40.8	0.6	39.6	42.0
Ford County	32	27.9	5.7	16.7	39.2
<b>Gender</b>					
Men	*	*	*	*	*
Women	20	25.4	6.4	12.8	37.9
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	23	23.1	5.6	12.1	34.1
<b>Race</b>					
White	28	25.3	5.6	14.4	36.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	22	22.2	5.8	10.9	33.5
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	18	21.6	5.7	10.5	32.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	19	27.5	6.8	14.1	40.9
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	26	25.1	5.9	13.6	36.6
<b>Health Insurance Status</b>					
Insured	26	24.3	5.6	13.2	35.3
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

**Denominator:** Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized  
Against Influenza During the Past 12 Months, 2017**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	11,141	61.6	0.4	60.7	62.4
Ford County	127	65.4	4.2	57.2	73.7
<b>Gender</b>					
Men	57	65.5	6.5	52.8	78.3
Women	70	65.3	5.5	54.6	76.0
<b>Age Group</b>					
18 to 44 Years	54	68.9	6.0	57.1	80.7
45 to 64 Years	34	70.2	7.7	55.0	85.4
65 Years and Older	37	42.7	7.3	28.4	57.1
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	94	54.1	5.1	44.2	64.1
<b>Race</b>					
White	111	63.2	4.6	54.2	72.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	51	74.3	6.3	61.9	86.7
Some College or College Graduate	75	58.8	5.6	47.9	69.7
<b>Annual Household Income</b>					
Less than \$35,000 per Year	45	65.1	6.8	51.7	78.6
\$35,000 or Higher per Year	66	64.1	6.1	52.2	76.1
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	101	66.3	4.8	56.9	75.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	33	57.5	8.6	40.6	74.3
Overweight (25 ≤ BMI < 30)	43	62.2	7.3	47.9	76.5
Obese (BMI ≥ 30)	36	70.8	7.3	56.6	85.1
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	80	65.1	5.1	55.0	75.2
Does not participate in leisure time physical activity	47	66.1	7.3	51.7	80.5
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	106	64.6	4.6	55.7	73.6
<b>Health Insurance Status</b>					
Insured	100	57.0	4.9	47.4	66.7
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

**Denominator:** All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Did Not Get Immunized  
Against Influenza During the Past 12 Months, 2017**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,774	44.0	0.7	42.5	45.4
Ford County	37	42.7	7.3	28.4	57.1
<b>Gender</b>					
Men	*	*	*	*	*
Women	21	39.8	7.8	24.5	55.0
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	37	44.0	7.5	29.2	58.7
<b>Race</b>					
White	34	42.0	7.6	27.1	56.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	24	44.4	7.4	29.9	58.8
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	24	41.7	9.2	23.6	59.8
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	32	45.9	6.7	32.7	59.1
<b>Health Insurance Status</b>					
Insured	37	43.5	7.5	28.9	58.1
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they did not receive a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Never Had Pneumonia  
Vaccination, 2017**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,472	23.5	0.6	22.2	24.8
Ford County	23	25.3	5.6	14.3	36.2
<b>Gender</b>					
Men	*	*	*	*	*
Women	12	24.5	6.7	11.3	37.7
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	22	24.9	5.6	13.8	35.9
<b>Race</b>					
White	20	23.3	5.5	12.4	34.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	17	32.2	6.9	18.6	45.7
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	19	27.4	7.0	13.6	41.2
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	<i>18</i>	<i>24.3</i>	<i>5.4</i>	<i>13.7</i>	<i>34.8</i>
<b>Health Insurance Status</b>					
Insured	<i>23</i>	<i>25.7</i>	<i>5.7</i>	<i>14.6</i>	<i>36.8</i>
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they never had a pneumonia vaccination.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt  
When They Drive or Ride in a Car, 2017**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,294	16.6	0.3	16.0	17.3
Ford County	48	22.7	3.7	15.5	29.9
<b>Gender</b>					
Men	23	21.3	5.1	11.2	31.3
Women	25	24.0	5.2	13.8	34.2
<b>Age Group</b>					
18 to 44 Years	24	29.9	5.9	18.4	41.4
45 to 64 Years	*	*	*	*	*
65 Years and Older	14	14.2	4.1	6.1	22.3
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	39	24.5	4.3	16.1	33.0
<b>Race</b>					
White	46	24.0	4.0	16.3	31.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	17	21.8	5.9	10.2	33.4
Some College or College Graduate	31	23.6	4.7	14.4	32.8
<b>Annual Household Income</b>					
Less than \$35,000 per Year	16	22.3	6.1	10.3	34.4
\$35,000 or Higher per Year	29	24.7	5.2	14.5	34.9
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	41	26.0	4.3	17.5	34.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	13	31.6	8.4	15.1	48.1
Overweight (25 ≤ BMI < 30)	22	29.7	6.9	16.1	43.3
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	29	20.0	4.3	11.5	28.5
Does not participate in leisure time physical activity	19	29.0	6.8	15.6	42.4
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	43	24.2	4.0	16.3	32.1
<b>Health Insurance Status</b>					
Insured	40	20.5	3.8	13.1	27.9
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults Who Currently Smoke Cigarettes, 2017

### Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,145	17.4	0.4	16.7	18.1
Ford County	31	17.2	3.5	10.3	24.1
<b>Gender</b>					
Men	14	20.5	5.8	9.2	31.8
Women	17	14.0	4.0	6.2	21.8
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	12	26.1	7.7	11.1	41.2
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	23	15.4	3.8	7.9	22.8
<b>Race</b>					
White	28	17.0	3.7	9.9	24.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	16	23.3	6.3	11.0	35.6
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	23	17.0	4.0	9.3	24.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	18	15.8	4.3	7.5	24.1
Does not participate in leisure time physical activity	13	23.2	6.9	9.6	36.8
<b>Health Insurance Status</b>					
Insured	25	16.5	3.8	9.0	23.9
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

**Denominator:** All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States  
Armed Forces, 2017**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,748	10.9	0.2	10.4	11.4
Ford County	24	9.8	2.7	4.5	15.1
<b>Gender</b>					
Men	24	19.1	5.0	9.3	28.8
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	14	17.8	5.3	7.5	28.2
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	21	11.8	3.4	5.0	18.5
<b>Race</b>					
White	22	9.6	2.7	4.4	14.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	22	10.2	2.9	4.5	15.9
<b>Health Insurance Status</b>					
Insured	23	10.9	3.0	5.1	16.7
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

**Denominator:** All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults Who Are Obese, 2017

### Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,551	32.3	0.4	31.5	33.2
Ford County	61	35.2	4.5	26.4	43.9
<b>Gender</b>					
Men	31	36.2	6.4	23.6	48.8
Women	30	34.1	6.2	22.0	46.2
<b>Age Group</b>					
18 to 44 Years	16	22.1	5.4	11.4	32.7
45 to 64 Years	28	64.3	8.1	48.5	80.1
65 Years and Older	17	20.9	5.8	9.5	32.2
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	43	29.5	4.8	20.1	38.9
<b>Race</b>					
White	53	33.7	4.7	24.5	43.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	19	28.8	6.7	15.7	41.8
Some College or College Graduate	42	39.7	5.8	28.3	51.1
<b>Annual Household Income</b>					
Less than \$35,000 per Year	25	33.5	7.0	19.8	47.2
\$35,000 or Higher per Year	31	40.0	6.6	27.2	52.9
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	43	31.2	4.9	21.6	40.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	41	34.2	5.4	23.6	44.8
Does not participate in leisure time physical activity	20	44.8	8.6	27.9	61.7
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	53	35.2	4.9	25.6	44.9
<b>Health Insurance Status</b>					
Insured	53	36.3	5.0	26.5	46.1
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults Who Are Overweight or Obese, 2017

### Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	13,706	67.2	0.4	66.3	68.0
Ford County	145	73.5	3.7	66.2	80.8
<b>Gender</b>					
Men	72	81.1	4.4	72.6	89.7
Women	73	65.6	5.8	54.1	77.0
<b>Age Group</b>					
18 to 44 Years	50	67.7	5.7	56.6	78.9
45 to 64 Years	42	85.5	5.8	74.0	96.9
65 Years and Older	52	68.6	6.8	55.2	82.0
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	107	64.6	5.0	54.8	74.4
<b>Race</b>					
White	132	75.2	3.8	67.7	82.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	52	74.2	5.9	62.6	85.8
Some College or College Graduate	93	73.0	4.8	63.6	82.4
<b>Annual Household Income</b>					
Less than \$35,000 per Year	57	75.9	5.5	65.0	86.7
\$35,000 or Higher per Year	74	75.0	5.2	64.9	85.2
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	106	70.2	4.5	61.4	78.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	97	75.7	4.7	66.6	84.9
Does not participate in leisure time physical activity	42	72.0	6.6	59.1	84.9
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	127	75.1	4.0	67.2	83.1
<b>Health Insurance Status</b>					
Insured	126	72.5	4.3	64.1	80.9
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Technical Notes

The 2017 BRFSS data for your county/region on health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("\*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is greater than 30 percent

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>

In 2017, cholesterol questions and fruits and vegetables modules were modified for all states. Due to the changes in methodology, we do not advise comparing 2017 findings to the previous modules.

For more information on new fruits and vegetables module: please visit <https://www.cdc.gov/nutrition/data-statistics/using-the-new-BRFSS-modules.html>

In 2017 and 2016, a six-item set of questions identify disability in hearing, vision, cognition, mobility, self-care, and independent living for all states. Respondents who responded "yes" to at least one of the six functional disability questions were identified as adults living with a disability.

For more information on disability questions: please visit [https://www.cdc.gov/brfss/data\\_documentation/pdf/BRFSS\\_Data\\_Users\\_Guide\\_on\\_Disability\\_Questions\\_2018-508.pdf](https://www.cdc.gov/brfss/data_documentation/pdf/BRFSS_Data_Users_Guide_on_Disability_Questions_2018-508.pdf)

Please visit the BRFSS questionnaires below to see the questions on specific topics:

2017 Kansas BRFSS: <http://www.kdheks.gov/brfss/PDF/ks2017svy.pdf>

2016 Kansas BRFSS: <http://www.kdheks.gov/brfss/PDF/ks2016svy.pdf>

2015 Kansas BRFSS: <http://www.kdheks.gov/brfss/PDF/ks2015svy.pdf>