

2017 Kansas Behavioral Risk Factor Surveillance System Local Data

Franklin County



This page is intentionally blank.

2017 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Laura Kelly, Governor

Kansas Department of Health and Environment
Lee A. Norman, M.D., Acting Secretary

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Health Promotion and BRFSS Epidemiology
Bureau of Epidemiology and Public Health Informatics (BEPHI)

Report Supervision:
Belle Federman, ScD
Senior Epidemiologist
Health Promotion and BRFSS Epidemiology
Bureau of Epidemiology and Public Health Informatics (BEPHI)

Project Funding:
Partial funding for the 2017 Behavioral Risk Factor Survey was provided by cooperative agreement 6NU58DP006025-03-01 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion
February 2019**

Kansas Department of Health and Environment (KDHE)


Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov



Franklin County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2017 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Health Promotion and BRFSS Epidemiology
Bureau of Epidemiology and Public Health Informatics (BEPHI)
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-6513
Fax: 785-296-8059
Pratik.Pandya@ks.gov

Belle Federman, ScD
Senior Epidemiologist
Health Promotion and BRFSS Epidemiology
Bureau of Epidemiology and Public Health Informatics (BEPHI)
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1152
Fax: 785-296-8059
Belle.Federman@ks.gov



Table of Contents

Alcohol Consumption

Binge Drinking	1
----------------------	---

Arthritis

Arthritis	3
Activity Limitation Due to Arthritis	5

Asthma	7
---------------------	---

Cancer

Cancer (Excluding Skin Cancer)	9
Skin Cancer	11

Cardiovascular Health

High Blood Pressure	13
---------------------------	----

Cholesterol

Not Checked Cholesterol within Five Years	15
High Blood Cholesterol Status.....	17

Chronic Obstructive Pulmonary Disease (COPD)	19
---	----

Depressive Disorder	21
----------------------------------	----

Diabetes	23
-----------------------	----

Disability	25
-------------------------	----

Exercise and Physical Activity

Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening)	27
Did Not Participate in the Recommended Level of Aerobic and Strengthening Physical Activity.....	29
Not Participating in Any Physical Activity	31

Fruits and Vegetable Consumption

Consuming Fruits Less than 1 Time Per Day	33
Consuming Vegetables Less than 1 Time Per Day.....	35

Health Care Access	
Lack of Health Care Coverage.....	37
Lack of Health Care Coverage 18 to 64 Years Old Only	39
No Personal Doctor.....	41
Did Not See Doctor Due to Cost.....	43
General Health	45
Healthy Days - Health Related Quality of Life	
Physical Health Status.....	47
Mental Health Status.....	49
Poor Physical or Mental Health is Barrier to Usual Activities.....	51
Immunization	
Not Immunized Against Influenza.....	53
Not Immunized Against Influenza 65 Years and Older Only	55
Never Had Pneumonia Vaccination 65 Years and Older Only	57
Seatbelt Use	59
Tobacco Use	
Current Smoker	61
Smokeless Tobacco Use.....	63
Male Smokeless Tobacco Use	65
Veteran Status	67
Weight Status (BMI Categories)	
Obese.....	69
Overweight or Obese	71
Technical Notes	73

Unpublished Tables - The following data tables are not published due to insufficient sample and/or statistically unreliable estimates for Franklin County: Heavy Drinking, Heart Attack, Coronary Heart Disease, Stroke, and Tried Quitting Smoking.

Percentage of Adults Who Are Binge Drinkers, 2017

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,785	17.2	0.4	16.5	17.9
Franklin County	28	17.3	3.2	10.9	23.6
Gender					
Men	20	23.9	5.0	14.0	33.8
Women	*	*	*	*	*
Age Group					
18 to 44 Years	18	25.1	5.5	14.3	35.9
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	26	15.4	3.0	9.6	21.2
Race					
White	26	15.6	3.0	9.8	21.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	13	21.8	5.7	10.7	33.0
Some College or College Graduate	15	13.5	3.5	6.7	20.3
Annual Household Income					
Less than \$35,000 per Year	10	20.9	6.1	9.0	32.8
\$35,000 or Higher per Year	18	20.6	4.8	11.2	30.0
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	25	20.6	4.0	12.7	28.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	14	27.7	6.6	14.7	40.7
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	21	17.4	3.9	9.8	25.0
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	18	15.9	3.7	8.6	23.1
Health Insurance Status					
Insured	23	16.5	3.4	9.9	23.1
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis, 2017

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,634	24.1	0.3	23.5	24.8
Franklin County	70	27.0	3.2	20.7	33.4
Gender					
Men	22	18.4	4.0	10.6	26.2
Women	48	35.1	4.8	25.6	44.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	27	31.0	5.8	19.6	42.4
65 Years and Older	35	57.7	6.6	44.8	70.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	66	25.4	3.1	19.3	31.5
Race					
White	64	25.5	3.2	19.3	31.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	31	28.9	5.3	18.5	39.3
Some College or College Graduate	39	25.4	4.0	17.6	33.2
Annual Household Income					
Less than \$35,000 per Year	27	33.3	6.0	21.5	45.0
\$35,000 or Higher per Year	31	24.0	4.6	15.0	33.1
Disability Status					
Living with a Disability†	28	43.1	7.4	28.7	57.6
Living without a Disability	40	22.5	3.7	15.2	29.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	20	26.6	5.8	15.2	38.0
Overweight (25 ≤ BMI < 30)	26	30.8	6.0	18.9	42.6
Obese (BMI ≥ 30)	21	27.0	5.8	15.7	38.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	49	28.4	4.1	20.4	36.5
Does not participate in leisure time physical activity	18	25.9	6.1	13.9	37.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	54	28.0	3.9	20.5	35.6
Health Insurance Status					
Insured	67	28.7	3.5	21.8	35.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2017

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,148	49.7	0.8	48.2	51.2
Franklin County	34	45.2	6.7	32.0	58.4
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	31	45.2	6.8	31.9	58.4
Race					
White	31	46.9	6.9	33.4	60.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	28	48.6	7.9	33.1	64.0
Health Insurance Status					
Insured	32	42.9	6.8	29.6	56.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Current Asthma, 2017

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,901	9.1	0.3	8.6	9.6
Franklin County	21	9.9	2.4	5.1	14.6
Gender					
Men	*	*	*	*	*
Women	15	14.4	4.1	6.3	22.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	19	8.3	2.0	4.3	12.3
Race					
White	20	8.9	2.1	4.8	13.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	14	9.8	2.7	4.5	15.1
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	14	24.4	6.2	12.2	36.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	14	10.7	3.2	4.4	16.9
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	16	10.0	2.9	4.4	15.7
Health Insurance Status					
Insured	19	9.4	2.5	4.6	14.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2017

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,030	7.1	0.2	6.7	7.4
Franklin County	22	7.4	1.7	4.0	10.7
Gender					
Men	*	*	*	*	*
Women	14	10.3	2.9	4.6	16.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	22	7.7	1.8	4.2	11.2
Race					
White	22	7.9	1.8	4.3	11.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	16	9.1	2.4	4.3	13.8
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	14	6.4	1.8	2.7	10.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	15	6.2	1.7	2.9	9.6
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	18	7.8	2.0	4.0	11.7
Health Insurance Status					
Insured	21	7.6	1.8	4.1	11.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2017

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,960	6.3	0.2	5.9	6.6
Franklin County	16	5.8	1.5	2.8	8.8
Gender					
Men	*	*	*	*	*
Women	12	8.9	2.6	3.7	14.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	16	6.0	1.6	2.9	9.2
Race					
White	16	6.2	1.6	3.0	9.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	13	6.4	1.9	2.7	10.1
Health Insurance Status					
Insured	16	6.6	1.7	3.2	10.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Hypertension, 2017

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,757	32.8	0.4	32.0	33.5
Franklin County	75	27.5	3.2	21.3	33.8
Gender					
Men	33	26.9	4.7	17.8	36.1
Women	42	28.1	4.4	19.5	36.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	23	25.7	5.2	15.5	35.9
65 Years and Older	40	59.7	6.6	46.9	72.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	71	26.2	3.1	20.0	32.3
Race					
White	69	26.5	3.2	20.2	32.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	34	29.5	5.1	19.5	39.5
Some College or College Graduate	41	25.7	4.0	17.9	33.6
Annual Household Income					
Less than \$35,000 per Year	30	36.5	6.2	24.4	48.5
\$35,000 or Higher per Year	32	22.8	4.2	14.4	31.1
Disability Status					
Living with a Disability†	30	49.6	7.6	34.6	64.6
Living without a Disability	44	21.8	3.4	15.1	28.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	19	20.2	5.0	10.4	29.9
Overweight (25 ≤ BMI < 30)	21	21.3	4.7	12.1	30.5
Obese (BMI ≥ 30)	29	49.5	7.3	35.1	63.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	53	29.2	4.0	21.3	37.0
Does not participate in leisure time physical activity	20	28.1	6.3	15.8	40.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	58	27.5	3.6	20.4	34.6
Health Insurance Status					
Insured	71	29.4	3.4	22.7	36.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2017 ‡**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,246	15.2	0.4	14.5	15.9
Franklin County	30	21.6	3.7	14.4	28.9
Gender					
Men	20	32.8	6.0	21.0	44.6
Women	*	*	*	*	*
Age Group					
18 to 44 Years	22	42.5	6.9	28.9	56.0
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	29	21.8	3.8	14.4	29.3
Race					
White	28	22.0	3.8	14.5	29.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	14	25.7	6.3	13.4	38.1
Some College or College Graduate	16	18.4	4.3	9.9	26.9
Annual Household Income					
Less than \$35,000 per Year	12	26.8	6.8	13.4	40.3
\$35,000 or Higher per Year	15	22.2	5.3	11.7	32.7
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	25	25.0	4.5	16.1	33.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	12	26.4	7.3	12.1	40.6
Overweight (25 ≤ BMI < 30)	11	23.0	6.0	11.3	34.8
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	16	15.3	3.7	8.0	22.6
Does not participate in leisure time physical activity	10	29.9	8.2	13.8	45.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	18	19.1	4.2	10.7	27.4
Health Insurance Status					
Insured	23	16.9	3.3	10.4	23.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years or never had their blood cholesterol checked.

Denominator: All respondents excluding unknowns and refusals.

‡ In 2017, the cholesterol questions have been modified for all states.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2017 ‡

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,314	34.1	0.4	33.2	34.9
Franklin County	78	38.0	3.9	30.3	45.7
Gender					
Men	31	35.5	5.7	24.2	46.7
Women	47	40.1	5.3	29.6	50.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	33	44.5	6.4	31.9	57.0
65 Years and Older	34	48.1	6.8	34.7	61.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	76	38.6	3.9	30.8	46.3
Race					
White	77	40.9	4.1	32.9	48.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	31	39.2	6.5	26.4	52.0
Some College or College Graduate	47	37.2	4.8	27.7	46.7
Annual Household Income					
Less than \$35,000 per Year	24	39.1	7.0	25.4	52.8
\$35,000 or Higher per Year	35	32.2	5.1	22.1	42.2
Disability Status					
Living with a Disability†	23	43.2	7.9	27.8	58.7
Living without a Disability	53	35.9	4.5	27.0	44.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	19	34.3	7.5	19.7	48.9
Overweight (25 ≤ BMI < 30)	26	33.8	6.2	21.6	46.0
Obese (BMI ≥ 30)	29	53.5	7.7	38.4	68.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	55	37.9	4.7	28.6	47.1
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	59	35.8	4.3	27.4	44.3
Health Insurance Status					
Insured	74	38.4	4.0	30.4	46.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

‡ In 2017, the cholesterol questions have been modified for all states.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2017**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,644	6.4	0.2	6.0	6.8
Franklin County	20	6.7	1.6	3.5	9.8
Gender					
Men	*	*	*	*	*
Women	13	9.1	2.7	3.9	14.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	11	16.9	5.0	7.2	26.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	17	5.7	1.5	2.7	8.7
Race					
White	19	6.7	1.6	3.4	9.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	14	6.4	1.8	2.8	10.0
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	14	6.4	1.8	2.9	9.9
Health Insurance Status					
Insured	20	7.6	1.8	4.0	11.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Were Ever Diagnosed with a Depressive Disorder,
2017**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,374	20.9	0.4	20.2	21.6
Franklin County	47	19.0	2.9	13.3	24.7
Gender					
Men	*	*	*	*	*
Women	38	29.7	4.6	20.6	38.8
Age Group					
18 to 44 Years	13	16.1	4.6	7.1	25.1
45 to 64 Years	18	20.3	4.8	10.9	29.7
65 Years and Older	16	24.4	5.8	12.9	35.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	46	19.5	3.0	13.7	25.4
Race					
White	43	18.5	3.0	12.7	24.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	16	16.6	4.4	8.0	25.3
Some College or College Graduate	31	21.1	3.8	13.7	28.5
Annual Household Income					
Less than \$35,000 per Year	22	29.2	5.9	17.6	40.7
\$35,000 or Higher per Year	16	11.0	3.0	5.2	16.9
Disability Status					
Living with a Disability†	24	46.7	7.7	31.6	61.7
Living without a Disability	21	10.5	2.4	5.7	15.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	13	14.9	4.4	6.3	23.4
Obese (BMI ≥ 30)	22	31.8	6.5	19.1	44.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	33	20.1	3.7	12.9	27.4
Does not participate in leisure time physical activity	13	19.1	5.4	8.5	29.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	33	16.6	3.0	10.7	22.5
Health Insurance Status					
Insured	42	19.4	3.1	13.3	25.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2017

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,844	10.5	0.2	10.0	11.0
Franklin County	22	8.8	2.0	4.9	12.8
Gender					
Men	*	*	*	*	*
Women	15	11.4	3.1	5.2	17.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	13	22.1	5.9	10.6	33.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	20	7.8	1.8	4.1	11.4
Race					
White	20	8.5	2.1	4.5	12.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	12	20.3	5.8	8.8	31.7
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	19	9.2	2.2	4.8	13.6
Health Insurance Status					
Insured	21	9.5	2.2	5.2	13.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

† **Living with a Disability:** Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2017†

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,832	25.9	0.4	25.2	26.7
Franklin County	57	24.4	3.3	17.9	30.9
Gender					
Men	23	22.6	4.8	13.3	32.0
Women	34	26.1	4.6	17.2	35.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	16	20.2	5.0	10.4	30.0
65 Years and Older	29	49.2	6.8	35.8	62.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	54	23.8	3.3	17.3	30.3
Race					
White	52	23.0	3.3	16.6	29.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	25	26.2	5.5	15.5	36.9
Some College or College Graduate	32	22.9	4.0	15.1	30.7
Annual Household Income					
Less than \$35,000 per Year	26	39.6	6.9	26.2	53.1
\$35,000 or Higher per Year	16	11.6	3.1	5.4	17.7
Weight Category					
Normal or Underweight (BMI < 25)	13	19.2	5.6	8.3	30.2
Overweight (25 ≤ BMI < 30)	14	16.7	4.6	7.6	25.7
Obese (BMI ≥ 30)	25	42.6	7.4	28.1	57.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	36	23.0	3.9	15.3	30.7
Does not participate in leisure time physical activity	20	30.2	6.7	17.0	43.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	46	24.1	3.6	17.1	31.1
Health Insurance Status					
Insured	54	24.7	3.4	18.0	31.3
Uninsured	*	*	*	*	*

Numerator: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living)

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2017

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	15,354	81.0	0.4	80.3	81.7
Franklin County	162	86.0	2.6	80.9	91.1
Gender					
Men	69	87.7	3.6	80.7	94.7
Women	93	84.4	3.8	77.0	91.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	55	80.7	4.8	71.2	90.2
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	158	86.4	2.5	81.5	91.4
Race					
White	154	85.2	2.7	79.8	90.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	95	81.3	4.0	73.4	89.1
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	83	81.6	4.1	73.5	89.7
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	114	83.8	3.3	77.4	90.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	127	86.1	2.8	80.5	91.7
Health Insurance Status					
Insured	150	85.1	2.8	79.5	90.6
Uninsured	*	*	*	*	*

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2017

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,754	41.2	0.5	40.3	42.1
Franklin County	71	41.9	4.2	33.7	50.2
Gender					
Men	29	39.9	6.4	27.4	52.4
Women	42	43.8	5.5	33.1	54.6
Age Group					
18 to 44 Years	20	36.1	7.0	22.5	49.8
45 to 64 Years	28	46.5	6.7	33.5	59.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	69	41.6	4.2	33.4	49.9
Race					
White	69	41.6	4.2	33.3	49.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	37	53.7	6.7	40.5	66.9
Some College or College Graduate	34	31.8	4.8	22.3	41.3
Annual Household Income					
Less than \$35,000 per Year	26	49.9	7.2	35.7	64.1
\$35,000 or Higher per Year	33	35.6	5.8	24.3	46.9
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	48	38.6	4.9	29.0	48.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	24	39.2	7.0	25.6	52.9
Obese (BMI ≥ 30)	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	57	41.9	4.7	32.6	51.1
Health Insurance Status					
Insured	65	38.9	4.2	30.7	47.1
Uninsured	*	*	*	*	*

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2017

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,721	27.9	0.4	27.1	28.7
Franklin County	55	30.1	3.8	22.7	37.5
Gender					
Men	26	34.1	6.0	22.4	45.8
Women	29	26.3	4.7	17.2	35.4
Age Group					
18 to 44 Years	15	26.8	6.4	14.2	39.4
45 to 64 Years	22	33.6	6.2	21.5	45.8
65 Years and Older	18	32.2	6.6	19.3	45.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	54	31.0	3.9	23.4	38.6
Race					
White	54	31.5	3.9	23.8	39.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	33	42.0	6.5	29.3	54.6
Some College or College Graduate	22	19.6	4.0	11.7	27.4
Annual Household Income					
Less than \$35,000 per Year	21	38.4	7.0	24.7	52.2
\$35,000 or Higher per Year	25	26.2	5.2	16.0	36.4
Disability Status					
Living with a Disability†	20	36.3	7.5	21.7	50.9
Living without a Disability	35	28.2	4.4	19.6	36.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	13	23.6	6.8	10.2	37.0
Overweight (25 ≤ BMI < 30)	21	27.9	5.7	16.7	39.2
Obese (BMI ≥ 30)	19	41.6	7.5	26.8	56.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	44	30.5	4.3	22.1	39.0
Health Insurance Status					
Insured	47	25.2	3.5	18.4	32.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2017‡**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,946	37.5	0.4	36.7	38.4
Franklin County	78	44.3	4.1	36.3	52.4
Gender					
Men	41	50.4	6.0	38.6	62.2
Women	37	38.7	5.6	27.7	49.7
Age Group					
18 to 44 Years	27	45.2	6.8	31.8	58.5
45 to 64 Years	31	49.3	6.8	36.0	62.5
65 Years and Older	20	36.1	6.9	22.5	49.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	76	44.2	4.1	36.1	52.4
Race					
White	77	45.3	4.2	37.1	53.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	35	52.4	6.7	39.3	65.4
Some College or College Graduate	43	38.0	4.9	28.5	47.6
Annual Household Income					
Less than \$35,000 per Year	25	47.4	7.3	33.1	61.7
\$35,000 or Higher per Year	41	42.1	5.7	31.0	53.2
Disability Status					
Living with a Disability†	22	46.2	8.1	30.3	62.0
Living without a Disability	56	44.1	4.8	34.7	53.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	22	40.6	7.5	25.9	55.3
Overweight (25 ≤ BMI < 30)	28	44.6	7.0	30.9	58.2
Obese (BMI ≥ 30)	23	49.0	7.7	33.9	64.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	44	35.1	4.8	25.7	44.5
Does not participate in leisure time physical activity	33	68.4	7.0	54.7	82.1
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	55	41.4	4.7	32.2	50.6
Health Insurance Status					
Insured	70	41.1	4.2	33.0	49.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

‡ In 2017, the fruit and vegetable questions have been modified for all states. Fruit consumption includes: fruits and 100% PURE fruit juices/blends.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2017‡**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,049	17.3	0.4	16.6	18.0
Franklin County	46	26.4	4.0	18.5	34.3
Gender					
Men	16	22.9	6.1	10.9	35.0
Women	30	29.8	5.3	19.5	40.1
Age Group					
18 to 44 Years	16	29.6	7.0	15.9	43.3
45 to 64 Years	15	25.1	6.4	12.5	37.6
65 Years and Older	15	23.0	5.8	11.7	34.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	44	24.8	3.9	17.1	32.5
Race					
White	44	25.9	4.0	18.0	33.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	23	37.8	7.1	23.9	51.6
Some College or College Graduate	23	17.3	3.7	10.0	24.6
Annual Household Income					
Less than \$35,000 per Year	17	29.3	6.8	16.0	42.5
\$35,000 or Higher per Year	21	23.3	5.7	12.1	34.4
Disability Status					
Living with a Disability†	13	28.3	7.9	12.8	43.9
Living without a Disability	33	26.0	4.7	16.8	35.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	14	31.0	7.9	15.4	46.6
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	16	34.7	7.6	19.8	49.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	27	20.9	4.6	11.9	30.0
Does not participate in leisure time physical activity	19	41.2	8.0	25.6	56.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	35	25.5	4.5	16.6	34.4
Health Insurance Status					
Insured	43	25.1	4.0	17.3	33.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

‡ In 2017, the fruit and vegetable questions have been modified for all states. Vegetable consumption includes: green leafy or lettuce salad, fried potatoes, any other kind of potatoes/sweet potatoes, or other vegetables.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2017

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,969	12.5	0.3	11.8	13.1
Franklin County	19	11.7	2.9	6.1	17.4
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	19	12.3	3.0	6.4	18.2
Race					
White	18	12.2	3.1	6.2	18.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	13	20.1	5.5	9.4	30.8
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2017**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,830	15.3	0.4	14.5	16.1
Franklin County	16	12.6	3.4	5.9	19.3
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	16	13.2	3.5	6.2	20.1
Race					
White	16	13.5	3.6	6.4	20.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	11	21.8	6.4	9.3	34.3
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2017

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,646	22.4	0.4	21.7	23.2
Franklin County	24	16.5	3.3	10.1	22.9
Gender					
Men	17	25.5	5.6	14.5	36.4
Women	*	*	*	*	*
Age Group					
18 to 44 Years	19	30.7	6.2	18.6	42.9
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	24	17.2	3.4	10.6	23.9
Race					
White	23	17.2	3.4	10.5	24.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	13	20.9	5.5	10.1	31.7
Some College or College Graduate	11	12.5	3.6	5.5	19.6
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	18	17.7	4.0	9.8	25.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	11	31.5	8.0	15.8	47.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	18	16.7	3.8	9.2	24.2
Health Insurance Status					
Insured	14	10.0	2.6	4.9	15.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2017

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,144	12.1	0.3	11.5	12.7
Franklin County	21	12.6	3.0	6.7	18.5
Gender					
Men	*	*	*	*	*
Women	13	12.2	3.5	5.3	19.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	21	13.1	3.1	7.0	19.2
Race					
White	18	12.6	3.2	6.4	18.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	14	11.4	3.1	5.3	17.6
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>13</i>	<i>11.8</i>	<i>3.5</i>	<i>4.9</i>	<i>18.7</i>
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2017

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,766	16.7	0.3	16.0	17.3
Franklin County	41	16.5	2.7	11.3	21.7
Gender					
Men	18	15.6	3.8	8.2	23.0
Women	23	17.3	3.7	10.0	24.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	14	15.3	4.2	7.0	23.5
65 Years and Older	17	30.6	6.6	17.6	43.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	39	16.4	2.7	11.1	21.7
Race					
White	39	16.7	2.8	11.3	22.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	20	18.0	4.2	9.7	26.3
Some College or College Graduate	21	15.1	3.3	8.6	21.6
Annual Household Income					
Less than \$35,000 per Year	22	28.5	5.8	17.0	39.9
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	22	32.7	6.8	19.3	46.1
Living without a Disability	16	10.1	2.6	5.0	15.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	21	30.7	6.4	18.2	43.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	23	13.7	2.9	7.9	19.4
Does not participate in leisure time physical activity	15	20.6	5.6	9.7	31.5
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	30	15.4	2.9	9.7	21.1
Health Insurance Status					
Insured	36	15.4	2.7	10.2	20.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Physical Health Was Not Good on 14 or More Days in the Past 30 Days, 2017

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,574	11.3	0.3	10.8	11.8
Franklin County	25	9.7	2.1	5.5	13.9
Gender					
Men	*	*	*	*	*
Women	18	13.8	3.5	7.0	20.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	24	9.7	2.2	5.5	14.0
Race					
White	24	9.9	2.2	5.6	14.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	16	23.3	6.0	11.5	35.1
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	14	21.0	5.7	9.8	32.1
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	19	9.7	2.4	4.9	14.4
Health Insurance Status					
Insured	21	8.6	2.1	4.5	12.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Mental Health Was Not Good on 14 or More Days in the Past 30 Days, 2017

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,163	11.4	0.3	10.8	12.0
Franklin County	24	10.0	2.3	5.6	14.4
Gender					
Men	*	*	*	*	*
Women	17	13.9	3.7	6.7	21.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	23	10.0	2.3	5.5	14.5
Race					
White	22	9.4	2.2	5.0	13.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	17	12.6	3.1	6.5	18.6
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	13	25.7	7.3	11.5	40.0
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	19	12.1	3.1	6.1	18.1
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	19	10.2	2.4	5.5	15.0
Health Insurance Status					
Insured	20	9.4	2.4	4.8	14.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2017

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,399	40.8	0.6	39.6	42.0
Franklin County	41	31.9	4.8	22.5	41.4
Gender					
Men	17	31.0	7.1	17.2	44.9
Women	24	32.7	6.6	19.7	45.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	40	32.7	4.9	23.0	42.3
Race					
White	39	32.0	4.9	22.4	41.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	26	37.1	6.4	24.5	49.7
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	18	29.8	6.8	16.5	43.1
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	16	17.8	4.6	8.8	26.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	25	30.3	6.1	18.4	42.2
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	32	32.1	5.5	21.4	42.9
Health Insurance Status					
Insured	37	31.6	5.1	21.6	41.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2017**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	11,141	61.6	0.4	60.7	62.4
Franklin County	129	68.3	3.5	61.4	75.2
Gender					
Men	62	74.1	4.9	64.5	83.7
Women	67	62.8	5.0	53.0	72.5
Age Group					
18 to 44 Years	50	78.3	5.2	68.0	88.5
45 to 64 Years	49	68.5	5.8	57.1	79.9
65 Years and Older	28	44.6	6.9	31.1	58.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	126	68.4	3.5	61.5	75.3
Race					
White	121	67.0	3.7	59.8	74.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	49	67.5	5.6	56.5	78.5
Some College or College Graduate	80	69.0	4.4	60.4	77.6
Annual Household Income					
Less than \$35,000 per Year	43	71.5	6.1	59.5	83.5
\$35,000 or Higher per Year	68	70.7	4.7	61.5	80.0
Disability Status					
Living with a Disability†	35	69.1	6.7	56.0	82.1
Living without a Disability	92	67.7	4.2	59.6	75.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	41	71.1	5.9	59.6	82.5
Overweight (25 ≤ BMI < 30)	43	63.7	6.3	51.4	75.9
Obese (BMI ≥ 30)	36	69.6	6.6	56.7	82.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	93	67.0	4.2	58.8	75.3
Does not participate in leisure time physical activity	35	70.8	6.5	58.1	83.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	99	67.9	4.0	60.1	75.6
Health Insurance Status					
Insured	115	66.7	3.7	59.4	74.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2017**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,774	44.0	0.7	42.5	45.4
Franklin County	28	44.6	6.9	31.1	58.0
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	27	44.5	7.0	30.8	58.2
Race					
White	26	43.4	7.0	29.6	57.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	24	45.5	7.5	30.7	60.3
Health Insurance Status					
Insured	27	45.1	6.9	31.5	58.7
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they did not receive a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Never Had Pneumonia
Vaccination, 2017**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,472	23.5	0.6	22.2	24.8
Franklin County	17	23.8	5.5	13.1	34.6
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	17	24.9	5.7	13.8	36.1
Race					
White	15	22.2	5.5	11.4	33.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>13</i>	<i>20.5</i>	<i>5.4</i>	<i>9.9</i>	<i>31.2</i>
Health Insurance Status					
Insured	<i>17</i>	<i>25.4</i>	<i>5.7</i>	<i>14.1</i>	<i>36.7</i>
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they never had a pneumonia vaccination.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2017**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,294	16.6	0.3	16.0	17.3
Franklin County	40	23.5	3.6	16.4	30.7
Gender					
Men	27	33.2	6.0	21.5	45.0
Women	13	14.4	3.9	6.8	22.0
Age Group					
18 to 44 Years	19	31.9	6.7	18.8	45.0
45 to 64 Years	*	*	*	*	*
65 Years and Older	10	20.7	6.2	8.6	32.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	37	22.6	3.7	15.4	29.8
Race					
White	40	25.0	3.8	17.5	32.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	25.9	6.0	14.1	37.8
Some College or College Graduate	22	21.4	4.3	13.0	29.8
Annual Household Income					
Less than \$35,000 per Year	14	26.9	6.5	14.1	39.7
\$35,000 or Higher per Year	20	22.7	5.3	12.3	33.0
Disability Status					
Living with a Disability†	17	36.1	7.5	21.4	50.9
Living without a Disability	23	19.5	4.2	11.3	27.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	14	22.1	5.6	11.1	33.1
Obese (BMI ≥ 30)	15	32.3	7.3	17.9	46.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	25	21.8	4.4	13.2	30.4
Does not participate in leisure time physical activity	15	27.8	6.7	14.5	41.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	27	19.9	3.9	12.2	27.7
Health Insurance Status					
Insured	36	23.3	3.8	15.8	30.7
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2017

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,145	17.4	0.4	16.7	18.1
Franklin County	49	22.3	3.2	16.0	28.6
Gender					
Men	19	18.6	4.3	10.2	27.1
Women	30	25.7	4.7	16.5	34.9
Age Group					
18 to 44 Years	20	27.7	5.9	16.3	39.2
45 to 64 Years	17	19.2	4.7	9.9	28.4
65 Years and Older	12	17.1	4.9	7.4	26.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	47	22.0	3.3	15.6	28.4
Race					
White	47	23.1	3.4	16.4	29.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	27	29.9	5.6	18.8	40.9
Some College or College Graduate	22	15.8	3.5	8.9	22.8
Annual Household Income					
Less than \$35,000 per Year	18	26.8	6.2	14.6	39.0
\$35,000 or Higher per Year	22	18.2	4.0	10.4	26.0
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	38	22.2	3.6	15.2	29.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	24	33.1	6.5	20.3	45.9
Overweight (25 ≤ BMI < 30)	14	15.0	4.2	6.9	23.2
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	36	22.7	3.9	15.1	30.3
Does not participate in leisure time physical activity	11	21.0	6.2	8.8	33.2
Health Insurance Status					
Insured	43	21.9	3.3	15.3	28.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2017

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,011	5.5	0.2	5.1	5.9
Franklin County	13	7.5	2.2	3.2	11.7
Gender					
Men	12	14.8	4.3	6.4	23.2
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	13	7.8	2.3	3.4	12.3
Race					
White	13	8.0	2.3	3.5	12.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

† **Living with a Disability:** Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2017

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	919	10.1	0.4	9.4	10.9
Franklin County	12	14.8	4.3	6.4	23.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	12	15.0	4.3	6.5	23.5
Race					
White	12	15.8	4.6	6.9	24.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2017**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,748	10.9	0.2	10.4	11.4
Franklin County	22	9.7	2.1	5.6	13.8
Gender					
Men	18	15.8	3.8	8.4	23.1
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	22	10.2	2.2	5.9	14.5
Race					
White	19	9.3	2.2	5.0	13.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	12	8.5	2.5	3.6	13.4
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	16	21.0	5.1	11.0	31.0
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	13	8.4	2.4	3.6	13.1
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	18	10.5	2.5	5.5	15.5
Health Insurance Status					
Insured	20	9.8	2.2	5.4	14.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2017

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,551	32.3	0.4	31.5	33.2
Franklin County	58	26.1	3.4	19.5	32.8
Gender					
Men	23	22.9	4.8	13.5	32.4
Women	35	29.2	4.8	19.9	38.5
Age Group					
18 to 44 Years	20	24.7	5.4	14.1	35.3
45 to 64 Years	23	29.8	5.9	18.2	41.4
65 Years and Older	15	23.2	5.6	12.2	34.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	55	24.9	3.3	18.4	31.5
Race					
White	55	25.6	3.4	18.9	32.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	20	23.4	5.2	13.1	33.7
Some College or College Graduate	38	28.6	4.4	20.0	37.1
Annual Household Income					
Less than \$35,000 per Year	24	33.8	6.6	20.9	46.6
\$35,000 or Higher per Year	26	24.0	4.6	15.0	33.1
Disability Status					
Living with a Disability†	25	45.7	7.9	30.2	61.3
Living without a Disability	32	19.9	3.5	13.0	26.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	38	22.7	3.7	15.3	30.0
Does not participate in leisure time physical activity	19	37.5	7.6	22.7	52.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	48	27.0	3.8	19.5	34.6
Health Insurance Status					
Insured	55	26.0	3.4	19.3	32.7
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2017

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	13,706	67.2	0.4	66.3	68.0
Franklin County	133	63.5	4.0	55.6	71.3
Gender					
Men	66	68.2	6.1	56.3	80.2
Women	67	58.8	5.3	48.4	69.3
Age Group					
18 to 44 Years	42	56.3	6.9	42.8	69.8
45 to 64 Years	54	73.9	5.4	63.4	84.5
65 Years and Older	36	59.9	6.9	46.4	73.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	128	61.8	4.1	53.8	69.8
Race					
White	125	61.8	4.1	53.7	69.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	51	60.7	6.6	47.8	73.5
Some College or College Graduate	82	66.0	4.8	56.6	75.3
Annual Household Income					
Less than \$35,000 per Year	45	70.6	6.5	57.8	83.4
\$35,000 or Higher per Year	71	63.1	5.7	52.0	74.2
Disability Status					
Living with a Disability†	39	71.2	7.6	56.3	86.1
Living without a Disability	91	61.0	4.7	51.7	70.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	88	61.1	4.8	51.6	70.6
Does not participate in leisure time physical activity	40	72.1	7.7	57.0	87.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	108	68.3	4.6	59.3	77.3
Health Insurance Status					
Insured	124	64.0	4.1	56.0	72.0
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Technical Notes

The 2017 BRFSS data for your county/region on health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is greater than 30 percent

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>

In 2017, cholesterol questions and fruits and vegetables modules were modified for all states. Due to the changes in methodology, we do not advise comparing 2017 findings to the previous modules.

For more information on new fruits and vegetables module: please visit <https://www.cdc.gov/nutrition/data-statistics/using-the-new-BRFSS-modules.html>

In 2017 and 2016, a six-item set of questions identify disability in hearing, vision, cognition, mobility, self-care, and independent living for all states. Respondents who responded "yes" to at least one of the six functional disability questions were identified as adults living with a disability.

For more information on disability questions: please visit https://www.cdc.gov/brfss/data_documentation/pdf/BRFSS_Data_Users_Guide_on_Disability_Questions_2018-508.pdf

Please visit the BRFSS questionnaires below to see the questions on specific topics:

2017 Kansas BRFSS: <http://www.kdheks.gov/brfss/PDF/ks2017svy.pdf>

2016 Kansas BRFSS: <http://www.kdheks.gov/brfss/PDF/ks2016svy.pdf>

2015 Kansas BRFSS: <http://www.kdheks.gov/brfss/PDF/ks2015svy.pdf>