

2017 Kansas Behavioral Risk Factor Surveillance System Local Data

Geary County



This page is intentionally blank.

2017 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Laura Kelly, Governor

Kansas Department of Health and Environment
Lee A. Norman, M.D., Acting Secretary

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Health Promotion and BRFSS Epidemiology
Bureau of Epidemiology and Public Health Informatics (BEPHI)

Report Supervision:
Belle Federman, ScD
Senior Epidemiologist
Health Promotion and BRFSS Epidemiology
Bureau of Epidemiology and Public Health Informatics (BEPHI)

Project Funding:
Partial funding for the 2017 Behavioral Risk Factor Survey was provided by cooperative agreement 6NU58DP006025-03-01 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion
February 2019**

Kansas Department of Health and Environment (KDHE)


Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov



Geary County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2017 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Health Promotion and BRFSS Epidemiology
Bureau of Epidemiology and Public Health Informatics (BEPHI)
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-6513
Fax: 785-296-8059
Pratik.Pandya@ks.gov

Belle Federman, ScD
Senior Epidemiologist
Health Promotion and BRFSS Epidemiology
Bureau of Epidemiology and Public Health Informatics (BEPHI)
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1152
Fax: 785-296-8059
Belle.Federman@ks.gov



Table of Contents

Alcohol Consumption

Binge Drinking	1
----------------------	---

Arthritis

Arthritis	3
Activity Limitation Due to Arthritis	5

Asthma	7
---------------------	---

Cancer

Cancer (Excluding Skin Cancer)	9
Skin Cancer	11

Cardiovascular Health

Heart Attack	13
High Blood Pressure	15

Cholesterol

Not Checked Cholesterol within Five Years	17
High Blood Cholesterol Status.....	19

Chronic Obstructive Pulmonary Disease (COPD)	21
---	----

Depressive Disorder	23
----------------------------------	----

Diabetes	25
-----------------------	----

Disability

Disability	27
------------------	----

Exercise and Physical Activity

Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening)	29
Did Not Participate in the Recommended Level of Aerobic and Strengthening Physical Activity.....	31
Not Participating in Any Physical Activity	33

Fruits and Vegetable Consumption

Consuming Fruits Less than 1 Time Per Day35
Consuming Vegetables Less than 1 Time Per Day.....37

Health Care Access

Lack Health Care Coverage39
Lack Health Care Coverage 18 to 64 Years Old Only41
No Personal Doctor43
Did Not See Doctor Due to Cost.....45

General Health47

Healthy Days - Health Related Quality of Life

Physical Health Status.....49
Mental Health Status51
Poor Physical or Mental Health is Barrier to Usual Activities.....53

Immunization

Not Immunized Against Influenza.....55

Seatbelt Use.....57

Tobacco Use

Current Smoker59
Tried Quitting Smoking61
Smokeless Tobacco Use.....63
Male Smokeless Tobacco Use65

Veteran Status67

Weight Status (BMI Categories)

Obese.....69
Overweight or Obese71

Technical Notes.....73

Unpublished Tables - The following data tables are not published due to insufficient sample and/or statistically unreliable estimates for Geary County: Heavy Drinking, Coronary Heart Disease, Stroke, Not Immunized Against Influenza 65 Years and Older Only, and Never Had Pneumonia Vaccination 65 Years and Older Only

Percentage of Adults Who Are Binge Drinkers, 2017

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,785	17.2	0.4	16.5	17.9
Geary County	28	15.0	3.0	9.2	20.8
Gender					
Men	19	20.9	4.8	11.4	30.4
Women	*	*	*	*	*
Age Group					
18 to 44 Years	16	16.6	4.2	8.4	24.8
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	21	11.3	2.5	6.3	16.3
Race					
White	20	15.2	3.5	8.3	22.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	16	14.1	3.6	7.0	21.1
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	15	13.8	3.7	6.6	21.1
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	23	18.0	3.9	10.4	25.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	23	18.5	3.9	10.9	26.1
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	19	15.4	3.7	8.1	22.8
Health Insurance Status					
Insured	24	14.9	3.2	8.7	21.2
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis, 2017

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,634	24.1	0.3	23.5	24.8
Geary County	79	29.4	3.7	22.1	36.7
Gender					
Men	34	22.6	4.1	14.6	30.5
Women	45	35.8	5.8	24.5	47.2
Age Group					
18 to 44 Years	21	21.0	5.1	11.0	31.0
45 to 64 Years	32	40.2	6.5	27.4	52.9
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	73	32.0	4.1	23.9	40.0
Race					
White	53	26.0	3.7	18.9	33.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	27	25.1	5.9	13.4	36.7
Some College or College Graduate	52	33.5	4.6	24.5	42.5
Annual Household Income					
Less than \$35,000 per Year	29	33.4	6.2	21.4	45.5
\$35,000 or Higher per Year	40	30.8	5.7	19.6	42.0
Disability Status					
Living with a Disability†	43	54.3	7.1	40.4	68.2
Living without a Disability	33	20.8	4.6	11.8	29.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	23	30.4	6.3	18.1	42.8
Obese (BMI>=30)	38	37.9	6.9	24.4	51.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	42	21.4	3.4	14.7	28.2
Does not participate in leisure time physical activity	29	61.0	8.6	44.1	77.9
Smoking Status					
Current smoker	17	33.6	8.5	16.9	50.2
Non-smoker	58	29.1	4.0	21.3	37.0
Health Insurance Status					
Insured	72	30.5	4.0	22.7	38.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2017

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,148	49.7	0.8	48.2	51.2
Geary County	43	50.1	7.7	35.0	65.2
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	40	49.7	8.1	33.8	65.7
Race					
White	29	55.1	7.9	39.6	70.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	29	56.3	8.1	40.4	72.2
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>30</i>	<i>51.4</i>	<i>7.8</i>	<i>36.2</i>	<i>66.7</i>
Health Insurance Status					
Insured	<i>39</i>	<i>51.3</i>	<i>8.2</i>	<i>35.2</i>	<i>67.5</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Current Asthma, 2017

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,901	9.1	0.3	8.6	9.6
Geary County	32	12.8	2.4	8.1	17.4
Gender					
Men	*	*	*	*	*
Women	21	16.2	3.7	9.0	23.4
Age Group					
18 to 44 Years	14	11.1	3.0	5.2	17.0
45 to 64 Years	13	18.6	5.2	8.5	28.8
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	31	14.6	2.7	9.3	20.0
Race					
White	25	14.6	3.0	8.8	20.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	12	11.4	3.4	4.8	18.1
Some College or College Graduate	20	14.0	3.3	7.6	20.5
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	18	24.8	5.8	13.4	36.1
Living without a Disability	12	7.3	2.2	3.0	11.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	17	16.2	4.2	7.9	24.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	20	11.4	2.7	6.1	16.6
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	11	17.0	5.1	7.0	27.0
Non-smoker	19	10.4	2.6	5.3	15.5
Health Insurance Status					
Insured	26	11.1	2.3	6.5	15.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2017

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,030	7.1	0.2	6.7	7.4
Geary County	16	6.0	1.7	2.8	9.3
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	15	6.6	1.9	2.9	10.3
Race					
White	14	8.0	2.3	3.5	12.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	14	5.9	1.7	2.6	9.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2017

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,960	6.3	0.2	5.9	6.6
Geary County	*	*	*	*	*
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who had a Heart Attack, 2017

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,202	4.2	0.1	3.9	4.4
Geary County	16	4.1	1.2	1.8	6.4
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	16	4.8	1.4	2.1	7.5
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had a heart attack also called a myocardial infarction.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Hypertension, 2017

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,757	32.8	0.4	32.0	33.5
Geary County	96	35.4	3.8	27.9	42.9
Gender					
Men	48	33.3	4.8	23.9	42.7
Women	48	37.4	5.8	26.0	48.7
Age Group					
18 to 44 Years	25	23.5	5.2	13.4	33.7
45 to 64 Years	40	52.0	6.5	39.3	64.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	92	38.9	4.2	30.8	47.1
Race					
White	72	35.6	4.1	27.6	43.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	40	37.2	6.3	25.0	49.5
Some College or College Graduate	56	33.7	4.4	25.0	42.4
Annual Household Income					
Less than \$35,000 per Year	31	34.8	6.4	22.4	47.3
\$35,000 or Higher per Year	53	38.3	5.7	27.2	49.4
Disability Status					
Living with a Disability†	38	48.0	7.0	34.2	61.7
Living without a Disability	52	29.9	4.8	20.6	39.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	17	23.1	5.8	11.8	34.4
Overweight (25<=BMI<30)	27	34.1	6.4	21.6	46.7
Obese (BMI>=30)	45	45.1	6.9	31.7	58.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	55	28.9	4.0	20.9	36.8
Does not participate in leisure time physical activity	31	58.8	8.9	41.3	76.3
Smoking Status					
Current smoker	25	43.1	8.2	27.0	59.1
Non-smoker	65	31.5	4.1	23.5	39.6
Health Insurance Status					
Insured	85	34.3	4.0	26.4	42.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2017 ‡**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,246	15.2	0.4	14.5	15.9
Geary County	30	15.5	2.8	9.9	21.0
Gender					
Men	15	16.7	4.2	8.4	25.0
Women	15	14.3	3.7	7.0	21.6
Age Group					
18 to 44 Years	22	21.6	4.5	12.9	30.4
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	26	14.2	2.8	8.8	19.7
Race					
White	24	17.5	3.5	10.7	24.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	15	16.0	4.2	7.7	24.4
Some College or College Graduate	15	14.9	3.7	7.6	22.3
Annual Household Income					
Less than \$35,000 per Year	13	21.2	5.7	10.1	32.4
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	22	17.4	3.7	10.2	24.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	11	19.0	5.4	8.4	29.6
Obese (BMI>=30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	19	15.8	3.6	8.8	22.7
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	14	27.0	6.9	13.4	40.6
Non-smoker	16	11.9	3.0	5.9	17.8
Health Insurance Status					
Insured	21	11.4	2.6	6.4	16.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years or never had their blood cholesterol checked.

Denominator: All respondents excluding unknowns and refusals.

‡ In 2017, the cholesterol questions have been modified for all states.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2017 ‡

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,314	34.1	0.4	33.2	34.9
Geary County	57	31.0	4.4	22.3	39.7
Gender					
Men	30	33.4	5.9	21.9	44.9
Women	27	28.9	6.6	16.0	41.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	26	43.0	7.0	29.3	56.8
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	53	31.1	4.7	22.0	40.3
Race					
White	39	26.4	4.3	17.9	35.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	23	35.0	7.7	20.0	50.0
Some College or College Graduate	34	27.5	4.6	18.5	36.6
Annual Household Income					
Less than \$35,000 per Year	16	27.1	7.4	12.5	41.6
\$35,000 or Higher per Year	31	33.8	6.4	21.3	46.3
Disability Status					
Living with a Disability†	24	36.0	7.3	21.7	50.3
Living without a Disability	28	28.5	5.9	17.0	40.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	19	37.4	7.7	22.2	52.5
Obese (BMI>=30)	22	32.2	8.1	16.3	48.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	29	23.1	4.4	14.4	31.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	40	30.7	4.8	21.2	40.2
Health Insurance Status					
Insured	53	32.8	4.7	23.6	42.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

‡ In 2017, the cholesterol questions have been modified for all states.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2017**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,644	6.4	0.2	6.0	6.8
Geary County	18	5.6	1.5	2.8	8.5
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	18	6.6	1.7	3.2	9.9
Race					
White	14	7.1	2.0	3.2	11.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	15	5.1	1.4	2.3	7.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Were Ever Diagnosed with a Depressive Disorder,
2017**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,374	20.9	0.4	20.2	21.6
Geary County	48	22.8	3.4	16.2	29.4
Gender					
Men	18	18.3	4.7	9.0	27.5
Women	30	27.0	4.8	17.5	36.4
Age Group					
18 to 44 Years	23	22.3	4.6	13.3	31.3
45 to 64 Years	17	27.9	6.3	15.5	40.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	43	22.1	3.4	15.5	28.8
Race					
White	33	21.3	3.7	14.1	28.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	20	22.1	5.2	11.9	32.3
Some College or College Graduate	28	23.4	4.3	15.0	31.9
Annual Household Income					
Less than \$35,000 per Year	22	35.7	6.9	22.2	49.2
\$35,000 or Higher per Year	21	18.0	4.1	10.0	26.0
Disability Status					
Living with a Disability†	26	40.4	7.0	26.7	54.0
Living without a Disability	19	14.2	3.4	7.5	20.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	18	33.0	6.9	19.4	46.5
Obese (BMI>=30)	23	26.1	5.6	15.1	37.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	22	15.8	3.5	8.8	22.7
Does not participate in leisure time physical activity	19	38.7	8.8	21.3	56.0
Smoking Status					
Current smoker	16	25.7	6.3	13.4	37.9
Non-smoker	28	19.3	3.9	11.6	27.0
Health Insurance Status					
Insured	39	21.2	3.5	14.3	28.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2017

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,844	10.5	0.2	10.0	11.0
Geary County	39	12.7	2.4	7.9	17.5
Gender					
Men	17	14.0	3.9	6.4	21.6
Women	22	11.5	2.9	5.7	17.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	15	17.6	5.0	7.8	27.4
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	34	10.9	2.2	6.7	15.2
Race					
White	27	11.1	2.4	6.5	15.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	12.8	3.8	5.4	20.2
Some College or College Graduate	21	12.6	3.1	6.6	18.7
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	20	12.7	3.2	6.4	18.9
Disability Status					
Living with a Disability†	23	21.7	5.1	11.7	31.6
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	24	19.6	4.9	10.0	29.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	20	8.9	2.2	4.5	13.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	27	12.3	2.7	7.1	17.6
Health Insurance Status					
Insured	34	12.8	2.6	7.7	18.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2017†

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,832	25.9	0.4	25.2	26.7
Geary County	71	29.2	3.5	22.3	36.1
Gender					
Men	29	22.7	4.2	14.5	31.0
Women	42	35.1	5.4	24.4	45.8
Age Group					
18 to 44 Years	21	21.3	4.5	12.5	30.2
45 to 64 Years	28	39.8	6.6	26.9	52.7
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	64	30.1	3.8	22.6	37.5
Race					
White	52	27.8	3.8	20.4	35.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	32	29.5	5.5	18.7	40.3
Some College or College Graduate	39	29.0	4.5	20.1	37.9
Annual Household Income					
Less than \$35,000 per Year	31	43.3	6.9	29.7	56.8
\$35,000 or Higher per Year	32	23.1	4.3	14.6	31.5
Weight Category					
Normal or Underweight (BMI<25)	16	37.0	8.1	21.1	52.8
Overweight (25<=BMI<30)	18	24.6	5.8	13.2	36.0
Obese (BMI>=30)	33	30.3	5.6	19.3	41.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	39	22.7	3.7	15.5	29.8
Does not participate in leisure time physical activity	26	42.3	8.9	24.8	59.8
Smoking Status					
Current smoker	23	33.0	6.9	19.5	46.5
Non-smoker	46	26.8	4.1	18.7	34.9
Health Insurance Status					
Insured	60	26.4	3.5	19.4	33.3
Uninsured	*	*	*	*	*

Numerator: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living)

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2017

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	15,354	81.0	0.4	80.3	81.7
Geary County	150	77.7	3.4	71.0	84.4
Gender					
Men	69	72.6	5.2	62.4	82.8
Women	81	82.5	4.4	73.9	91.1
Age Group					
18 to 44 Years	70	75.8	4.8	66.5	85.1
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	140	83.0	3.2	76.8	89.2
Race					
White	111	76.9	4.0	69.0	84.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	60	80.7	5.1	70.6	90.7
Some College or College Graduate	90	75.4	4.6	66.4	84.3
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	85	77.8	4.5	69.0	86.7
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	100	75.4	4.2	67.1	83.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	45	78.3	5.7	67.1	89.5
Obese (BMI>=30)	65	82.6	4.7	73.3	91.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	106	73.0	4.3	64.6	81.4
Health Insurance Status					
Insured	133	76.5	3.7	69.2	83.9
Uninsured	*	*	*	*	*

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2017

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,754	41.2	0.5	40.3	42.1
Geary County	70	36.2	4.4	27.7	44.7
Gender					
Men	27	26.9	5.2	16.7	37.1
Women	43	45.0	6.5	32.3	57.7
Age Group					
18 to 44 Years	29	33.2	6.0	21.5	44.9
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	66	38.3	4.7	29.1	47.5
Race					
White	51	32.9	4.5	24.2	41.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	33	44.3	7.4	29.8	58.9
Some College or College Graduate	37	29.8	4.7	20.6	39.1
Annual Household Income					
Less than \$35,000 per Year	28	48.4	7.8	33.1	63.7
\$35,000 or Higher per Year	35	31.7	6.0	19.9	43.5
Disability Status					
Living with a Disability†	28	41.3	7.4	26.8	55.8
Living without a Disability	41	34.2	5.4	23.7	44.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	20	36.7	7.6	21.8	51.7
Obese (BMI>=30)	33	41.0	7.3	26.6	55.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	49	33.8	4.6	24.7	42.9
Health Insurance Status					
Insured	60	35.7	4.7	26.5	44.9
Uninsured	*	*	*	*	*

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2017

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,721	27.9	0.4	27.1	28.7
Geary County	51	26.1	4.1	18.1	34.0
Gender					
Men	23	18.5	4.0	10.7	26.2
Women	28	33.2	6.5	20.5	45.9
Age Group					
18 to 44 Years	20	25.5	5.8	14.1	36.9
45 to 64 Years	16	22.4	6.0	10.7	34.1
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	49	28.7	4.5	19.9	37.5
Race					
White	38	24.1	3.9	16.5	31.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	24	30.1	7.0	16.3	43.8
Some College or College Graduate	27	22.7	4.5	14.0	31.5
Annual Household Income					
Less than \$35,000 per Year	17	29.7	6.9	16.2	43.2
\$35,000 or Higher per Year	30	27.5	5.9	15.8	39.1
Disability Status					
Living with a Disability†	26	39.7	7.1	25.7	53.7
Living without a Disability	25	20.8	4.9	11.2	30.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	12	21.2	6.3	8.9	33.6
Obese (BMI>=30)	24	32.4	7.3	18.2	46.7
Smoking Status					
Current smoker	18	35.4	8.9	18.0	52.9
Non-smoker	33	21.8	3.9	14.0	29.5
Health Insurance Status					
Insured	44	25.7	4.4	17.1	34.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2017‡**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,946	37.5	0.4	36.7	38.4
Geary County	71	37.7	4.1	29.7	45.7
Gender					
Men	42	46.4	5.7	35.2	57.7
Women	29	29.5	5.5	18.7	40.3
Age Group					
18 to 44 Years	37	40.1	5.7	28.9	51.3
45 to 64 Years	24	33.7	6.4	21.2	46.1
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	64	38.9	4.4	30.3	47.5
Race					
White	52	37.6	4.6	28.5	46.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	34	38.7	6.5	25.9	51.4
Some College or College Graduate	37	36.9	5.2	26.7	47.1
Annual Household Income					
Less than \$35,000 per Year	26	42.7	7.3	28.5	57.0
\$35,000 or Higher per Year	38	37.3	5.6	26.4	48.3
Disability Status					
Living with a Disability†	23	38.7	7.1	24.7	52.6
Living without a Disability	48	37.4	4.9	27.7	47.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	20	38.0	7.3	23.7	52.3
Obese (BMI>=30)	37	46.0	6.9	32.4	59.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	45	35.5	4.6	26.5	44.6
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	23	41.8	8.2	25.8	57.9
Non-smoker	48	35.8	4.7	26.7	44.9
Health Insurance Status					
Insured	55	32.6	4.2	24.4	40.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

‡ In 2017, the fruit and vegetable questions have been modified for all states. Fruit consumption includes: fruits and 100% PURE fruit juices/blends.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2017‡**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,049	17.3	0.4	16.6	18.0
Geary County	35	18.2	3.2	11.8	24.5
Gender					
Men	22	24.1	5.2	14.0	34.2
Women	13	12.7	3.8	5.2	20.2
Age Group					
18 to 44 Years	17	19.0	4.6	10.0	28.0
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	32	17.6	3.2	11.3	23.9
Race					
White	21	15.7	3.7	8.6	22.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	16	18.9	5.3	8.5	29.4
Some College or College Graduate	19	17.6	4.0	9.7	25.4
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	19	17.6	4.2	9.4	25.8
Disability Status					
Living with a Disability†	14	21.9	6.0	10.2	33.7
Living without a Disability	21	16.8	3.8	9.3	24.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	18	21.6	5.3	11.2	31.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	20	16.5	3.8	9.2	23.9
Does not participate in leisure time physical activity	15	22.9	6.7	9.9	36.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	24	19.9	4.1	11.9	28.0
Health Insurance Status					
Insured	29	17.4	3.4	10.7	24.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

‡ In 2017, the fruit and vegetable questions have been modified for all states. Vegetable consumption includes: green leafy or lettuce salad, fried potatoes, any other kind of potatoes/sweet potatoes, or other vegetables.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2017

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,969	12.5	0.3	11.8	13.1
Geary County	23	11.3	2.6	6.3	16.4
Gender					
Men	*	*	*	*	*
Women	15	14.8	4.2	6.5	23.0
Age Group					
18 to 44 Years	15	14.5	3.8	7.1	22.0
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	22	12.4	2.9	6.8	18.0
Race					
White	13	9.5	2.8	4.1	15.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	14	15.8	4.5	6.9	24.7
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	19	30.1	6.5	17.4	42.8
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	13	16.9	4.9	7.3	26.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	13	10.8	3.1	4.7	16.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	14	25.5	6.6	12.6	38.4
Non-smoker	*	*	*	*	*

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2017**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,830	15.3	0.4	14.5	16.1
Geary County	22	12.8	2.9	7.1	18.5
Gender					
Men	*	*	*	*	*
Women	14	16.4	4.7	7.2	25.7
Age Group					
18 to 44 Years	15	14.5	3.8	7.1	22.0
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	21	14.1	3.3	7.7	20.6
Race					
White	13	11.2	3.3	4.8	17.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	14	17.9	5.1	7.9	27.8
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	19	32.5	6.9	18.9	46.1
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	13	18.3	5.3	7.9	28.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	13	12.0	3.4	5.3	18.7
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	14	27.0	6.9	13.4	40.5
Non-smoker	*	*	*	*	*

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2017

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,646	22.4	0.4	21.7	23.2
Geary County	59	30.6	3.7	23.4	37.9
Gender					
Men	35	39.1	5.5	28.3	49.9
Women	24	22.8	4.7	13.6	31.9
Age Group					
18 to 44 Years	40	38.1	5.3	27.7	48.6
45 to 64 Years	16	22.3	5.7	11.2	33.4
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	47	26.0	3.7	18.8	33.2
Race					
White	35	24.7	4.0	16.9	32.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	31	36.7	6.0	25.0	48.4
Some College or College Graduate	28	25.0	4.5	16.1	33.8
Annual Household Income					
Less than \$35,000 per Year	23	43.0	7.0	29.2	56.7
\$35,000 or Higher per Year	22	19.6	4.3	11.1	28.0
Disability Status					
Living with a Disability†	17	34.4	7.1	20.5	48.2
Living without a Disability	38	27.8	4.4	19.3	36.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	13	32.6	7.8	17.4	47.8
Overweight (25<=BMI<30)	19	33.2	6.8	20.0	46.5
Obese (BMI>=30)	20	26.0	5.9	14.4	37.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	36	29.3	4.5	20.6	38.0
Does not participate in leisure time physical activity	15	32.1	8.2	16.1	48.1
Smoking Status					
Current smoker	21	34.3	7.1	20.5	48.1
Non-smoker	33	27.7	4.5	18.8	36.6
Health Insurance Status					
Insured	45	26.4	3.8	19.0	33.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2017

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,144	12.1	0.3	11.5	12.7
Geary County	28	12.2	2.5	7.3	17.2
Gender					
Men	*	*	*	*	*
Women	18	15.3	3.9	7.6	23.0
Age Group					
18 to 44 Years	15	14.2	3.7	7.0	21.5
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	25	12.1	2.6	7.0	17.3
Race					
White	18	10.5	2.6	5.4	15.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	17	12.7	3.2	6.5	19.0
Annual Household Income					
Less than \$35,000 per Year	19	24.3	5.8	13.1	35.6
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	13	22.8	6.3	10.4	35.3
Living without a Disability	15	8.9	2.5	4.0	13.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	12	12.9	3.9	5.3	20.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	16	10.8	2.8	5.3	16.4
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	17	11.1	3.1	5.1	17.1
Health Insurance Status					
Insured	17	7.3	1.9	3.5	11.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2017

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,766	16.7	0.3	16.0	17.3
Geary County	53	21.2	3.1	15.1	27.3
Gender					
Men	20	15.4	3.6	8.3	22.5
Women	33	26.7	4.9	17.1	36.3
Age Group					
18 to 44 Years	19	16.8	3.9	9.1	24.5
45 to 64 Years	21	30.8	6.4	18.4	43.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	51	24.0	3.5	17.2	30.9
Race					
White	34	20.6	3.6	13.5	27.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	31	28.7	5.3	18.3	39.0
Some College or College Graduate	22	14.4	3.5	7.6	21.3
Annual Household Income					
Less than \$35,000 per Year	29	38.9	6.7	25.8	52.0
\$35,000 or Higher per Year	15	10.7	3.1	4.5	16.9
Disability Status					
Living with a Disability†	36	50.3	6.9	36.8	63.9
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	26	26.9	5.7	15.8	38.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	25	16.4	3.5	9.5	23.2
Does not participate in leisure time physical activity	21	35.1	8.4	18.6	51.5
Smoking Status					
Current smoker	16	24.4	6.4	11.8	36.9
Non-smoker	32	18.8	3.6	11.8	25.8
Health Insurance Status					
Insured	40	17.2	2.9	11.4	22.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Physical Health Was Not Good on 14
or More Days in the Past 30 Days, 2017**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,574	11.3	0.3	10.8	11.8
Geary County	37	16.3	2.9	10.7	22.0
Gender					
Men	19	15.8	3.7	8.5	23.1
Women	18	16.9	4.4	8.3	25.5
Age Group					
18 to 44 Years	17	16.0	3.9	8.3	23.7
45 to 64 Years	14	19.6	5.6	8.7	30.5
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	34	17.7	3.2	11.3	24.0
Race					
White	20	13.0	3.2	6.8	19.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	18.1	4.6	9.0	27.1
Some College or College Graduate	19	14.8	3.6	7.7	21.8
Annual Household Income					
Less than \$35,000 per Year	21	30.1	6.4	17.5	42.7
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	25	37.9	7.0	24.2	51.7
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	15	23.7	6.0	11.9	35.5
Obese (BMI>=30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	15	10.5	3.0	4.6	16.5
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	16	29.3	7.1	15.5	43.2
Non-smoker	21	11.9	2.9	6.1	17.7
Health Insurance Status					
Insured	28	13.6	2.8	8.2	19.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Mental Health Was Not Good on 14 or More Days in the Past 30 Days, 2017

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,163	11.4	0.3	10.8	12.0
Geary County	27	11.9	2.4	7.2	16.6
Gender					
Men	14	13.2	3.7	6.0	20.4
Women	13	10.6	3.1	4.5	16.8
Age Group					
18 to 44 Years	17	13.9	3.4	7.1	20.6
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	24	12.9	2.7	7.5	18.2
Race					
White	14	8.8	2.4	4.0	13.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	13	12.9	3.7	5.6	20.2
Some College or College Graduate	14	11.0	3.1	4.8	17.1
Annual Household Income					
Less than \$35,000 per Year	14	18.8	5.0	8.9	28.7
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	15	21.4	5.7	10.3	32.5
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	12	18.6	5.3	8.2	29.0
Obese (BMI>=30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	12	8.4	2.5	3.5	13.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	20	9.9	2.4	5.2	14.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2017

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,399	40.8	0.6	39.6	42.0
Geary County	64	55.5	4.9	45.9	65.7
Gender					
Men	26	57.7	7.5	43.0	72.5
Women	38	53.9	6.4	41.3	66.5
Age Group					
18 to 44 Years	35	58.3	6.4	45.9	70.8
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	57	54.7	5.2	44.5	64.9
Race					
White	41	50.8	5.9	39.2	62.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	28	57.4	7.4	43.0	71.8
Some College or College Graduate	36	53.7	6.5	41.0	66.4
Annual Household Income					
Less than \$35,000 per Year	31	67.3	7.4	52.9	81.8
\$35,000 or Higher per Year	24	46.9	7.4	32.5	61.4
Disability Status					
Living with a Disability†	32	68.8	6.9	55.3	82.3
Living without a Disability	27	44.2	6.7	31.1	57.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	29	53.8	7.7	38.7	68.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	33	45.9	6.4	33.5	58.4
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	40	59.2	6.2	47.0	71.5
Health Insurance Status					
Insured	57	58.9	5.1	48.9	68.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2017**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	11,141	61.6	0.4	60.7	62.4
Geary County	111	58.0	4.2	49.8	66.2
Gender					
Men	60	66.1	5.1	56.0	76.2
Women	51	50.4	6.2	38.3	62.4
Age Group					
18 to 44 Years	57	61.5	5.9	49.9	73.1
45 to 64 Years	40	59.9	6.7	46.7	73.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	97	55.9	4.5	47.1	64.7
Race					
White	78	58.0	4.5	49.2	66.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	55	65.2	6.9	51.6	78.8
Some College or College Graduate	56	51.9	5.2	41.7	62.1
Annual Household Income					
Less than \$35,000 per Year	37	68.9	6.6	55.9	81.8
\$35,000 or Higher per Year	56	50.4	5.9	38.9	61.9
Disability Status					
Living with a Disability†	38	64.8	6.8	51.5	78.2
Living without a Disability	73	55.5	5.1	45.5	65.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	29	50.7	7.3	36.5	65.0
Obese (BMI>=30)	49	62.5	7.2	48.4	76.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	77	58.0	4.4	49.3	66.7
Does not participate in leisure time physical activity	33	57.1	10.0	37.4	76.7
Smoking Status					
Current smoker	40	69.4	8.9	51.9	86.8
Non-smoker	71	52.9	4.7	43.6	62.2
Health Insurance Status					
Insured	91	52.7	4.5	44.0	61.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2017**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,294	16.6	0.3	16.0	17.3
Geary County	22	12.3	2.7	7.0	17.6
Gender					
Men	*	*	*	*	*
Women	12	15.1	4.3	6.6	23.7
Age Group					
18 to 44 Years	12	14.3	4.0	6.5	22.1
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	19	12.5	2.9	6.7	18.2
Race					
White	18	13.5	3.2	7.2	19.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	18	19.3	4.4	10.7	27.8
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	14	14.3	4.0	6.6	22.1
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	14	10.0	2.8	4.5	15.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	15	11.1	2.9	5.4	16.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	14	11.6	3.2	5.4	17.8
Health Insurance Status					
Insured	18	11.7	2.8	6.1	17.3
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2017

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,145	17.4	0.4	16.7	18.1
Geary County	60	32.2	4.0	24.4	40.1
Gender					
Men	28	26.9	4.7	17.7	36.2
Women	32	37.0	6.1	25.0	49.0
Age Group					
18 to 44 Years	33	35.0	5.6	24.0	46.0
45 to 64 Years	22	32.7	6.2	20.5	44.9
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	55	33.5	4.3	25.0	42.0
Race					
White	45	30.8	4.2	22.6	39.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	31	38.3	6.6	25.3	51.3
Some College or College Graduate	29	26.9	4.5	18.0	35.8
Annual Household Income					
Less than \$35,000 per Year	27	42.4	6.9	29.0	55.9
\$35,000 or Higher per Year	24	26.1	5.9	14.6	37.5
Disability Status					
Living with a Disability†	23	36.9	6.8	23.5	50.3
Living without a Disability	37	30.4	4.9	20.7	40.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	14	29.9	7.4	15.4	44.4
Overweight (25<=BMI<30)	17	27.0	6.1	15.1	38.9
Obese (BMI>=30)	25	38.1	7.2	24.0	52.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	36	28.1	4.2	19.7	36.4
Does not participate in leisure time physical activity	18	43.5	9.8	24.2	62.8
Health Insurance Status					
Insured	46	27.3	4.2	19.1	35.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Stopped Smoking for One Day or Longer Because
They Were Trying to Quit Smoking, 2017**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,708	57.1	1.1	54.9	59.2
Geary County	28	52.8	7.8	37.5	68.0
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	25	51.2	8.4	34.9	67.6
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Current smokers who stopped smoking for one day or longer because they were trying to quit smoking.

Denominator: Current smokers, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2017

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,011	5.5	0.2	5.1	5.9
Geary County	20	10.5	2.5	5.7	15.3
Gender					
Men	18	20.1	4.6	11.0	29.1
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	17	9.6	2.5	4.7	14.5
Race					
White	17	12.5	3.2	6.3	18.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	15	15.1	4.1	7.2	23.1
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	16	12.1	3.2	5.9	18.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	15	12.8	3.3	6.3	19.4
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	16	12.5	3.3	6.1	18.9
Health Insurance Status					
Insured	18	10.8	2.7	5.6	16.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2017

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	919	10.1	0.4	9.4	10.9
Geary County	18	20.1	4.6	11.0	29.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	15	18.8	4.8	9.3	28.3
Race					
White	15	23.4	5.8	12.0	34.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	10	24.1	7.2	10.1	38.1
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	13	26.4	6.8	13.1	39.8
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	14	20.8	5.5	10.1	31.5
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	14	22.4	5.7	11.3	33.5
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	15	23.4	5.8	12.0	34.8
Health Insurance Status					
Insured	16	19.8	4.9	10.3	29.3
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2017**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,748	10.9	0.2	10.4	11.4
Geary County	81	34.4	3.6	27.3	41.6
Gender					
Men	71	60.3	5.4	49.8	70.9
Women	*	*	*	*	*
Age Group					
18 to 44 Years	43	37.0	5.1	27.0	47.1
45 to 64 Years	20	26.1	5.8	14.8	37.4
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	71	33.2	3.8	25.8	40.7
Race					
White	57	34.1	4.1	26.0	42.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	27	27.6	5.2	17.3	37.8
Some College or College Graduate	54	40.9	4.9	31.4	50.4
Annual Household Income					
Less than \$35,000 per Year	20	28.8	6.2	16.5	41.0
\$35,000 or Higher per Year	47	37.2	5.2	27.0	47.4
Disability Status					
Living with a Disability†	24	33.0	6.4	20.4	45.6
Living without a Disability	54	34.7	4.5	26.0	43.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	24	43.1	7.6	28.1	58.1
Overweight (25<=BMI<30)	33	51.0	6.8	37.7	64.3
Obese (BMI>=30)	24	23.2	5.4	12.7	33.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	54	35.2	4.4	26.7	43.8
Does not participate in leisure time physical activity	20	33.6	8.1	17.7	49.5
Smoking Status					
Current smoker	18	26.5	6.2	14.3	38.7
Non-smoker	61	38.8	4.5	30.0	47.6
Health Insurance Status					
Insured	79	37.8	4.0	30.1	45.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2017

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,551	32.3	0.4	31.5	33.2
Geary County	90	42.1	4.1	34.0	50.2
Gender					
Men	39	34.4	5.3	24.0	44.8
Women	51	49.8	6.1	37.7	61.8
Age Group					
18 to 44 Years	43	45.7	5.8	34.3	57.1
45 to 64 Years	33	40.5	6.4	27.9	53.1
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	81	41.3	4.4	32.7	49.9
Race					
White	68	43.0	4.5	34.1	51.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	40	44.8	6.6	31.9	57.8
Some College or College Graduate	50	39.6	5.1	29.7	49.5
Annual Household Income					
Less than \$35,000 per Year	34	41.1	6.7	27.9	54.4
\$35,000 or Higher per Year	48	45.8	5.9	34.2	57.3
Disability Status					
Living with a Disability†	33	42.4	6.9	28.8	56.0
Living without a Disability	56	41.9	5.2	31.8	52.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	60	41.5	4.7	32.2	50.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	25	50.1	8.2	33.9	66.2
Non-smoker	64	39.1	4.6	30.1	48.1
Health Insurance Status					
Insured	77	39.9	4.4	31.2	48.5
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2017

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	13,706	67.2	0.4	66.3	68.0
Geary County	162	75.3	3.4	68.5	82.0
Gender					
Men	81	74.1	4.5	65.2	83.0
Women	81	76.4	5.1	66.4	86.5
Age Group					
18 to 44 Years	77	76.5	4.7	67.2	85.8
45 to 64 Years	57	80.1	5.1	70.1	90.1
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	145	73.8	3.7	66.5	81.1
Race					
White	121	76.6	3.8	69.2	84.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	63	72.2	5.5	61.5	83.0
Some College or College Graduate	99	78.1	4.2	69.8	86.4
Annual Household Income					
Less than \$35,000 per Year	54	73.3	6.2	61.1	85.5
\$35,000 or Higher per Year	90	79.1	4.2	70.9	87.4
Disability Status					
Living with a Disability†	51	69.6	7.1	55.7	83.4
Living without a Disability	106	77.7	3.8	70.2	85.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	111	77.5	3.9	69.8	85.7
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	42	77.3	6.2	65.2	89.4
Non-smoker	114	74.5	4.2	66.2	82.8
Health Insurance Status					
Insured	142	73.8	3.6	66.6	80.9
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Technical Notes

The 2017 BRFSS data for your county/region on health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is greater than 30 percent

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>

In 2017, cholesterol questions and fruits and vegetables modules were modified for all states. Due to the changes in methodology, we do not advise comparing 2017 findings to the previous modules.

For more information on new fruits and vegetables module: please visit <https://www.cdc.gov/nutrition/data-statistics/using-the-new-BRFSS-modules.html>

In 2017 and 2016, a six-item set of questions identify disability in hearing, vision, cognition, mobility, self-care, and independent living for all states. Respondents who responded "yes" to at least one of the six functional disability questions were identified as adults living with a disability.

For more information on disability questions: please visit https://www.cdc.gov/brfss/data_documentation/pdf/BRFSS_Data_Users_Guide_on_Disability_Questions_2018-508.pdf

Please visit the BRFSS questionnaires below to see the questions on specific topics:

2017 Kansas BRFSS: <http://www.kdheks.gov/brfss/PDF/ks2017svy.pdf>

2016 Kansas BRFSS: <http://www.kdheks.gov/brfss/PDF/ks2016svy.pdf>

2015 Kansas BRFSS: <http://www.kdheks.gov/brfss/PDF/ks2015svy.pdf>