

# 2017 Kansas Behavioral Risk Factor Surveillance System Local Data

## Labette County



This page is intentionally blank.

# **2017 Kansas Behavioral Risk Factor Surveillance System Local Data**

State of Kansas  
Laura Kelly, Governor

Kansas Department of Health and Environment  
Lee A. Norman, M.D., Acting Secretary

**Report Preparation:**  
Pratik Pandya, MPH  
Advanced Epidemiologist  
Health Promotion and BRFSS Epidemiology  
Bureau of Epidemiology and Public Health Informatics (BEPHI)

**Report Supervision:**  
Belle Federman, ScD  
Senior Epidemiologist  
Health Promotion and BRFSS Epidemiology  
Bureau of Epidemiology and Public Health Informatics (BEPHI)

**Project Funding:**  
Partial funding for the 2017 Behavioral Risk Factor Survey was provided by cooperative agreement 6NU58DP006025-03-01 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment  
Bureau of Health Promotion  
February 2019**

# **Kansas Department of Health and Environment (KDHE)**


## **Mission**

To protect and improve the health and environment of all Kansans

## **Vision**

Healthy Kansans living in safe and sustainable environments

**[www.kdheks.gov](http://www.kdheks.gov)**



Labette County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2017 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH  
Advanced Epidemiologist  
Health Promotion and BRFSS Epidemiology  
Bureau of Epidemiology and Public Health Informatics (BEPHI)  
Kansas Department of Health and Environment  
Curtis State Office Building,  
1000 SW Jackson Street, Suite 230  
Topeka, KS 66612-1274  
Telephone: 785-296-6513  
Fax: 785-296-8059  
Pratik.Pandya@ks.gov

Belle Federman, ScD  
Senior Epidemiologist  
Health Promotion and BRFSS Epidemiology  
Bureau of Epidemiology and Public Health Informatics (BEPHI)  
Kansas Department of Health & Environment  
Curtis State Office Building  
1000 SW Jackson, Suite 230  
Topeka, KS 66612-1274  
Telephone: 785-296-1152  
Fax: 785-296-8059  
Belle.Federman@ks.gov



# Table of Contents

## **Alcohol Consumption**

Binge Drinking .....	1
----------------------	---

## **Arthritis**

Arthritis .....	3
Activity Limitation Due to Arthritis .....	5

## **Cancer**

Cancer (Excluding Skin Cancer) .....	7
--------------------------------------	---

## **Cardiovascular Health**

High Blood Pressure .....	9
---------------------------	---

## **Cholesterol**

Not Checked Cholesterol within Five Years .....	11
High Blood Cholesterol Status.....	13

<b>Depressive Disorder</b> .....	15
----------------------------------	----

<b>Diabetes</b> .....	17
-----------------------	----

<b>Disability</b> .....	19
-------------------------	----

## **Exercise and Physical Activity**

Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening) .....	21
Did Not Participate in the Recommended Level of Aerobic and Strengthening Physical Activity.....	23
Not Participating in Any Physical Activity .....	25

## **Fruits and Vegetable Consumption**

Consuming Fruits Less than 1 Time Per Day .....	27
Consuming Vegetables Less than 1 Time Per Day.....	29

## **Health Care Access**

Lack of Health Care Coverage.....	31
Lack of Health Care Coverage 18 to 64 Years Old Only .....	33

No Personal Doctor.....	35
Did Not See Doctor Due to Cost.....	37
<b>General Health .....</b>	<b>39</b>
<b>Healthy Days - Health Related Quality of Life</b>	
Physical Health Status.....	41
Mental Health Status.....	43
Poor Physical or Mental Health is Barrier to Usual Activities.....	45
<b>Immunization</b>	
Not Immunized Against Influenza.....	47
<b>Seatbelt Use.....</b>	<b>49</b>
<b>Tobacco Use</b>	
Current Smoker.....	51
Smokeless Tobacco Use.....	53
Male Smokeless Tobacco Use .....	55
<b>Veteran Status .....</b>	<b>57</b>
<b>Weight Status (BMI Categories)</b>	
Obese.....	59
Overweight or Obese .....	61
<b>Technical Notes.....</b>	<b>63</b>

**Unpublished Tables** - The following data tables are not published due to insufficient sample and/or statistically unreliable estimates for Labette County: Heavy Drinking, Asthma, Skin Cancer, Heart Attack, Coronary Heart Disease, Stroke, Chronic Obstructive Pulmonary Disease (COPD), Not Immunized Against Influenza 65 Years and Older Only, Never Had Pneumonia Vaccination 65 Years and Older Only, and Tried Quitting Smoking.

# Percentage of Adults Who Are Binge Drinkers, 2017

## Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,785	17.2	0.4	16.5	17.9
Labette County	16	9.9	2.5	4.9	14.9
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	15	9.5	2.5	4.5	14.5
<b>Race</b>					
White	13	8.4	2.4	3.6	13.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	14	15.3	4.0	7.4	23.3
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	12	7.4	2.2	3.1	11.7
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults with Doctor Diagnosed Arthritis, 2017

### Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,634	24.1	0.3	23.5	24.8
Labette County	50	25.5	4.1	17.5	33.6
<b>Gender</b>					
Men	*	*	*	*	*
Women	36	31.7	5.3	21.3	42.2
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	25	30.0	6.1	18.1	42.0
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	49	25.6	4.2	17.5	33.8
<b>Race</b>					
White	48	28.3	4.5	19.5	37.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	20	25.8	5.8	14.3	37.2
Some College or College Graduate	30	25.7	5.7	14.4	36.9
<b>Annual Household Income</b>					
Less than \$35,000 per Year	25	46.2	8.7	29.2	63.2
\$35,000 or Higher per Year	20	19.3	4.6	10.3	28.3
<b>Disability Status</b>					
Living with a Disability†	32	65.3	7.7	50.2	80.5
Living without a Disability	14	7.3	2.1	3.2	11.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	13	18.9	5.4	8.4	29.4
Obese (BMI ≥ 30)	21	32.4	8.3	16.1	48.6
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	26	21.3	4.4	12.8	29.9
Does not participate in leisure time physical activity	21	32.7	7.9	17.3	48.2
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	36	25.2	5.0	15.4	34.9
<b>Health Insurance Status</b>					
Insured	46	25.6	4.3	17.1	34.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2017**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,148	49.7	0.8	48.2	51.2
Labette County	32	67.5	7.9	52.1	83.0
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

**Denominator:** Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

*Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.*

Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2017**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,030	7.1	0.2	6.7	7.4
Labette County	16	9.1	2.6	4.0	14.3
<b>Gender</b>					
Men	*	*	*	*	*
Women	13	11.9	3.5	4.9	18.8
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	16	9.4	2.7	4.1	14.6
<b>Race</b>					
White	16	10.4	2.9	4.7	16.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	15	9.2	2.7	3.8	14.5
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

**Denominator:** All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults with Diagnosed Hypertension, 2017

### Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,757	32.8	0.4	32.0	33.5
Labette County	83	43.0	4.6	34.0	52.0
<b>Gender</b>					
Men	34	45.1	7.4	30.5	59.7
Women	49	41.0	5.6	30.1	51.9
<b>Age Group</b>					
18 to 44 Years	16	26.7	6.8	13.5	40.0
45 to 64 Years	31	41.3	7.0	27.7	54.9
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	81	43.1	4.7	33.9	52.2
<b>Race</b>					
White	74	43.6	4.8	34.2	53.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	29	37.6	6.7	24.4	50.8
Some College or College Graduate	54	47.3	6.1	35.3	59.3
<b>Annual Household Income</b>					
Less than \$35,000 per Year	29	49.2	8.6	32.4	66.0
\$35,000 or Higher per Year	37	42.3	6.6	29.3	55.4
<b>Disability Status</b>					
Living with a Disability†	38	68.6	7.9	53.0	84.1
Living without a Disability	40	30.5	5.0	20.8	40.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	31	52.0	7.2	37.9	66.2
Obese (BMI ≥ 30)	31	44.7	8.7	27.6	61.7
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	44	35.7	5.5	24.9	46.5
Does not participate in leisure time physical activity	34	53.2	7.8	37.9	68.5
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	69	48.7	5.5	37.9	59.5
<b>Health Insurance Status</b>					
Insured	74	43.0	4.8	33.5	52.5
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

**Denominator:** All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked  
Within the Past Five Years, 2017 ‡**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,246	15.2	0.4	14.5	15.9
Labette County	17	11.4	3.1	5.2	17.5
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	17	11.6	3.2	5.3	17.9
<b>Race</b>					
White	17	12.8	3.5	6.0	19.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had not checked their blood cholesterol in the past five years or never had their blood cholesterol checked.

**Denominator:** All respondents excluding unknowns and refusals.

‡ In 2017, the cholesterol questions have been modified for all states.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

*Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.*

Please refer to Technical Notes for more information.

**Percentage of Adults Tested and Diagnosed with High Cholesterol, 2017 †**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,314	34.1	0.4	33.2	34.9
Labette County	63	38.9	4.9	29.2	48.6
<b>Gender</b>					
Men	26	43.1	8.2	27.0	59.2
Women	37	34.9	5.7	23.7	46.0
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	34	55.8	7.8	40.4	71.1
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	63	39.7	5.0	29.8	49.6
<b>Race</b>					
White	58	40.9	5.2	30.7	51.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	24	37.0	7.3	22.6	51.4
Some College or College Graduate	39	40.7	6.7	27.6	53.7
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	31	41.8	7.2	27.6	56.0
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	28	23.6	4.8	14.1	33.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	23	38.3	9.1	20.5	56.0
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	33	33.7	6.0	22.0	45.4
Does not participate in leisure time physical activity	27	48.4	8.8	31.1	65.7
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	52	39.7	5.7	28.6	50.8
<b>Health Insurance Status</b>					
Insured	57	37.9	5.1	27.9	48.0
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

**Denominator:** Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

‡ In 2017, the cholesterol questions have been modified for all states.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

*Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.*

Please refer to Technical Notes for more information.

**Percentage of Adults Who Were Ever Diagnosed with a Depressive Disorder,  
2017**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,374	20.9	0.4	20.2	21.6
Labette County	34	19.4	3.8	11.9	26.8
<b>Gender</b>					
Men	*	*	*	*	*
Women	22	20.3	4.5	11.5	29.1
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	18	26.5	6.2	14.3	38.7
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	32	18.9	3.9	11.3	26.5
<b>Race</b>					
White	31	20.1	4.1	12.1	28.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	15	22.0	5.7	10.9	33.1
Some College or College Graduate	19	17.8	5.2	7.6	27.9
<b>Annual Household Income</b>					
Less than \$35,000 per Year	20	38.2	9.0	20.6	55.7
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	22	43.2	9.0	25.5	60.8
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	18	27.9	7.9	12.4	43.5
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	14	11.3	3.3	4.9	17.7
Does not participate in leisure time physical activity	19	31.4	7.7	16.3	46.5
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	20	14.3	4.2	6.2	22.5
<b>Health Insurance Status</b>					
Insured	28	17.1	3.8	9.5	24.6
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

**Denominator:** All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults with Diagnosed Diabetes, 2017

### Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,844	10.5	0.2	10.0	11.0
Labette County	24	12.5	3.4	5.8	19.2
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	24	12.8	3.5	5.9	19.6
<b>Race</b>					
White	22	13.7	3.8	6.2	21.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	<i>21</i>	<i>14.5</i>	<i>4.3</i>	<i>6.0</i>	<i>23.0</i>
<b>Health Insurance Status</b>					
Insured	<i>21</i>	<i>12.7</i>	<i>3.7</i>	<i>5.5</i>	<i>19.9</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults Who Reported Living with a Disability, 2017†

### Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,832	25.9	0.4	25.2	26.7
Labette County	53	31.2	4.5	22.4	40.1
<b>Gender</b>					
Men	18	27.8	7.0	14.0	41.6
Women	35	34.5	5.7	23.4	45.6
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	27	39.5	7.0	25.8	53.1
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	52	31.2	4.6	22.3	40.2
<b>Race</b>					
White	50	33.2	4.8	23.9	42.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	27	36.8	6.7	23.6	49.9
Some College or College Graduate	26	27.0	6.2	14.8	39.3
<b>Annual Household Income</b>					
Less than \$35,000 per Year	27	56.8	8.5	40.2	73.5
\$35,000 or Higher per Year	14	16.2	4.5	7.4	25.1
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	15	25.0	6.2	12.7	37.2
Obese (BMI ≥ 30)	25	39.4	8.6	22.5	56.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	27	23.6	4.9	14.0	33.1
Does not participate in leisure time physical activity	24	43.5	8.2	27.3	59.6
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	41	31.8	5.3	21.3	42.2
<b>Health Insurance Status</b>					
Insured	45	29.3	4.7	20.2	38.4
Uninsured	*	*	*	*	*

Numerator: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living)

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2017**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	15,354	81.0	0.4	80.3	81.7
Labette County	132	87.1	3.3	80.7	93.6
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	129	86.9	3.3	80.4	93.5
<b>Race</b>					
White	121	85.6	3.6	78.5	92.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	82	85.6	3.9	78.0	93.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	82	83.4	4.7	74.2	92.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	102	89.8	2.9	84.1	95.5
<b>Health Insurance Status</b>					
Insured	120	86.6	3.5	79.8	93.5
Uninsured	*	*	*	*	*

**Numerator:** Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

**Denominator:** All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2017**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,754	41.2	0.5	40.3	42.1
Labette County	82	52.9	5.1	43.0	62.9
<b>Gender</b>					
Men	*	*	*	*	*
Women	52	56.1	5.9	44.6	67.6
<b>Age Group</b>					
18 to 44 Years	24	44.3	8.2	28.3	60.3
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	80	52.6	5.1	42.5	62.6
<b>Race</b>					
White	74	51.9	5.1	41.8	61.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	47	46.2	6.5	33.5	59.0
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	34	46.5	7.1	32.5	60.4
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	47	44.7	6.1	32.7	56.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	22	46.5	7.6	31.5	61.4
Obese (BMI ≥ 30)	36	56.1	9.0	38.4	73.8
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	61	50.5	5.9	39.0	62.1
<b>Health Insurance Status</b>					
Insured	73	52.6	5.3	42.2	63.0
Uninsured	*	*	*	*	*

**Numerator:** Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

**Denominator:** All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2017**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,721	27.9	0.4	27.1	28.7
Labette County	61	41.7	4.9	32.1	51.2
<b>Gender</b>					
Men	26	42.2	7.7	27.1	57.3
Women	35	41.2	6.0	29.4	52.9
<b>Age Group</b>					
18 to 44 Years	17	35.9	7.7	20.8	51.1
45 to 64 Years	30	48.6	7.4	34.0	63.1
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	61	42.4	4.9	32.7	52.1
<b>Race</b>					
White	55	40.5	5.0	30.7	50.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	28	49.8	7.7	34.7	64.9
Some College or College Graduate	33	36.2	6.3	23.9	48.6
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	26	38.3	6.8	25.0	51.6
<b>Disability Status</b>					
Living with a Disability†	24	55.8	8.7	38.8	72.7
Living without a Disability	33	33.6	5.6	22.6	44.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	16	37.0	7.4	22.5	51.5
Obese (BMI ≥ 30)	29	47.1	8.9	29.7	64.4
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	45	39.5	5.6	28.4	50.5
<b>Health Insurance Status</b>					
Insured	53	40.7	5.1	30.7	50.7
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

**Denominator:** All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,  
2017‡**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,946	37.5	0.4	36.7	38.4
Labette County	75	48.6	5.0	38.8	58.3
<b>Gender</b>					
Men	30	48.7	7.9	33.2	64.1
Women	45	48.5	6.0	36.6	60.3
<b>Age Group</b>					
18 to 44 Years	27	49.0	8.2	32.9	65.1
45 to 64 Years	36	56.3	7.5	41.6	70.9
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	74	48.9	5.0	39.0	58.7
<b>Race</b>					
White	65	46.8	5.1	36.9	56.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	32	62.9	7.4	48.4	77.4
Some College or College Graduate	43	38.8	5.9	27.2	50.4
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	40	53.5	7.0	39.8	67.2
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	50	48.9	6.0	37.1	60.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	30	55.6	7.3	41.3	70.0
Obese (BMI ≥ 30)	29	51.5	9.1	33.8	69.3
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	38	38.6	6.0	26.9	50.4
Does not participate in leisure time physical activity	37	62.0	8.1	46.2	77.8
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	51	40.8	5.5	30.0	51.7
<b>Health Insurance Status</b>					
Insured	65	46.4	5.2	36.3	56.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

‡ In 2017, the fruit and vegetable questions have been modified for all states. Fruit consumption includes: fruits and 100% PURE fruit juices/blends.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time  
Per Day, 2017‡**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,049	17.3	0.4	16.6	18.0
Labette County	25	16.1	3.5	9.2	23.0
<b>Gender</b>					
Men	14	21.5	6.1	9.6	33.5
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	12	17.9	5.4	7.5	28.4
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	25	16.4	3.6	9.4	23.4
<b>Race</b>					
White	22	16.4	3.8	9.0	23.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	16	13.9	3.7	6.7	21.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	13	16.8	4.7	7.5	26.0
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	20	21.1	4.9	11.5	30.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	10	21.9	6.4	9.4	34.3
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	13	18.4	5.3	8.0	28.9
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	19	17.0	4.2	8.7	25.2
<b>Health Insurance Status</b>					
Insured	22	15.8	3.7	8.6	23.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

‡ In 2017, the fruit and vegetable questions have been modified for all states. Vegetable consumption includes: green leafy or lettuce salad, fried potatoes, any other kind of potatoes/sweet potatoes, or other vegetables.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults Who Lack Health Care Coverage, 2017

### Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,969	12.5	0.3	11.8	13.1
Labette County	16	7.9	2.2	3.6	12.1
<b>Gender</b>					
Men	*	*	*	*	*
Women	13	12.2	3.5	5.3	19.1
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	15	7.5	2.2	3.3	11.8
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,  
2017**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,830	15.3	0.4	14.5	16.1
Labette County	14	9.6	2.8	4.1	15.0
<b>Gender</b>					
Men	*	*	*	*	*
Women	12	15.8	4.7	6.7	25.0
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2017

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,646	22.4	0.4	21.7	23.2
Labette County	30	19.5	4.0	11.7	27.2
<b>Gender</b>					
Men	17	27.3	6.9	13.7	40.9
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	14	31.5	7.9	16.0	47.0
45 to 64 Years	13	16.0	4.6	7.0	25.1
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	29	19.4	4.0	11.5	27.3
<b>Race</b>					
White	22	13.0	2.9	7.2	18.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	15	19.8	5.3	9.5	30.2
Some College or College Graduate	15	19.4	5.7	8.3	30.5
<b>Annual Household Income</b>					
Less than \$35,000 per Year	12	19.6	5.9	8.1	31.1
\$35,000 or Higher per Year	14	24.1	6.9	10.6	37.5
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	18	20.7	5.3	10.2	31.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	15	31.3	7.0	17.6	44.9
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	14	21.1	6.0	9.4	32.8
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	19	16.2	4.6	7.3	25.2
<b>Health Insurance Status</b>					
Insured	22	16.7	4.1	8.7	24.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2017**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,144	12.1	0.3	11.5	12.7
Labette County	26	13.2	2.7	7.9	18.6
<b>Gender</b>					
Men	*	*	*	*	*
Women	19	17.1	4.0	9.3	24.9
<b>Age Group</b>					
18 to 44 Years	12	16.6	4.8	7.1	26.1
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	25	13.0	2.8	7.6	18.4
<b>Race</b>					
White	21	12.3	2.8	6.7	17.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	17	14.1	3.6	7.0	21.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	14	22.0	6.1	9.9	34.0
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	15	12.2	3.2	5.8	18.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	13	17.0	5.1	7.1	26.9
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	19	13.2	3.2	6.9	19.4
<b>Health Insurance Status</b>					
Insured	18	10.0	2.5	5.1	14.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2017

### Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,766	16.7	0.3	16.0	17.3
Labette County	48	27.4	4.3	19.0	35.9
<b>Gender</b>					
Men	16	24.8	6.8	11.5	38.1
Women	32	29.9	5.4	19.3	40.5
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	27	35.5	6.6	22.5	48.5
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	47	27.6	4.4	19.0	36.2
<b>Race</b>					
White	42	27.3	4.6	18.3	36.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	17	24.2	5.8	12.8	35.6
Some College or College Graduate	31	30.0	6.1	18.1	41.9
<b>Annual Household Income</b>					
Less than \$35,000 per Year	29	55.9	8.2	39.8	72.0
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	33	70.6	7.0	56.8	84.4
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	23	36.5	8.5	19.9	53.2
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	24	21.0	4.7	11.8	30.2
Does not participate in leisure time physical activity	21	37.6	8.0	21.8	53.3
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	32	25.5	5.1	15.5	35.4
<b>Health Insurance Status</b>					
Insured	37	24.8	4.5	16.0	33.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Physical Health Was Not Good on 14 or More Days in the Past 30 Days, 2017**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,574	11.3	0.3	10.8	11.8
Labette County	27	17.5	4.0	9.8	25.3
<b>Gender</b>					
Men	*	*	*	*	*
Women	20	20.3	5.1	10.4	30.2
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	18	28.2	6.4	15.6	40.8
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	26	17.4	4.0	9.5	25.4
<b>Race</b>					
White	26	19.4	4.4	10.8	28.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	16	37.5	9.3	19.3	55.7
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	23	57.2	8.4	40.8	73.7
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	15	27.5	8.2	11.4	43.6
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	15	30.3	8.0	14.6	46.1
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	17	16.0	4.8	6.6	25.3
<b>Health Insurance Status</b>					
Insured	24	17.1	4.2	8.9	25.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14  
or More Days in the Past 30 Days, 2017**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,163	11.4	0.3	10.8	12.0
Labette County	24	14.5	3.3	8.0	21.0
<b>Gender</b>					
Men	*	*	*	*	*
Women	17	16.8	4.3	8.4	25.1
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	14	23.3	6.3	11.0	35.7
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	23	14.3	3.4	7.7	20.9
<b>Race</b>					
White	23	15.9	3.7	8.7	23.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	11	23.4	6.7	10.3	36.6
Some College or College Graduate	13	8.0	2.4	3.4	12.7
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	21	13.7	3.4	7.0	20.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2017**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,399	40.8	0.6	39.6	42.0
Labette County	46	47.0	6.4	34.4	59.6
<b>Gender</b>					
Men	*	*	*	*	*
Women	33	47.3	7.2	33.2	61.4
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	44	46.0	6.5	33.3	58.8
<b>Race</b>					
White	42	46.2	6.8	33.0	59.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	28	49.9	8.3	33.5	66.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	<i>33</i>	<i>53.5</i>	<i>7.8</i>	<i>38.1</i>	<i>68.8</i>
<b>Health Insurance Status</b>					
Insured	<i>41</i>	<i>48.5</i>	<i>6.9</i>	<i>34.9</i>	<i>62.1</i>
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

**Denominator:** Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

*Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.*

Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized  
Against Influenza During the Past 12 Months, 2017**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	11,141	61.6	0.4	60.7	62.4
Labette County	92	55.9	5.0	46.2	65.7
<b>Gender</b>					
Men	37	54.1	8.0	38.5	69.7
Women	55	57.7	5.9	46.1	69.3
<b>Age Group</b>					
18 to 44 Years	35	57.8	8.4	41.3	74.3
45 to 64 Years	41	66.4	6.7	53.3	79.4
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	90	55.9	5.0	46.0	65.8
<b>Race</b>					
White	82	55.9	5.1	46.0	65.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	38	69.4	7.1	55.6	83.3
Some College or College Graduate	54	46.9	6.2	34.7	59.1
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	42	55.7	7.1	41.9	69.6
<b>Disability Status</b>					
Living with a Disability†	28	49.4	9.1	31.7	67.2
Living without a Disability	61	58.3	6.0	46.5	70.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	33	63.2	7.1	49.3	77.1
Obese (BMI ≥ 30)	32	54.6	9.0	37.0	72.2
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	53	52.9	6.3	40.5	65.3
Does not participate in leisure time physical activity	39	60.1	8.0	44.4	75.8
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	67	50.8	5.7	39.6	62.0
<b>Health Insurance Status</b>					
Insured	81	54.1	5.2	43.8	64.3
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

**Denominator:** All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt  
When They Drive or Ride in a Car, 2017**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,294	16.6	0.3	16.0	17.3
Labette County	49	33.5	4.7	24.2	42.7
<b>Gender</b>					
Men	25	38.8	7.6	23.9	53.8
Women	24	28.3	5.7	17.1	39.5
<b>Age Group</b>					
18 to 44 Years	19	40.9	8.3	24.7	57.2
45 to 64 Years	20	31.1	6.8	17.9	44.3
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	49	34.1	4.8	24.7	43.4
<b>Race</b>					
White	42	30.9	4.6	21.9	39.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	24	39.4	7.3	25.1	53.7
Some College or College Graduate	25	29.5	6.3	17.1	41.8
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	29	42.1	7.0	28.3	56.0
<b>Disability Status</b>					
Living with a Disability†	18	37.8	8.8	20.6	55.1
Living without a Disability	30	32.7	5.8	21.3	44.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	19	41.7	7.5	27.1	56.3
Obese (BMI ≥ 30)	18	27.6	8.1	11.7	43.5
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	26	30.3	6.1	18.4	42.2
Does not participate in leisure time physical activity	23	38.0	7.6	23.1	52.9
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	38	34.2	5.6	23.3	45.1
<b>Health Insurance Status</b>					
Insured	45	34.5	5.0	24.7	44.3
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults Who Currently Smoke Cigarettes, 2017

### Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,145	17.4	0.4	16.7	18.1
Labette County	37	23.7	4.0	15.9	31.5
<b>Gender</b>					
Men	14	19.9	5.8	8.6	31.3
Women	23	27.3	5.4	16.8	37.8
<b>Age Group</b>					
18 to 44 Years	14	27.8	7.2	13.6	41.9
45 to 64 Years	23	34.5	6.7	21.3	47.6
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	36	23.6	4.0	15.7	31.5
<b>Race</b>					
White	29	19.8	3.9	12.2	27.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	20	36.2	7.2	22.2	50.2
Some College or College Graduate	17	14.5	3.9	6.9	22.1
<b>Annual Household Income</b>					
Less than \$35,000 per Year	16	29.2	7.3	14.9	43.5
\$35,000 or Higher per Year	12	13.6	4.1	5.6	21.6
<b>Disability Status</b>					
Living with a Disability†	12	22.4	6.7	9.3	35.4
Living without a Disability	24	23.5	5.0	13.8	33.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	15	26.1	6.3	13.8	38.4
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	18	18.6	4.9	9.0	28.1
Does not participate in leisure time physical activity	16	27.4	6.7	14.3	40.6
<b>Health Insurance Status</b>					
Insured	32	22.4	4.1	14.4	30.4
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

**Denominator:** All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2017

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,011	5.5	0.2	5.1	5.9
Labette County	14	10.1	2.8	4.7	15.5
<b>Gender</b>					
Men	12	17.8	5.2	7.7	28.0
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	14	10.3	2.8	4.8	15.8
<b>Race</b>					
White	14	11.3	3.1	5.4	17.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	14	10.9	3.0	5.1	16.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

# Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2017

## Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	919	10.1	0.4	9.4	10.9
Labette County	12	17.8	5.2	7.7	28.0
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	12	18.0	5.2	7.8	28.2
<b>Race</b>					
White	12	20.4	5.8	9.0	31.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	<i>12</i>	<i>18.5</i>	<i>5.3</i>	<i>8.0</i>	<i>28.9</i>
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States  
Armed Forces, 2017**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,748	10.9	0.2	10.4	11.4
Labette County	15	12.1	3.6	5.1	19.2
<b>Gender</b>					
Men	14	24.2	6.8	10.8	37.6
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	15	12.4	3.7	5.2	19.6
<b>Race</b>					
White	14	13.6	4.0	5.7	21.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	<i>14</i>	<i>16.2</i>	<i>4.7</i>	<i>6.9</i>	<i>25.4</i>
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

**Denominator:** All respondents, excluding unknowns and refusals.

† **Living with a Disability:** Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

*Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.*

Please refer to Technical Notes for more information.

## Percentage of Adults Who Are Obese, 2017

### Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,551	32.3	0.4	31.5	33.2
Labette County	57	42.2	5.2	32.0	52.4
<b>Gender</b>					
Men	27	51.0	7.8	35.7	66.3
Women	30	32.3	5.8	21.0	43.6
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	26	43.8	7.7	28.8	58.8
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	55	41.7	5.3	31.4	52.0
<b>Race</b>					
White	51	40.7	5.3	30.4	51.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	20	38.3	7.7	23.3	53.3
Some College or College Graduate	37	45.4	6.9	31.7	59.0
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	25	41.2	7.5	26.5	55.8
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	31	37.6	6.4	25.1	50.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	28	39.2	6.9	25.7	52.8
Does not participate in leisure time physical activity	29	51.0	8.2	34.8	67.1
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	48	46.0	6.0	34.3	57.8
<b>Health Insurance Status</b>					
Insured	50	42.8	5.5	32.0	53.5
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults Who Are Overweight or Obese, 2017

### Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	13,706	67.2	0.4	66.3	68.0
Labette County	114	77.0	4.0	69.1	84.9
<b>Gender</b>					
Men	53	87.2	5.1	77.1	97.2
Women	61	65.6	5.8	54.2	77.0
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	51	80.9	5.7	69.7	92.1
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	111	76.6	4.1	68.5	84.6
<b>Race</b>					
White	103	75.9	4.3	67.5	84.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	40	67.8	7.0	54.0	81.6
Some College or College Graduate	74	84.5	4.2	76.3	92.7
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	59	85.3	4.5	76.6	94.1
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	72	75.0	5.2	64.9	85.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	68	77.0	5.4	66.4	87.5
Does not participate in leisure time physical activity	45	83.4	5.5	72.6	94.1
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	89	79.5	4.5	70.7	88.2
<b>Health Insurance Status</b>					
Insured	103	77.4	4.2	69.2	85.7
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Technical Notes

The 2017 BRFSS data for your county/region on health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("\*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is greater than 30 percent

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>

In 2017, cholesterol questions and fruits and vegetables modules were modified for all states. Due to the changes in methodology, we do not advise comparing 2017 findings to the previous modules.

For more information on new fruits and vegetables module: please visit <https://www.cdc.gov/nutrition/data-statistics/using-the-new-BRFSS-modules.html>

In 2017 and 2016, a six-item set of questions identify disability in hearing, vision, cognition, mobility, self-care, and independent living for all states. Respondents who responded "yes" to at least one of the six functional disability questions were identified as adults living with a disability.

For more information on disability questions: please visit [https://www.cdc.gov/brfss/data\\_documentation/pdf/BRFSS\\_Data\\_Users\\_Guide\\_on\\_Disability\\_Questions\\_2018-508.pdf](https://www.cdc.gov/brfss/data_documentation/pdf/BRFSS_Data_Users_Guide_on_Disability_Questions_2018-508.pdf)

Please visit the BRFSS questionnaires below to see the questions on specific topics:

2017 Kansas BRFSS: <http://www.kdheks.gov/brfss/PDF/ks2017svy.pdf>

2016 Kansas BRFSS: <http://www.kdheks.gov/brfss/PDF/ks2016svy.pdf>

2015 Kansas BRFSS: <http://www.kdheks.gov/brfss/PDF/ks2015svy.pdf>