

2017 Kansas Behavioral Risk Factor Surveillance System Local Data

Montgomery County



This page is intentionally blank.

2017 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Laura Kelly, Governor

Kansas Department of Health and Environment
Lee A. Norman, M.D., Acting Secretary

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Health Promotion and BRFSS Epidemiology
Bureau of Epidemiology and Public Health Informatics (BEPHI)

Report Supervision:
Belle Federman, ScD
Senior Epidemiologist
Health Promotion and BRFSS Epidemiology
Bureau of Epidemiology and Public Health Informatics (BEPHI)

Project Funding:
Partial funding for the 2017 Behavioral Risk Factor Survey was provided by cooperative agreement 6NU58DP006025-03-01 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion
February 2019**

Kansas Department of Health and Environment (KDHE)


Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov



Montgomery County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2017 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Health Promotion and BRFSS Epidemiology
Bureau of Epidemiology and Public Health Informatics (BEPHI)
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-6513
Fax: 785-296-8059
Pratik.Pandya@ks.gov

Belle Federman, ScD
Senior Epidemiologist
Health Promotion and BRFSS Epidemiology
Bureau of Epidemiology and Public Health Informatics (BEPHI)
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1152
Fax: 785-296-8059
Belle.Federman@ks.gov



Table of Contents

Alcohol Consumption

Binge Drinking	1
----------------------	---

Arthritis

Arthritis	3
Activity Limitation Due to Arthritis	5

Asthma	7
---------------------	---

Cancer

Cancer (Excluding Skin Cancer)	9
Skin Cancer	11

Cardiovascular Health

High Blood Pressure	13
---------------------------	----

Cholesterol

Not Checked Cholesterol within Five Years	15
High Blood Cholesterol Status.....	17

Chronic Obstructive Pulmonary Disease (COPD)	19
---	----

Depressive Disorder	21
----------------------------------	----

Diabetes	23
-----------------------	----

Disability	25
-------------------------	----

Exercise and Physical Activity

Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening)	27
Did Not Participate in the Recommended Level of Aerobic and Strengthening Physical Activity.....	29
Not Participating in Any Physical Activity	31

Fruits and Vegetable Consumption

Consuming Fruits Less than 1 Time Per Day	33
Consuming Vegetables Less than 1 Time Per Day.....	35

Health Care Access	
Lack Health Care Coverage	37
Lack Health Care Coverage 18 to 64 Years Old Only	39
No Personal Doctor	41
Did Not See Doctor Due to Cost.....	43
General Health	45
Healthy Days - Health Related Quality of Life	
Physical Health Status.....	47
Mental Health Status	49
Poor Physical or Mental Health is Barrier to Usual Activities.....	51
Immunization	
Not Immunized Against Influenza.....	53
Not Immunized Against Influenza 65 Years and Older Only	55
Never Had Pneumonia Vaccination 65 Years and Older Only	57
Seatbelt Use	59
Tobacco Use	
Current Smoker	61
Tried Quitting Smoking	63
Smokeless Tobacco Use.....	65
Male Smokeless Tobacco Use	67
Veteran Status	69
Weight Status (BMI Categories)	
Obese.....	71
Overweight or Obese	73
Technical Notes	75

Unpublished Tables - The following data tables are not published due to insufficient sample and/or statistically unreliable estimates for Montgomery County: Heavy Drinking, Heart Attack, Coronary Heart Disease, and Stroke.

Percentage of Adults Who Are Binge Drinkers, 2017

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,785	17.2	0.4	16.5	17.9
Montgomery County	28	15.9	3.4	9.2	22.7
Gender					
Men	16	19.5	5.4	9.0	30.0
Women	*	*	*	*	*
Age Group					
18 to 44 Years	11	22.4	6.7	9.3	35.5
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	27	15.0	3.3	8.6	21.4
Race					
White	24	15.3	3.6	8.2	22.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	14	19.6	5.7	8.3	30.8
Some College or College Graduate	14	12.2	3.5	5.4	18.9
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	16	18.4	4.9	8.7	28.1
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	20	16.5	4.0	8.6	24.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	18	18.2	4.9	8.7	27.7
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	18	9.9	2.5	5.0	14.8
Health Insurance Status					
Insured	23	14.1	3.4	7.4	20.8
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis, 2017

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,634	24.1	0.3	23.5	24.8
Montgomery County	96	32.2	3.7	25.0	39.4
Gender					
Men	43	34.5	5.8	23.1	45.8
Women	53	30.0	4.6	21.0	39.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	36	36.7	5.4	26.1	47.3
65 Years and Older	52	56.1	6.6	43.2	69.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	94	31.9	3.6	24.8	39.0
Race					
White	87	31.2	3.8	23.7	38.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	42	35.7	6.0	24.0	47.4
Some College or College Graduate	53	28.1	4.1	20.0	36.2
Annual Household Income					
Less than \$35,000 per Year	43	39.9	6.8	26.5	53.3
\$35,000 or Higher per Year	30	22.2	4.4	13.5	30.9
Disability Status					
Living with a Disability†	50	52.0	7.0	38.3	65.7
Living without a Disability	43	23.6	4.4	15.0	32.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	17	18.1	4.9	8.4	27.8
Overweight (25<=BMI<30)	26	27.8	6.3	15.5	40.1
Obese (BMI>=30)	48	49.9	6.7	36.8	63.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	54	34.7	5.3	24.3	45.0
Does not participate in leisure time physical activity	35	31.1	5.5	20.3	42.0
Smoking Status					
Current smoker	16	31.0	8.5	14.4	47.6
Non-smoker	77	33.6	4.1	25.5	41.8
Health Insurance Status					
Insured	92	34.8	3.9	27.0	42.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2017

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,148	49.7	0.8	48.2	51.2
Montgomery County	50	58.6	6.6	45.6	71.5
Gender					
Men	*	*	*	*	*
Women	31	64.0	8.3	47.7	80.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	27	57.2	10.0	37.7	76.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	48	55.7	6.7	42.7	68.8
Race					
White	43	57.8	6.7	44.5	71.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	27	59.5	8.0	43.8	75.3
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	28	62.7	9.0	45.2	80.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	35	48.5	7.3	34.2	62.8
Health Insurance Status					
Insured	48	56.3	6.8	43.1	69.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Current Asthma, 2017

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,901	9.1	0.3	8.6	9.6
Montgomery County	21	9.8	2.6	4.6	14.9
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	20	9.1	2.5	4.1	14.1
Race					
White	18	9.9	2.9	4.2	15.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	20	10.9	3.0	5.0	16.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2017

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,030	7.1	0.2	6.7	7.4
Montgomery County	21	6.6	1.7	3.3	9.9
Gender					
Men	*	*	*	*	*
Women	15	10.5	3.0	4.6	16.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	14	13.1	3.7	5.8	20.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	21	7.0	1.8	3.5	10.5
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	16	6.1	1.7	2.6	9.5
Health Insurance Status					
Insured	20	7.6	2.0	3.7	11.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2017

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,960	6.3	0.2	5.9	6.6
Montgomery County	20	5.7	1.5	2.7	8.7
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	14	13.4	3.7	6.1	20.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	20	6.0	1.6	2.8	9.2
Race					
White	19	5.8	1.6	2.6	8.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	20	6.7	1.8	3.2	10.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Hypertension, 2017

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,757	32.8	0.4	32.0	33.5
Montgomery County	128	41.8	3.8	34.3	49.2
Gender					
Men	56	44.3	6.0	32.5	56.2
Women	72	39.4	4.7	30.2	48.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	54	57.9	5.5	47.1	68.6
65 Years and Older	64	73.0	5.1	63.0	83.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	126	42.7	3.8	35.2	50.2
Race					
White	114	38.9	3.9	31.3	46.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	56	43.4	6.0	31.7	55.1
Some College or College Graduate	71	39.8	4.7	30.5	49.0
Annual Household Income					
Less than \$35,000 per Year	49	40.6	6.5	27.8	53.3
\$35,000 or Higher per Year	46	39.0	5.7	27.9	50.1
Disability Status					
Living with a Disability†	58	57.5	7.1	43.7	71.3
Living without a Disability	63	34.3	4.6	25.3	43.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	22	37.8	8.5	21.1	54.5
Overweight (25<=BMI<30)	39	35.7	6.1	23.8	47.6
Obese (BMI>=30)	60	56.9	6.8	43.5	70.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	72	38.3	5.0	28.5	48.1
Does not participate in leisure time physical activity	49	52.6	6.6	39.7	65.4
Smoking Status					
Current smoker	20	34.1	7.8	18.9	49.3
Non-smoker	101	45.1	4.5	36.3	53.9
Health Insurance Status					
Insured	121	47.1	4.2	38.8	55.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2017 ‡**

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,246	15.2	0.4	14.5	15.9
Montgomery County	25	16.7	3.6	9.7	23.7
Gender					
Men	16	22.1	5.8	10.7	33.6
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	23	14.4	3.3	8.0	20.8
Race					
White	23	17.9	4.0	10.1	25.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	16	26.2	6.3	13.9	38.5
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	18	18.8	4.7	9.5	28.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	13	19.8	5.5	9.0	30.7
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	14	10.0	2.9	4.4	15.6
Health Insurance Status					
Insured	20	14.3	3.5	7.6	21.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years or never had their blood cholesterol checked.

Denominator: All respondents excluding unknowns and refusals.

‡ In 2017, the cholesterol questions have been modified for all states.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2017 ‡

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,314	34.1	0.4	33.2	34.9
Montgomery County	97	36.6	4.0	28.7	44.4
Gender					
Men	41	40.7	6.6	27.7	53.7
Women	56	32.8	4.7	23.7	42.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	37	42.0	6.2	30.0	54.1
65 Years and Older	52	61.9	6.5	49.2	74.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	96	36.2	4.0	28.3	44.0
Race					
White	90	35.8	4.0	27.9	43.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	37	36.7	6.6	23.7	49.7
Some College or College Graduate	59	36.0	4.8	26.6	45.4
Annual Household Income					
Less than \$35,000 per Year	38	38.1	7.1	24.2	51.9
\$35,000 or Higher per Year	33	34.3	6.0	22.6	46.0
Disability Status					
Living with a Disability†	42	45.7	7.5	31.1	60.3
Living without a Disability	49	31.1	4.9	21.6	40.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	32	37.1	6.7	23.8	50.3
Obese (BMI>=30)	38	39.1	6.9	25.6	52.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	59	37.7	5.5	26.9	48.4
Does not participate in leisure time physical activity	29	35.1	6.7	21.9	48.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	78	38.3	4.6	29.3	47.3
Health Insurance Status					
Insured	94	39.7	4.3	31.2	48.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

‡ In 2017, the cholesterol questions have been modified for all states.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2017**

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,644	6.4	0.2	6.0	6.8
Montgomery County	31	12.7	2.7	7.4	18.0
Gender					
Men	*	*	*	*	*
Women	21	17.3	4.5	8.6	26.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	17	21.4	4.8	12.0	30.8
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	31	13.5	2.8	7.9	19.1
Race					
White	29	14.2	3.1	8.2	20.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	21	17.5	4.6	8.6	26.5
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	21	22.6	5.8	11.2	33.9
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	22	26.9	6.3	14.5	39.4
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	17	16.9	4.3	8.5	25.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	15	7.1	2.0	3.1	11.1
Health Insurance Status					
Insured	30	14.7	3.1	8.6	20.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Were Ever Diagnosed with a Depressive Disorder,
2017**

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,374	20.9	0.4	20.2	21.6
Montgomery County	56	23.9	3.6	16.9	30.9
Gender					
Men	16	16.5	4.7	7.2	25.7
Women	40	30.8	5.1	20.8	40.8
Age Group					
18 to 44 Years	11	23.8	6.8	10.5	37.2
45 to 64 Years	30	28.2	4.9	18.5	37.9
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	55	23.5	3.5	16.7	30.4
Race					
White	50	23.6	3.8	16.1	31.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	27	29.9	5.9	18.3	41.5
Some College or College Graduate	29	17.8	3.7	10.6	25.1
Annual Household Income					
Less than \$35,000 per Year	25	29.5	6.6	16.6	42.4
\$35,000 or Higher per Year	17	15.5	4.5	6.6	24.4
Disability Status					
Living with a Disability†	37	47.6	7.0	33.9	61.3
Living without a Disability	18	13.5	4.0	5.7	21.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	20	27.8	6.8	14.4	41.1
Obese (BMI>=30)	22	26.0	6.1	14.0	38.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	29	26.8	5.4	16.3	37.3
Does not participate in leisure time physical activity	22	21.5	4.8	12.0	30.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	34	16.2	3.1	10.1	22.2
Health Insurance Status					
Insured	49	22.9	3.7	15.7	30.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2017

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,844	10.5	0.2	10.0	11.0
Montgomery County	35	11.5	2.4	6.7	16.3
Gender					
Men	*	*	*	*	*
Women	21	11.1	2.8	5.6	16.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	13	14.7	4.1	6.7	22.7
65 Years and Older	21	27.2	7.1	13.2	41.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	35	12.2	2.6	7.2	17.2
Race					
White	28	8.2	1.7	4.8	11.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	17	9.5	2.6	4.4	14.6
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	23	20.2	4.8	10.8	29.7
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	23	24.4	5.8	12.9	35.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	22	14.0	3.7	6.7	21.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	29	13.5	3.2	7.3	19.7
Health Insurance Status					
Insured	34	13.3	2.8	7.8	18.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2017†

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,832	25.9	0.4	25.2	26.7
Montgomery County	91	33.9	3.8	26.4	41.5
Gender					
Men	40	36.5	6.0	24.7	48.3
Women	51	31.5	4.9	22.0	41.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	34	39.8	5.9	28.3	51.3
65 Years and Older	48	54.9	7.1	41.0	68.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	88	34.1	3.9	26.4	41.7
Race					
White	82	33.3	4.0	25.4	41.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	40	38.7	6.2	26.6	50.8
Some College or College Graduate	51	29.1	4.4	20.5	37.7
Annual Household Income					
Less than \$35,000 per Year	40	37.4	6.5	24.6	50.2
\$35,000 or Higher per Year	26	20.9	4.7	11.7	30.2
Weight Category					
Normal or Underweight (BMI<25)	17	33.2	8.6	16.3	50.1
Overweight (25<=BMI<30)	25	30.3	6.5	17.6	43.0
Obese (BMI>=30)	46	40.9	6.4	28.3	53.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	46	30.2	5.1	20.3	40.2
Does not participate in leisure time physical activity	42	41.5	6.4	29.0	54.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	68	30.2	4.0	22.5	38.0
Health Insurance Status					
Insured	84	36.3	4.2	28.0	44.5
Uninsured	*	*	*	*	*

Numerator: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living)

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2017

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	15,354	81.0	0.4	80.3	81.7
Montgomery County	185	85.2	3.2	79.0	91.4
Gender					
Men	*	*	*	*	*
Women	102	84.0	4.0	76.3	91.8
Age Group					
18 to 44 Years	39	76.9	6.7	63.8	89.9
45 to 64 Years	*	*	*	*	*
65 Years and Older	67	86.2	3.5	79.2	93.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	181	87.4	2.7	82.2	92.7
Race					
White	164	83.6	3.6	76.6	90.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	103	81.6	4.2	73.4	89.9
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	79	84.2	4.1	76.1	92.3
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	111	83.1	4.3	74.6	91.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	141	85.9	3.2	79.6	92.1
Health Insurance Status					
Insured	166	87.5	2.8	82.1	93.0
Uninsured	*	*	*	*	*

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2017

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,754	41.2	0.5	40.3	42.1
Montgomery County	109	50.3	4.3	41.8	58.8
Gender					
Men	40	44.8	6.6	31.8	57.9
Women	69	55.3	5.6	44.3	66.4
Age Group					
18 to 44 Years	20	38.3	7.5	23.6	53.1
45 to 64 Years	54	69.0	5.4	58.4	79.6
65 Years and Older	34	44.4	7.3	30.0	58.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	105	50.1	4.3	41.6	58.6
Race					
White	97	49.3	4.6	40.3	58.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	57	49.5	5.4	38.9	60.1
Annual Household Income					
Less than \$35,000 per Year	48	52.8	7.5	38.0	67.5
\$35,000 or Higher per Year	42	49.2	6.1	37.2	61.2
Disability Status					
Living with a Disability†	47	56.8	7.5	42.0	71.6
Living without a Disability	61	47.0	5.4	36.5	57.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	44	50.9	7.1	36.9	64.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	84	51.7	4.8	42.2	61.2
Health Insurance Status					
Insured	95	49.6	4.6	40.6	58.6
Uninsured	*	*	*	*	*

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2017

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,721	27.9	0.4	27.1	28.7
Montgomery County	88	39.1	4.0	31.1	47.0
Gender					
Men	36	38.7	6.4	26.2	51.2
Women	52	39.4	5.1	29.3	49.4
Age Group					
18 to 44 Years	15	28.9	6.9	15.4	42.3
45 to 64 Years	42	52.7	6.0	41.0	64.4
65 Years and Older	30	37.7	6.9	24.1	51.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	85	39.5	4.1	31.5	47.5
Race					
White	77	37.9	4.3	29.5	46.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	43	43.3	6.3	31.0	55.6
Some College or College Graduate	45	34.7	5.0	24.9	44.6
Annual Household Income					
Less than \$35,000 per Year	37	41.0	7.0	27.3	54.7
\$35,000 or Higher per Year	34	37.5	5.8	26.1	48.9
Disability Status					
Living with a Disability†	42	46.7	6.9	33.1	60.3
Living without a Disability	45	34.8	5.0	25.0	44.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	19	48.6	9.3	30.4	66.7
Overweight (25<=BMI<30)	30	33.7	6.2	21.5	45.8
Obese (BMI>=30)	32	34.0	6.2	21.9	46.1
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	64	38.2	4.6	29.2	47.2
Health Insurance Status					
Insured	77	39.2	4.3	30.7	47.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2017‡**

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,946	37.5	0.4	36.7	38.4
Montgomery County	87	42.5	4.3	34.2	50.9
Gender					
Men	41	46.9	6.7	33.8	60.0
Women	46	38.6	5.3	28.1	49.1
Age Group					
18 to 44 Years	25	48.9	7.8	33.5	64.2
45 to 64 Years	36	47.1	6.2	35.0	59.3
65 Years and Older	25	23.3	5.0	13.6	33.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	85	41.5	4.2	33.2	49.8
Race					
White	75	41.9	4.6	33.0	50.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	41	45.5	6.6	32.6	58.4
Some College or College Graduate	46	39.5	5.2	29.4	49.7
Annual Household Income					
Less than \$35,000 per Year	34	43.9	7.1	29.9	57.9
\$35,000 or Higher per Year	37	44.8	6.2	32.7	57.0
Disability Status					
Living with a Disability†	32	36.6	6.8	23.2	49.9
Living without a Disability	54	46.1	5.3	35.6	56.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	19	45.0	9.3	26.8	63.2
Overweight (25<=BMI<30)	35	51.2	7.3	36.9	65.4
Obese (BMI>=30)	29	34.1	6.4	21.6	46.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	51	39.6	5.4	29.1	50.2
Does not participate in leisure time physical activity	35	46.6	6.9	33.0	60.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	62	38.1	4.7	28.9	47.3
Health Insurance Status					
Insured	74	38.5	4.4	29.9	47.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

‡ In 2017, the fruit and vegetable questions have been modified for all states. Fruit consumption includes: fruits and 100% PURE fruit juices/blends.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2017‡**

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,049	17.3	0.4	16.6	18.0
Montgomery County	37	19.5	3.6	12.4	26.5
Gender					
Men	22	27.7	6.4	15.1	40.3
Women	15	12.4	3.4	5.8	19.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	13	16.5	4.5	7.6	25.4
65 Years and Older	13	15.7	4.6	6.7	24.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	36	18.3	3.4	11.7	25.0
Race					
White	33	20.8	4.0	13.0	28.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	20	24.9	6.0	13.1	36.8
Some College or College Graduate	17	13.9	3.7	6.7	21.2
Annual Household Income					
Less than \$35,000 per Year	17	22.4	6.2	10.2	34.6
\$35,000 or Higher per Year	15	15.5	4.1	7.5	23.5
Disability Status					
Living with a Disability†	15	22.9	6.8	9.6	36.3
Living without a Disability	21	17.9	4.3	9.5	26.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	14	28.2	7.4	13.6	42.8
Obese (BMI>=30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	22	20.2	5.0	10.3	30.0
Does not participate in leisure time physical activity	15	18.7	4.9	9.0	28.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	27	17.4	3.6	10.3	24.5
Health Insurance Status					
Insured	33	17.9	3.5	11.0	24.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

‡ In 2017, the fruit and vegetable questions have been modified for all states. Vegetable consumption includes: green leafy or lettuce salad, fried potatoes, any other kind of potatoes/sweet potatoes, or other vegetables.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2017

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,969	12.5	0.3	11.8	13.1
Montgomery County	27	15.1	3.1	9.0	21.1
Gender					
Men	15	19.4	5.3	8.9	29.8
Women	12	11.1	3.2	4.8	17.3
Age Group					
18 to 44 Years	12	23.4	6.4	11.0	35.9
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	24	11.9	2.5	6.9	16.8
Race					
White	25	16.5	3.5	9.7	23.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	16	17.6	4.9	8.1	27.1
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	16	22.8	6.0	11.0	34.5
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	18	17.7	4.4	9.2	26.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>17</i>	<i>13.2</i>	<i>3.4</i>	<i>6.5</i>	<i>19.8</i>

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2017**

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,830	15.3	0.4	14.5	16.1
Montgomery County	23	18.6	3.9	10.8	26.3
Gender					
Men	14	26.3	7.0	12.6	40.0
Women	*	*	*	*	*
Age Group					
18 to 44 Years	12	23.4	6.4	11.0	35.9
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	20	14.3	3.2	8.0	20.7
Race					
White	22	20.3	4.4	11.7	28.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	13	19.8	5.8	8.4	31.3
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	14	29.8	7.9	14.4	45.3
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	16	20.2	5.1	10.2	30.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>13</i>	<i>17.0</i>	<i>4.7</i>	<i>7.8</i>	<i>26.2</i>

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2017

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,646	22.4	0.4	21.7	23.2
Montgomery County	55	27.1	3.7	19.8	34.3
Gender					
Men	30	35.6	6.2	23.5	47.6
Women	25	19.2	3.9	11.6	26.8
Age Group					
18 to 44 Years	18	34.3	7.1	20.4	48.1
45 to 64 Years	26	26.7	4.9	17.1	36.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	51	24.3	3.5	17.5	31.1
Race					
White	48	27.8	4.1	19.9	35.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	23	26.3	5.7	15.1	37.5
Some College or College Graduate	32	28.0	4.7	18.8	37.2
Annual Household Income					
Less than \$35,000 per Year	23	36.6	7.0	22.8	50.3
\$35,000 or Higher per Year	23	24.6	5.0	14.9	34.3
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	40	32.6	5.0	22.8	42.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	17	43.3	9.2	25.3	61.2
Overweight (25<=BMI<30)	21	28.7	6.5	15.8	41.5
Obese (BMI>=30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	26	20.5	4.4	11.8	29.2
Does not participate in leisure time physical activity	21	32.9	6.6	19.9	45.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	41	28.4	4.4	19.8	37.1
Health Insurance Status					
Insured	40	21.1	3.6	14.1	28.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2017

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,144	12.1	0.3	11.5	12.7
Montgomery County	22	14.0	3.1	7.9	20.2
Gender					
Men	*	*	*	*	*
Women	17	19.1	4.5	10.3	27.8
Age Group					
18 to 44 Years	12	22.7	6.4	10.2	35.2
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	20	11.7	2.7	6.4	17.0
Race					
White	19	14.4	3.5	7.6	21.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	14	17.4	5.0	7.6	27.2
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	14	16.8	4.5	8.0	25.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	14	17.5	4.8	8.1	27.0
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	13	9.5	2.8	4.0	14.9
Health Insurance Status					
Insured	15	10.2	2.8	4.8	15.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2017

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,766	16.7	0.3	16.0	17.3
Montgomery County	54	21.9	3.4	15.1	28.7
Gender					
Men	22	20.7	5.2	10.5	30.9
Women	32	23.0	4.6	14.1	32.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	23	25.2	5.0	15.4	35.0
65 Years and Older	24	26.9	5.8	15.5	38.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	53	21.4	3.3	14.9	28.0
Race					
White	48	21.8	3.7	14.5	29.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	30	29.6	5.9	18.1	41.1
Some College or College Graduate	23	13.4	3.1	7.3	19.5
Annual Household Income					
Less than \$35,000 per Year	36	36.7	6.6	23.7	49.6
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	41	49.9	6.9	36.3	63.5
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	29	31.2	6.3	18.9	43.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	24	22.0	5.1	12.0	32.1
Does not participate in leisure time physical activity	26	23.6	5.0	13.8	33.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	39	18.7	3.2	12.3	25.0
Health Insurance Status					
Insured	47	21.1	3.6	14.2	28.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Physical Health Was Not Good on 14 or More Days in the Past 30 Days, 2017

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,574	11.3	0.3	10.8	11.8
Montgomery County	42	17.6	3.3	11.2	24.0
Gender					
Men	*	*	*	*	*
Women	28	21.9	4.9	12.4	31.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	19	21.9	4.8	12.4	31.3
65 Years and Older	18	20.4	5.4	9.7	31.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	40	18.0	3.4	11.4	24.7
Race					
White	36	16.9	3.5	10.1	23.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	23	23.6	5.6	12.6	34.5
Some College or College Graduate	19	11.4	2.8	5.9	16.9
Annual Household Income					
Less than \$35,000 per Year	23	22.4	5.6	11.4	33.5
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	30	39.6	7.1	25.7	53.5
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	23	27.7	6.2	15.5	40.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	17	16.4	4.8	6.9	25.8
Does not participate in leisure time physical activity	20	19.4	4.7	10.2	28.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	26	12.5	2.8	7.1	18.0
Health Insurance Status					
Insured	38	19.4	3.7	12.1	26.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14
or More Days in the Past 30 Days, 2017**

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,163	11.4	0.3	10.8	12.0
Montgomery County	33	14.4	2.9	8.6	20.2
Gender					
Men	*	*	*	*	*
Women	20	16.9	4.5	8.0	25.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	18	18.4	4.4	9.7	27.1
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	32	14.9	3.1	8.9	21.0
Race					
White	31	14.8	3.2	8.6	21.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	17.4	4.7	8.2	26.6
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	23	30.4	6.8	17.0	43.8
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	17	23.4	6.3	11.1	35.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	18	15.1	4.3	6.7	23.6
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	21	11.1	2.8	5.7	16.6
Health Insurance Status					
Insured	29	15.3	3.3	8.8	21.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2017

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,399	40.8	0.6	39.6	42.0
Montgomery County	57	36.8	5.1	26.7	46.9
Gender					
Men	*	*	*	*	*
Women	38	37.7	6.4	25.2	50.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	24	36.6	6.8	23.3	49.9
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	55	35.3	5.0	25.5	45.1
Race					
White	53	39.9	5.6	28.8	50.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	27	38.3	7.7	23.1	53.5
Some College or College Graduate	30	35.4	6.3	23.0	47.8
Annual Household Income					
Less than \$35,000 per Year	31	54.9	8.2	38.7	71.0
\$35,000 or Higher per Year	16	24.4	6.4	11.9	37.0
Disability Status					
Living with a Disability†	39	54.5	8.2	38.4	70.6
Living without a Disability	15	24.7	7.0	11.0	38.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	27	44.2	8.6	27.4	61.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	31	37.9	7.4	23.4	52.4
Does not participate in leisure time physical activity	21	32.9	7.0	19.2	46.5
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	39	33.8	5.5	23.1	44.5
Health Insurance Status					
Insured	51	33.2	5.1	23.3	43.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2017**

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	11,141	61.6	0.4	60.7	62.4
Montgomery County	135	65.8	3.9	58.1	73.4
Gender					
Men	64	73.7	5.4	63.2	84.3
Women	71	58.7	5.3	48.3	69.1
Age Group					
18 to 44 Years	38	77.2	6.6	64.3	90.2
45 to 64 Years	55	64.8	5.8	53.4	76.2
65 Years and Older	40	45.5	7.2	31.5	59.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	131	66.3	3.8	58.8	73.8
Race					
White	119	65.4	4.2	57.2	73.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	57	68.5	5.7	57.3	79.8
Some College or College Graduate	77	62.5	5.1	52.4	72.5
Annual Household Income					
Less than \$35,000 per Year	49	65.0	6.8	51.7	78.3
\$35,000 or Higher per Year	61	68.5	5.4	58.0	79.1
Disability Status					
Living with a Disability†	44	53.3	7.1	39.4	67.2
Living without a Disability	90	72.6	4.4	64.0	81.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	50	73.7	5.4	63.2	84.2
Obese (BMI>=30)	46	54.8	7.0	41.1	68.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	76	65.0	5.0	55.1	74.8
Does not participate in leisure time physical activity	59	67.0	6.1	54.9	79.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	100	62.6	4.5	53.8	71.3
Health Insurance Status					
Insured	115	62.4	4.2	54.1	70.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2017**

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,774	44.0	0.7	42.5	45.4
Montgomery County	40	45.5	7.2	31.5	59.6
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	40	48.2	7.0	34.5	62.0
Race					
White	36	42.0	6.5	29.3	54.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	25	37.6	7.7	22.5	52.7
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	23	48.5	9.0	30.9	66.2
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	36	44.9	7.7	29.9	59.9
Health Insurance Status					
Insured	37	43.7	7.4	29.1	58.3
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they did not receive a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Never Had Pneumonia
Vaccination, 2017**

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,472	23.5	0.6	22.2	24.8
Montgomery County	29	31.8	7.3	17.5	46.0
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	29	31.8	7.3	17.5	46.0
Race					
White	26	26.7	5.1	16.7	36.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	20	27.5	6.0	15.6	39.3
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	19	35.1	9.9	15.7	54.5
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	26	32.3	7.8	17.0	47.6
Health Insurance Status					
Insured	26	29.5	7.5	14.9	44.1
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they never had a pneumonia vaccination.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2017**

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,294	16.6	0.3	16.0	17.3
Montgomery County	42	16.0	3.0	10.2	21.8
Gender					
Men	25	20.8	5.0	10.9	30.7
Women	17	11.7	3.3	5.3	18.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	13	13.5	3.7	6.3	20.7
65 Years and Older	22	21.6	4.8	12.2	31.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	41	15.1	2.6	9.9	20.2
Race					
White	36	16.0	3.2	9.7	22.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	26	18.0	3.8	10.5	25.5
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	18	15.1	3.8	7.6	22.6
Disability Status					
Living with a Disability†	13	10.2	3.0	4.3	16.2
Living without a Disability	29	19.3	4.2	11.1	27.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	16	13.9	3.9	6.3	21.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	28	18.1	4.2	9.9	26.4
Does not participate in leisure time physical activity	14	12.8	3.7	5.5	20.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	33	15.6	2.9	9.8	21.3
Health Insurance Status					
Insured	37	14.6	2.7	9.3	20.0
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2017

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,145	17.4	0.4	16.7	18.1
Montgomery County	50	27.9	4.0	20.1	35.6
Gender					
Men	22	25.1	5.7	13.9	36.3
Women	28	30.5	5.4	19.8	41.1
Age Group					
18 to 44 Years	16	34.3	7.4	19.8	48.9
45 to 64 Years	27	34.7	5.8	23.3	46.1
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	49	27.7	3.9	20.0	35.4
Race					
White	45	28.9	4.3	20.5	37.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	30	38.6	6.4	26.1	51.0
Some College or College Graduate	20	16.5	3.8	8.9	24.0
Annual Household Income					
Less than \$35,000 per Year	22	32.7	6.9	19.3	46.2
\$35,000 or Higher per Year	20	24.2	5.6	13.2	35.2
Disability Status					
Living with a Disability†	21	35.0	7.3	20.8	49.3
Living without a Disability	28	23.8	4.6	14.8	32.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	15	35.7	8.6	18.9	52.5
Overweight (25<=BMI<30)	18	32.1	7.3	17.9	46.3
Obese (BMI>=30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	25	27.4	5.5	16.5	38.2
Does not participate in leisure time physical activity	24	30.3	6.0	18.6	42.0
Health Insurance Status					
Insured	41	26.2	4.2	18.0	34.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Stopped Smoking for One Day or Longer Because
They Were Trying to Quit Smoking, 2017**

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,708	57.1	1.1	54.9	59.2
Montgomery County	28	61.2	8.2	45.2	77.2
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Current smokers who stopped smoking for one day or longer because they were trying to quit smoking.

Denominator: Current smokers, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2017

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,011	5.5	0.2	5.1	5.9
Montgomery County	19	8.2	2.0	4.4	12.0
Gender					
Men	19	16.8	4.0	9.0	24.6
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	19	8.7	2.1	4.7	12.8
Race					
White	17	8.4	2.1	4.2	12.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	13	8.2	2.4	3.5	12.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	15	9.0	2.4	4.3	13.8
Health Insurance Status					
Insured	15	7.9	2.1	3.8	12.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2017

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	919	10.1	0.4	9.4	10.9
Montgomery County	19	16.8	4.0	9.0	24.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	19	19.0	4.4	10.4	27.6
Race					
White	17	17.4	4.3	8.9	25.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	13	17.7	5.2	7.5	27.8
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	*	*	*	*	*
Obese (BMI>=30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	15	17.9	4.7	8.6	27.2
Health Insurance Status					
Insured	15	17.2	4.5	8.4	26.0
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2017**

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,748	10.9	0.2	10.4	11.4
Montgomery County	38	13.8	2.7	8.4	19.2
Gender					
Men	37	27.5	5.3	17.2	37.9
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	14	16.5	4.8	7.1	25.8
65 Years and Older	21	22.1	4.8	12.7	31.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	37	14.2	2.9	8.6	19.9
Race					
White	36	13.9	2.8	8.4	19.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	19	16.9	4.8	7.6	26.3
Some College or College Graduate	18	9.9	2.4	5.1	14.7
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	17	15.5	4.4	6.8	24.2
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	22	12.6	3.5	5.9	19.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI<25)	*	*	*	*	*
Overweight (25<=BMI<30)	14	13.4	3.8	6.0	20.8
Obese (BMI>=30)	17	14.0	3.8	6.6	21.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	22	11.4	2.7	6.2	16.6
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	31	15.3	3.3	8.8	21.9
Health Insurance Status					
Insured	35	15.2	3.1	9.0	21.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2017

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,551	32.3	0.4	31.5	33.2
Montgomery County	94	39.7	4.1	31.5	47.8
Gender					
Men	47	40.0	6.1	28.1	51.9
Women	47	39.3	5.6	28.3	50.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	38	43.4	5.9	31.7	55.0
65 Years and Older	40	45.3	7.2	31.2	59.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	92	40.5	4.2	32.3	48.7
Race					
White	82	37.4	4.3	28.9	45.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	35	37.5	6.3	25.0	49.9
Some College or College Graduate	58	41.6	5.2	31.4	51.8
Annual Household Income					
Less than \$35,000 per Year	39	45.7	7.2	31.7	59.8
\$35,000 or Higher per Year	36	34.1	5.8	22.8	45.4
Disability Status					
Living with a Disability†	46	46.6	7.0	32.9	60.2
Living without a Disability	48	36.6	5.2	26.3	46.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	57	40.8	5.5	30.0	51.7
Does not participate in leisure time physical activity	32	35.5	6.3	23.1	47.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	80	44.3	4.7	35.2	53.5
Health Insurance Status					
Insured	88	42.4	4.5	33.7	51.7
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2017

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	13,706	67.2	0.4	66.3	68.0
Montgomery County	176	76.4	3.6	69.3	83.5
Gender					
Men	81	76.3	5.6	65.2	87.3
Women	95	76.6	4.5	67.8	85.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	67	73.1	5.7	61.8	84.3
65 Years and Older	72	80.3	5.8	68.9	91.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	171	76.3	3.7	69.1	83.4
Race					
White	160	77.8	3.8	70.4	85.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	71	79.5	5.3	69.1	89.9
Some College or College Graduate	104	72.9	4.9	63.4	82.5
Annual Household Income					
Less than \$35,000 per Year	66	72.3	6.6	59.4	85.1
\$35,000 or Higher per Year	75	75.0	5.3	64.6	85.3
Disability Status					
Living with a Disability†	71	78.2	6.1	66.2	90.2
Living without a Disability	104	76.1	4.5	67.2	85.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	107	81.1	3.8	73.7	88.6
Does not participate in leisure time physical activity	62	69.9	7.1	56.0	83.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	144	79.0	4.0	71.2	86.8
Health Insurance Status					
Insured	159	77.1	3.9	69.4	84.9
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Technical Notes

The 2017 BRFSS data for your county/region on health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is greater than 30 percent

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>

In 2017, cholesterol questions and fruits and vegetables modules were modified for all states. Due to the changes in methodology, we do not advise comparing 2017 findings to the previous modules.

For more information on new fruits and vegetables module: please visit <https://www.cdc.gov/nutrition/data-statistics/using-the-new-BRFSS-modules.html>

In 2017 and 2016, a six-item set of questions identify disability in hearing, vision, cognition, mobility, self-care, and independent living for all states. Respondents who responded "yes" to at least one of the six functional disability questions were identified as adults living with a disability.

For more information on disability questions: please visit https://www.cdc.gov/brfss/data_documentation/pdf/BRFSS_Data_Users_Guide_on_Disability_Questions_2018-508.pdf

Please visit the BRFSS questionnaires below to see the questions on specific topics:

2017 Kansas BRFSS: <http://www.kdheks.gov/brfss/PDF/ks2017svy.pdf>

2016 Kansas BRFSS: <http://www.kdheks.gov/brfss/PDF/ks2016svy.pdf>

2015 Kansas BRFSS: <http://www.kdheks.gov/brfss/PDF/ks2015svy.pdf>