


2017 Kansas Behavioral Risk Factor Surveillance System Local Data

Pottawatomie County



This page is intentionally blank.

2017 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Laura Kelly, Governor

Kansas Department of Health and Environment
Lee A. Norman, M.D., Acting Secretary

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Health Promotion and BRFSS Epidemiology
Bureau of Epidemiology and Public Health Informatics (BEPHI)

Report Supervision:
Belle Federman, ScD
Senior Epidemiologist
Health Promotion and BRFSS Epidemiology
Bureau of Epidemiology and Public Health Informatics (BEPHI)

Project Funding:
Partial funding for the 2017 Behavioral Risk Factor Survey was provided by cooperative agreement 6NU58DP006025-03-01 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion
February 2019**

Kansas Department of Health and Environment (KDHE)


Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov



Pottawatomie County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2017 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Health Promotion and BRFSS Epidemiology
Bureau of Epidemiology and Public Health Informatics (BEPHI)
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-6513
Fax: 785-296-8059
Pratik.Pandya@ks.gov

Belle Federman, ScD
Senior Epidemiologist
Health Promotion and BRFSS Epidemiology
Bureau of Epidemiology and Public Health Informatics (BEPHI)
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1152
Fax: 785-296-8059
Belle.Federman@ks.gov



Table of Contents

Alcohol Consumption	
Binge Drinking.....	1
Arthritis	
Arthritis	3
Activity Limitation Due to Arthritis	5
Asthma	7
Cancer	
Cancer (Excluding Skin Cancer)	9
Skin Cancer	11
Cardiovascular Health	
High Blood Pressure	13
Cholesterol	
Not Checked Cholesterol within Five Years	15
High Blood Cholesterol Status.....	17
Depressive Disorder	19
Diabetes	21
Disability	23
Exercise and Physical Activity	
Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening)	25
Did Not Participate in the Recommended Level of Aerobic and Strengthening Physical Activity.....	27
Not Participating in Any Physical Activity	29
Fruits and Vegetable Consumption	
Consuming Fruits Less than 1 Time Per Day	31
Consuming Vegetables Less than 1 Time Per Day.....	33
Health Care Access	

Lack Health Care Coverage	35
Lack Health Care Coverage 18 to 64 Years Old Only	37
No Personal Doctor	39
Did Not See Doctor Due to Cost.....	41
General Health	43
Healthy Days - Health Related Quality of Life	
Physical Health Status.....	45
Mental Health Status	47
Poor Physical or Mental Health is Barrier to Usual Activities.....	49
Immunization	
Not Immunized Against Influenza.....	51
Not Immunized Against Influenza 65 Years and Older Only	53
Seatbelt Use	55
Tobacco Use	
Current Smoker	57
Smokeless Tobacco Use.....	59
Male Smokeless Tobacco Use	61
Veteran Status	63
Weight Status (BMI Categories)	
Obese.....	65
Overweight or Obese	67
Technical Notes	69

Unpublished Tables - The following data tables are not published due to insufficient sample and/or statistically unreliable estimates for Pottawatomie County: Heavy Drinking, Heart Attack, Coronary Heart Disease, Stroke, Chronic Obstructive Pulmonary Disease (COPD), Never Had Pneumonia Vaccination 65 Years and Older Only, and Tried Quitting Smoking.

Percentage of Adults Who Are Binge Drinkers, 2017

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,785	17.2	0.4	16.5	17.9
Pottawatomie County	41	19.6	4.3	11.1	28.1
Gender					
Men	32	31.9	7.4	17.5	46.4
Women	*	*	*	*	*
Age Group					
18 to 44 Years	18	19.9	4.7	10.8	29.1
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	41	20.6	4.5	11.8	29.4
Race					
White	39	19.9	4.4	11.2	28.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	29	17.0	3.4	10.4	23.6
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	31	18.1	3.4	11.3	24.8
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	33	17.9	3.3	11.4	24.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	17	19.7	5.2	9.6	29.9
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	31	23.7	6.0	11.9	35.5
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	34	16.0	3.0	10.2	21.9
Health Insurance Status					
Insured	36	19.1	4.7	9.9	28.4
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis, 2017

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,634	24.1	0.3	23.5	24.8
Pottawatomie County	71	22.7	4.0	14.9	30.5
Gender					
Men	36	26.3	7.0	12.7	40.0
Women	35	19.2	3.5	12.3	26.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	35	36.2	8.6	19.4	53.0
65 Years and Older	32	47.1	8.8	29.9	64.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	71	24.0	4.1	15.9	32.1
Race					
White	69	23.1	4.1	15.1	31.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	29	35.7	9.8	16.5	54.9
Some College or College Graduate	42	16.7	2.8	11.3	22.0
Annual Household Income					
Less than \$35,000 per Year	24	41.2	10.9	19.8	62.5
\$35,000 or Higher per Year	38	15.4	2.7	10.2	20.6
Disability Status					
Living with a Disability†	31	51.0	10.5	30.4	71.6
Living without a Disability	38	12.9	2.2	8.5	17.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	22	17.1	4.1	9.1	25.1
Obese (BMI ≥ 30)	32	28.0	5.1	18.0	38.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	38	19.8	5.7	8.6	30.9
Does not participate in leisure time physical activity	29	28.2	5.7	17.0	39.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	57	18.2	2.6	13.2	23.3
Health Insurance Status					
Insured	66	24.2	4.4	15.7	32.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2017

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,148	49.7	0.8	48.2	51.2
Pottawatomie County	28	47.1	10.8	25.9	68.4
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	28	47.1	10.8	25.9	68.4
Race					
White	27	47.1	11.0	25.6	68.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>21</i>	<i>32.7</i>	<i>6.7</i>	<i>19.5</i>	<i>45.9</i>
Health Insurance Status					
Insured	<i>27</i>	<i>49.5</i>	<i>11.1</i>	<i>27.7</i>	<i>71.2</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Current Asthma, 2017

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,901	9.1	0.3	8.6	9.6
Pottawatomie County	15	5.7	1.6	2.5	8.8
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	15	6.0	1.7	2.6	9.3
Race					
White	15	5.8	1.7	2.6	9.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	14	6.0	1.7	2.6	9.5
Health Insurance Status					
Insured	15	6.4	1.8	2.8	10.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2017

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,030	7.1	0.2	6.7	7.4
Pottawatomie County	25	6.6	1.5	3.7	9.5
Gender					
Men	*	*	*	*	*
Women	17	9.1	2.4	4.4	13.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	17	23.2	6.1	11.1	35.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	25	7.0	1.6	4.0	10.1
Race					
White	24	6.7	1.5	3.7	9.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	14	4.8	1.4	2.0	7.5
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	14	5.4	1.5	2.4	8.3
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	17	6.4	1.7	3.0	9.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	16	6.3	1.8	2.8	9.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	21	7.1	1.7	3.8	10.5
Health Insurance Status					
Insured	24	7.3	1.6	4.0	10.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2017

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,960	6.3	0.2	5.9	6.6
Pottawatomie County	19	4.5	1.1	2.3	6.7
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	19	4.8	1.2	2.4	7.1
Race					
White	19	4.6	1.2	2.3	6.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	16	5.6	1.5	2.6	8.6
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	15	5.8	1.6	2.6	8.9
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	15	5.7	1.6	2.5	8.9
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	19	5.6	1.4	2.9	8.3
Health Insurance Status					
Insured	19	5.1	1.3	2.6	7.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Hypertension, 2017

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,757	32.8	0.4	32.0	33.5
Pottawatomie County	94	33.1	4.2	24.9	41.4
Gender					
Men	56	44.4	6.5	31.6	57.1
Women	38	22.4	3.9	14.7	30.1
Age Group					
18 to 44 Years	13	13.0	3.6	5.9	20.2
45 to 64 Years	43	51.1	7.6	36.1	66.0
65 Years and Older	38	51.7	9.2	33.7	69.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	92	34.3	4.3	25.9	42.8
Race					
White	92	33.6	4.3	25.2	42.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	29	38.6	9.7	19.5	57.7
Some College or College Graduate	65	30.7	3.9	23.0	38.4
Annual Household Income					
Less than \$35,000 per Year	24	39.7	11.1	18.0	61.4
\$35,000 or Higher per Year	54	28.8	4.2	20.6	36.9
Disability Status					
Living with a Disability†	31	49.7	10.7	28.7	70.8
Living without a Disability	59	27.2	3.8	19.8	34.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	37	35.4	6.0	23.6	47.1
Obese (BMI ≥ 30)	40	44.4	6.5	31.6	57.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	54	31.1	5.8	19.7	42.6
Does not participate in leisure time physical activity	35	38.1	6.6	25.1	51.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	81	30.9	3.6	23.8	38.0
Health Insurance Status					
Insured	86	33.1	4.4	24.5	41.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2017 ‡**

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,246	15.2	0.4	14.5	15.9
Pottawatomie County	27	17.7	3.8	10.3	25.1
Gender					
Men	17	16.9	4.2	8.6	25.1
Women	*	*	*	*	*
Age Group					
18 to 44 Years	20	29.0	5.9	17.4	40.7
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	24	14.5	3.3	8.1	20.9
Race					
White	26	18.0	3.9	10.4	25.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	18	13.6	3.3	7.2	20.0
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	13	11.5	3.2	5.1	17.8
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	21	16.8	3.5	10.0	23.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	14	33.7	8.6	16.9	50.5
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	19	15.5	3.9	7.9	23.2
Health Insurance Status					
Insured	19	13.2	3.5	6.2	20.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years or never had their blood cholesterol checked.

Denominator: All respondents excluding unknowns and refusals.

‡ In 2017, the cholesterol questions have been modified for all states.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2017 ‡

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,314	34.1	0.4	33.2	34.9
Pottawatomie County	72	23.1	3.1	17.0	29.2
Gender					
Men	33	17.5	3.7	10.2	24.7
Women	39	28.7	4.6	19.6	37.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	33	22.7	4.9	13.1	32.4
65 Years and Older	31	52.3	7.2	38.1	66.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	71	23.3	3.2	17.1	29.5
Race					
White	71	23.4	3.2	17.2	29.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	23	29.0	7.9	13.5	44.6
Some College or College Graduate	49	21.2	3.3	14.6	27.7
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	43	21.8	3.6	14.8	28.8
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	47	19.8	3.2	13.6	26.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	26	22.9	4.9	13.3	32.5
Obese (BMI ≥ 30)	28	29.3	5.3	18.8	39.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	46	19.5	3.4	12.9	26.1
Does not participate in leisure time physical activity	22	32.7	6.8	19.4	46.1
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	64	24.7	3.3	18.3	31.1
Health Insurance Status					
Insured	68	23.7	3.2	17.4	30.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

‡ In 2017, the cholesterol questions have been modified for all states.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Were Ever Diagnosed with a Depressive Disorder,
2017**

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,374	20.9	0.4	20.2	21.6
Pottawatomie County	41	18.5	4.1	10.5	26.5
Gender					
Men	*	*	*	*	*
Women	22	17.3	3.8	9.9	24.7
Age Group					
18 to 44 Years	22	20.2	4.2	11.9	28.4
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	40	19.1	4.3	10.8	27.5
Race					
White	40	19.0	4.2	10.8	27.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	29	15.1	2.9	9.5	20.7
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	24	12.8	2.7	7.4	18.1
Disability Status					
Living with a Disability†	19	44.9	11.1	23.2	66.7
Living without a Disability	22	10.0	2.2	5.7	14.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	18	20.7	5.0	11.0	30.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	26	19.5	5.9	8.0	31.0
Does not participate in leisure time physical activity	13	17.8	5.1	7.9	27.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	31	12.5	2.4	7.9	17.1
Health Insurance Status					
Insured	35	18.5	4.5	9.7	27.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2017

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,844	10.5	0.2	10.0	11.0
Pottawatomie County	35	11.3	2.4	6.6	15.9
Gender					
Men	21	14.4	4.1	6.4	22.5
Women	14	8.3	2.4	3.5	13.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	13	20.0	5.9	8.4	31.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	34	11.7	2.5	6.8	16.5
Race					
White	34	11.4	2.4	6.6	16.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	22	11.8	3.1	5.7	17.9
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	20	12.7	3.5	5.9	19.5
Disability Status					
Living with a Disability†	17	19.9	5.9	8.2	31.5
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	17	15.8	4.1	7.7	23.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	19	11.8	3.4	5.2	18.4
Does not participate in leisure time physical activity	14	10.6	3.1	4.6	16.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	33	13.5	2.8	8.0	19.1
Health Insurance Status					
Insured	32	10.6	2.0	6.6	14.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2017†

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,832	25.9	0.4	25.2	26.7
Pottawatomie County	63	26.7	4.4	18.0	35.4
Gender					
Men	35	28.1	7.1	14.2	42.1
Women	28	25.4	5.3	14.9	35.8
Age Group					
18 to 44 Years	14	15.2	3.9	7.5	22.9
45 to 64 Years	*	*	*	*	*
65 Years and Older	29	56.7	8.5	40.1	73.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	61	25.5	4.3	17.0	34.0
Race					
White	61	26.9	4.6	17.9	35.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	23	43.1	10.1	23.3	62.9
Some College or College Graduate	40	19.4	3.2	13.1	25.6
Annual Household Income					
Less than \$35,000 per Year	28	57.4	9.7	38.4	76.3
\$35,000 or Higher per Year	24	12.2	2.7	6.9	17.5
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	23	21.0	4.6	12.0	29.9
Obese (BMI ≥ 30)	25	27.1	5.3	16.7	37.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	30	21.6	5.8	10.2	33.7
Does not participate in leisure time physical activity	31	39.4	7.3	25.0	53.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	49	20.4	3.5	13.5	27.3
Health Insurance Status					
Insured	58	27.8	4.8	18.4	37.3
Uninsured	*	*	*	*	*

Numerator: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living)

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2017

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	15,354	81.0	0.4	80.3	81.7
Pottawatomie County	201	85.5	2.5	80.6	90.3
Gender					
Men	99	83.1	3.9	75.5	90.7
Women	102	87.7	3.2	81.5	93.9
Age Group					
18 to 44 Years	70	81.5	4.0	73.6	89.4
45 to 64 Years	76	85.8	4.2	77.7	94.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	196	84.8	2.6	79.7	89.8
Race					
White	197	85.8	2.5	81.0	90.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	140	80.4	3.2	74.1	86.7
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	121	77.2	3.6	70.0	84.3
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	147	82.4	3.0	76.5	88.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	76	79.7	4.5	70.9	88.5
Obese (BMI ≥ 30)	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	174	83.6	2.8	78.2	89.0
Health Insurance Status					
Insured	183	84.1	2.7	78.7	89.4
Uninsured	*	*	*	*	*

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2017

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,754	41.2	0.5	40.3	42.1
Pottawatomie County	104	45.3	4.3	36.8	53.8
Gender					
Men	52	38.9	5.9	27.3	50.4
Women	52	51.2	5.8	39.9	62.5
Age Group					
18 to 44 Years	38	46.1	5.9	34.4	57.8
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	100	43.1	4.2	34.9	51.4
Race					
White	101	45.3	4.4	36.7	53.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	70	43.9	4.3	35.4	52.3
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	57	35.6	4.3	27.2	44.0
Disability Status					
Living with a Disability†	32	48.3	11.0	26.8	69.9
Living without a Disability	70	42.3	4.2	34.0	50.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	32	35.6	5.7	24.4	46.9
Obese (BMI ≥ 30)	42	58.5	6.7	45.5	71.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	89	46.2	4.2	38.1	54.4
Health Insurance Status					
Insured	91	42.0	4.4	33.3	50.7
Uninsured	*	*	*	*	*

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2017

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,721	27.9	0.4	27.1	28.7
Pottawatomie County	81	33.3	4.0	25.4	41.1
Gender					
Men	45	32.1	5.3	21.8	42.5
Women	36	34.4	5.9	22.8	46.0
Age Group					
18 to 44 Years	23	31.0	5.8	19.7	42.3
45 to 64 Years	31	26.3	5.6	15.4	37.2
65 Years and Older	26	54.8	9.0	37.1	72.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	78	31.0	3.8	23.7	38.4
Race					
White	81	34.1	4.1	26.1	42.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	34	48.2	9.7	29.1	67.2
Some College or College Graduate	47	26.4	3.8	19.0	33.8
Annual Household Income					
Less than \$35,000 per Year	33	57.3	11.3	35.0	79.5
\$35,000 or Higher per Year	38	21.4	3.6	14.4	28.5
Disability Status					
Living with a Disability†	31	45.9	10.5	25.4	66.4
Living without a Disability	48	26.4	3.7	19.2	33.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	17	30.1	8.6	13.3	46.9
Overweight (25 ≤ BMI < 30)	27	26.8	5.2	16.7	36.9
Obese (BMI ≥ 30)	35	44.8	7.0	31.1	58.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	64	30.1	3.9	22.4	37.9
Health Insurance Status					
Insured	68	29.3	4.0	21.6	37.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2017‡**

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,946	37.5	0.4	36.7	38.4
Pottawatomie County	90	38.9	4.6	30.0	47.8
Gender					
Men	50	43.4	7.0	29.7	57.2
Women	40	34.7	5.7	23.6	45.9
Age Group					
18 to 44 Years	30	33.7	5.5	22.9	44.4
45 to 64 Years	41	45.9	8.5	29.3	62.6
65 Years and Older	18	39.2	11.2	17.2	61.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	87	37.7	4.5	28.8	46.6
Race					
White	87	39.6	4.6	30.5	48.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	28	52.2	9.9	32.7	71.6
Some College or College Graduate	62	32.8	4.1	24.8	40.8
Annual Household Income					
Less than \$35,000 per Year	23	49.6	10.9	28.2	71.1
\$35,000 or Higher per Year	56	31.4	4.1	23.3	39.4
Disability Status					
Living with a Disability†	23	56.4	10.2	36.5	76.3
Living without a Disability	66	33.4	4.0	25.6	41.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	24	52.9	9.5	34.3	71.5
Overweight (25 ≤ BMI < 30)	28	29.8	5.7	18.7	40.9
Obese (BMI ≥ 30)	36	38.9	6.4	26.3	51.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	52	33.6	5.9	22.1	45.1
Does not participate in leisure time physical activity	37	50.5	7.5	35.8	65.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	76	35.5	4.1	27.5	43.6
Health Insurance Status					
Insured	80	39.8	4.8	30.4	49.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

‡ In 2017, the fruit and vegetable questions have been modified for all states. Fruit consumption includes: fruits and 100% PURE fruit juices/blends.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2017‡**

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,049	17.3	0.4	16.6	18.0
Pottawatomie County	36	16.7	4.4	8.0	25.4
Gender					
Men	*	*	*	*	*
Women	15	12.2	3.5	5.3	19.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	35	16.7	4.6	7.6	25.7
Race					
White	35	16.9	4.5	8.0	25.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	24	12.3	2.9	6.7	17.9
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	18	9.2	2.4	4.4	14.0
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	22	10.9	2.6	5.8	16.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	17	18.7	4.9	9.0	28.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	19	19.3	5.1	9.3	29.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	27	10.9	2.4	6.2	15.7
Health Insurance Status					
Insured	33	17.3	4.9	7.8	26.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

‡ In 2017, the fruit and vegetable questions have been modified for all states. Vegetable consumption includes: green leafy or lettuce salad, fried potatoes, any other kind of potatoes/sweet potatoes, or other vegetables.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2017

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,969	12.5	0.3	11.8	13.1
Pottawatomie County	20	9.4	2.6	4.2	14.5
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	19	9.2	2.7	3.9	14.5
Race					
White	19	9.5	2.7	4.2	14.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	14	8.0	2.3	3.4	12.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2017**

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,830	15.3	0.4	14.5	16.1
Pottawatomie County	19	11.2	3.2	5.1	17.4
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	18	10.8	3.2	4.6	17.1
Race					
White	18	11.4	3.2	5.0	17.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	13	8.7	2.6	3.7	13.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2017

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,646	22.4	0.4	21.7	23.2
Pottawatomie County	40	16.3	2.7	10.9	21.7
Gender					
Men	23	18.7	4.2	10.6	26.8
Women	17	14.0	3.6	6.9	21.2
Age Group					
18 to 44 Years	27	28.1	5.1	18.2	38.0
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	40	17.2	2.9	11.6	22.9
Race					
White	38	16.5	2.8	11.0	22.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	30	17.5	3.3	11.0	23.9
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	22	14.2	3.1	8.2	20.3
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	30	17.8	3.3	11.3	24.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	13	15.8	4.6	6.7	24.8
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	21	13.9	3.3	7.4	20.4
Does not participate in leisure time physical activity	16	21.9	5.5	11.1	32.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	31	15.2	2.9	9.6	20.9
Health Insurance Status					
Insured	30	13.8	2.7	8.5	19.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2017

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,144	12.1	0.3	11.5	12.7
Pottawatomie County	31	16.8	4.3	8.4	25.3
Gender					
Men	*	*	*	*	*
Women	17	16.7	4.6	7.6	25.8
Age Group					
18 to 44 Years	16	18.0	5.0	8.2	27.9
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	31	17.8	4.5	9.0	26.6
Race					
White	30	17.2	4.4	8.6	25.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	17	8.7	2.3	4.2	13.1
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	14	8.0	2.3	3.5	12.5
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	14	7.2	2.0	3.2	11.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	18	7.1	1.8	3.6	10.6
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2017

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,766	16.7	0.3	16.0	17.3
Pottawatomie County	41	20.5	4.6	11.6	29.5
Gender					
Men	*	*	*	*	*
Women	18	18.9	5.6	7.9	30.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	40	19.3	4.4	10.6	28.0
Race					
White	39	20.1	4.7	10.9	29.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	19	42.2	10.3	22.1	62.4
Some College or College Graduate	22	10.7	2.4	5.9	15.4
Annual Household Income					
Less than \$35,000 per Year	23	54.6	9.9	35.3	74.0
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	24	52.0	10.3	31.8	72.2
Living without a Disability	14	6.7	1.9	2.9	10.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	14	12.8	3.8	5.4	20.2
Obese (BMI ≥ 30)	16	22.9	6.9	9.5	36.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	20	33.0	8.0	17.3	48.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	29	13.8	3.3	7.3	20.3
Health Insurance Status					
Insured	38	20.2	4.8	10.8	29.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Physical Health Was Not Good on 14 or More Days in the Past 30 Days, 2017

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,574	11.3	0.3	10.8	11.8
Pottawatomie County	30	15.8	4.4	7.2	24.5
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	29	14.3	4.2	6.0	22.6
Race					
White	29	15.7	4.5	6.8	24.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	18	8.6	2.2	4.2	12.9
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	22	50.5	10.7	29.6	71.5
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	22	11.1	3.2	4.8	17.5
Health Insurance Status					
Insured	27	16.4	4.9	6.8	26.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14
or More Days in the Past 30 Days, 2017**

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,163	11.4	0.3	10.8	12.0
Pottawatomie County	26	15.5	4.4	7.0	24.1
Gender					
Men	*	*	*	*	*
Women	16	16.7	4.7	7.6	25.9
Age Group					
18 to 44 Years	14	17.5	5.1	7.5	27.5
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	26	16.4	4.6	7.5	25.4
Race					
White	25	15.3	4.5	6.6	24.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	17	9.3	2.4	4.6	14.0
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	21	9.5	2.2	5.3	13.8
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2017

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,399	40.8	0.6	39.6	42.0
Pottawatomie County	52	47.1	6.7	34.0	60.1
Gender					
Men	29	54.0	9.9	34.7	73.3
Women	23	40.9	8.3	24.6	57.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	51	44.8	6.6	31.8	57.8
Race					
White	52	47.8	6.7	34.7	60.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	34	36.4	5.7	25.2	47.7
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	23	33.3	6.4	20.8	45.9
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	25	29.5	5.6	18.6	40.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	29	43.6	9.1	25.8	61.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	36	37.9	6.4	25.3	50.6
Health Insurance Status					
Insured	46	48.4	7.1	34.4	62.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2017**

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	11,141	61.6	0.4	60.7	62.4
Pottawatomie County	142	64.0	3.7	56.6	71.3
Gender					
Men	75	61.0	5.8	49.7	72.3
Women	67	66.9	4.8	57.5	76.3
Age Group					
18 to 44 Years	64	72.2	4.9	62.7	81.7
45 to 64 Years	52	63.4	6.9	49.8	77.0
65 Years and Older	24	40.7	10.3	20.4	61.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	139	63.5	3.8	56.1	70.9
Race					
White	135	63.1	3.8	55.6	70.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	36	67.6	7.5	52.9	82.3
Some College or College Graduate	106	62.3	4.1	54.3	70.2
Annual Household Income					
Less than \$35,000 per Year	32	69.3	8.0	53.6	85.0
\$35,000 or Higher per Year	90	59.8	4.4	51.3	68.4
Disability Status					
Living with a Disability†	28	61.4	9.3	43.2	79.5
Living without a Disability	112	63.8	3.9	56.0	71.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	38	75.0	6.5	62.1	87.8
Overweight (25 ≤ BMI < 30)	51	54.6	5.9	43.1	66.1
Obese (BMI ≥ 30)	45	60.6	6.5	47.9	73.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	99	66.1	4.5	57.4	74.9
Does not participate in leisure time physical activity	43	59.7	6.7	46.5	72.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	120	59.9	3.9	52.3	67.5
Health Insurance Status					
Insured	123	60.5	4.1	52.4	68.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2017**

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,774	44.0	0.7	42.5	45.4
Pottawatomie County	24	40.7	10.3	20.4	61.0
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	23	30.5	6.0	18.7	42.2
Race					
White	24	40.7	10.3	20.4	61.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	22	41.0	11.1	19.3	62.8
Health Insurance Status					
Insured	23	40.3	10.5	19.8	60.8
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they did not receive a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2017**

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,294	16.6	0.3	16.0	17.3
Pottawatomie County	42	18.3	3.4	11.7	24.9
Gender					
Men	32	24.5	4.3	16.0	32.9
Women	*	*	*	*	*
Age Group					
18 to 44 Years	14	14.9	4.1	6.9	22.9
45 to 64 Years	19	20.4	4.8	11.1	29.8
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	41	16.5	2.7	11.1	21.9
Race					
White	41	18.4	3.4	11.7	25.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	31	17.8	3.3	11.3	24.3
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	25	13.2	2.8	7.8	18.6
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	34	17.7	3.2	11.4	24.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	20	20.9	4.9	11.3	30.5
Obese (BMI ≥ 30)	14	16.9	4.8	7.5	26.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	23	14.7	3.3	8.3	21.1
Does not participate in leisure time physical activity	19	25.0	7.2	10.9	39.1
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	38	19.3	3.7	12.0	26.6
Health Insurance Status					
Insured	38	18.5	3.6	11.3	25.6
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2017

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,145	17.4	0.4	16.7	18.1
Pottawatomie County	33	17.7	4.4	9.1	26.3
Gender					
Men	*	*	*	*	*
Women	19	16.5	4.6	7.6	25.5
Age Group					
18 to 44 Years	13	17.1	5.1	7.2	27.1
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	33	18.7	4.6	9.7	27.7
Race					
White	31	17.6	4.5	8.8	26.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	19	38.8	10.2	18.9	58.8
Some College or College Graduate	14	7.5	2.2	3.2	11.8
Annual Household Income					
Less than \$35,000 per Year	16	39.5	11.4	17.1	61.9
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	18	8.7	2.2	4.4	13.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	13	24.2	7.2	10.2	38.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	16	25.2	6.9	11.6	38.8
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2017

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,011	5.5	0.2	5.1	5.9
Pottawatomie County	18	6.3	1.6	3.0	9.5
Gender					
Men	16	11.1	3.1	5.0	17.3
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	18	6.6	1.7	3.2	10.0
Race					
White	17	6.3	1.7	3.0	9.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	14	7.5	2.2	3.2	11.8
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	15	6.2	1.8	2.7	9.6
Health Insurance Status					
Insured	15	5.1	1.5	2.2	7.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

† **Living with a Disability:** Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2017

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	919	10.1	0.4	9.4	10.9
Pottawatomie County	16	11.1	3.1	5.0	17.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	16	11.4	3.2	5.1	17.7
Race					
White	15	11.1	3.2	4.9	17.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	13	14.0	4.1	5.9	22.0
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>14</i>	<i>12.4</i>	<i>3.5</i>	<i>5.4</i>	<i>19.4</i>
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2017**

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,748	10.9	0.2	10.4	11.4
Pottawatomie County	44	12.5	2.1	8.4	16.6
Gender					
Men	41	23.5	4.2	15.3	31.6
Women	*	*	*	*	*
Age Group					
18 to 44 Years	12	10.7	3.1	4.6	16.7
45 to 64 Years	*	*	*	*	*
65 Years and Older	22	30.6	7.2	16.5	44.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	42	12.1	2.1	8.0	16.1
Race					
White	43	12.4	2.1	8.3	16.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	31	12.6	2.4	7.8	17.3
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	28	14.8	2.9	9.1	20.5
Disability Status					
Living with a Disability†	19	20.3	5.9	8.8	31.8
Living without a Disability	25	10.5	2.3	6.0	14.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	22	17.7	4.0	9.9	25.5
Obese (BMI ≥ 30)	14	14.4	4.1	6.4	22.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	29	13.1	2.7	7.8	18.4
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	40	14.4	2.4	9.6	19.1
Health Insurance Status					
Insured	40	12.6	2.2	8.3	17.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2017

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,551	32.3	0.4	31.5	33.2
Pottawatomie County	86	29.8	3.6	22.8	36.9
Gender					
Men	50	32.0	5.1	22.0	42.1
Women	36	27.6	5.2	17.4	37.8
Age Group					
18 to 44 Years	26	29.2	5.7	18.1	40.3
45 to 64 Years	42	34.1	6.4	21.5	46.7
65 Years and Older	18	23.1	6.1	11.3	35.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	83	30.5	3.7	23.2	37.7
Race					
White	83	30.0	3.7	22.8	37.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	27	32.7	8.0	17.0	48.5
Some College or College Graduate	59	28.7	3.7	21.3	36.0
Annual Household Income					
Less than \$35,000 per Year	25	34.3	9.0	16.5	52.0
\$35,000 or Higher per Year	52	28.4	3.9	20.7	36.1
Disability Status					
Living with a Disability†	25	28.7	7.6	13.8	43.7
Living without a Disability	58	28.0	3.6	20.8	35.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	47	24.8	4.0	16.9	32.7
Does not participate in leisure time physical activity	35	40.4	7.3	26.2	54.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	72	27.4	3.4	20.8	34.0
Health Insurance Status					
Insured	77	27.9	3.4	21.1	34.6
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2017

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	13,706	67.2	0.4	66.3	68.0
Pottawatomie County	187	66.0	4.6	57.0	75.0
Gender					
Men	116	77.1	7.5	62.4	91.8
Women	71	54.8	5.8	43.4	66.2
Age Group					
18 to 44 Years	60	62.5	5.7	51.4	73.7
45 to 64 Years	81	72.1	9.5	53.5	90.8
65 Years and Older	45	62.2	10.4	41.9	82.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	183	68.0	4.5	59.2	76.9
Race					
White	183	66.6	4.7	57.4	75.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	50	55.6	10.1	35.9	75.4
Some College or College Graduate	136	70.9	4.1	62.9	78.8
Annual Household Income					
Less than \$35,000 per Year	43	55.6	11.2	33.6	77.6
\$35,000 or Higher per Year	120	69.3	4.3	60.9	77.7
Disability Status					
Living with a Disability†	48	57.7	12.3	33.6	81.7
Living without a Disability	135	67.5	4.0	59.6	75.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	120	65.6	6.0	53.9	77.3
Does not participate in leisure time physical activity	62	70.3	7.7	55.3	85.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	165	68.4	4.1	60.3	76.5
Health Insurance Status					
Insured	171	64.0	4.9	54.4	73.6
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Technical Notes

The 2017 BRFSS data for your county/region on health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is greater than 30 percent

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>

In 2017, cholesterol questions and fruits and vegetables modules were modified for all states. Due to the changes in methodology, we do not advise comparing 2017 findings to the previous modules.

For more information on new fruits and vegetables module: please visit <https://www.cdc.gov/nutrition/data-statistics/using-the-new-BRFSS-modules.html>

In 2017 and 2016, a six-item set of questions identify disability in hearing, vision, cognition, mobility, self-care, and independent living for all states. Respondents who responded "yes" to at least one of the six functional disability questions were identified as adults living with a disability.

For more information on disability questions: please visit https://www.cdc.gov/brfss/data_documentation/pdf/BRFSS_Data_Users_Guide_on_Disability_Questions_2018-508.pdf

Please visit the BRFSS questionnaires below to see the questions on specific topics:

2017 Kansas BRFSS: <http://www.kdheks.gov/brfss/PDF/ks2017svy.pdf>

2016 Kansas BRFSS: <http://www.kdheks.gov/brfss/PDF/ks2016svy.pdf>

2015 Kansas BRFSS: <http://www.kdheks.gov/brfss/PDF/ks2015svy.pdf>