

# 2017 Kansas Behavioral Risk Factor Surveillance System Local Data

## Reno County



This page is intentionally blank.

# **2017 Kansas Behavioral Risk Factor Surveillance System Local Data**

State of Kansas  
Laura Kelly, Governor

Kansas Department of Health and Environment  
Lee A. Norman, M.D., Acting Secretary

**Report Preparation:**  
Pratik Pandya, MPH  
Advanced Epidemiologist  
Health Promotion and BRFSS Epidemiology  
Bureau of Epidemiology and Public Health Informatics (BEPHI)

**Report Supervision:**  
Belle Federman, ScD  
Senior Epidemiologist  
Health Promotion and BRFSS Epidemiology  
Bureau of Epidemiology and Public Health Informatics (BEPHI)

**Project Funding:**  
Partial funding for the 2017 Behavioral Risk Factor Survey was provided by cooperative agreement 6NU58DP006025-03-01 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment  
Bureau of Health Promotion  
February 2019**

# **Kansas Department of Health and Environment (KDHE)**


## **Mission**

To protect and improve the health and environment of all Kansans

## **Vision**

Healthy Kansans living in safe and sustainable environments

**[www.kdheks.gov](http://www.kdheks.gov)**



### Reno County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2017 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH  
Advanced Epidemiologist  
Health Promotion and BRFSS Epidemiology  
Bureau of Epidemiology and Public Health Informatics (BEPHI)  
Kansas Department of Health and Environment  
Curtis State Office Building,  
1000 SW Jackson Street, Suite 230  
Topeka, KS 66612-1274  
Telephone: 785-296-6513  
Fax: 785-296-8059  
Pratik.Pandya@ks.gov

Belle Federman, ScD  
Senior Epidemiologist  
Health Promotion and BRFSS Epidemiology  
Bureau of Epidemiology and Public Health Informatics (BEPHI)  
Kansas Department of Health & Environment  
Curtis State Office Building  
1000 SW Jackson, Suite 230  
Topeka, KS 66612-1274  
Telephone: 785-296-1152  
Fax: 785-296-8059  
Belle.Federman@ks.gov

# Table of Contents

## **Alcohol Consumption**

Binge Drinking .....	1
----------------------	---

## **Arthritis**

Arthritis .....	3
Activity Limitation Due to Arthritis .....	5

<b>Asthma</b> .....	7
---------------------	---

## **Cancer**

Cancer (Excluding Skin Cancer) .....	9
Skin Cancer .....	11

## **Cardiovascular Health**

Heart Attack .....	13
Coronary Heart Disease .....	15
High Blood Pressure .....	17

## **Cholesterol**

Not Checked Cholesterol within Five Years .....	19
High Blood Cholesterol Status.....	21

<b>Chronic Obstructive Pulmonary Disease (COPD)</b> .....	23
---	----

<b>Depressive Disorder</b> .....	25
----------------------------------	----

<b>Diabetes</b> .....	27
-----------------------	----

<b>Disability</b> .....	29
-------------------------	----

## **Exercise and Physical Activity**

Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening) .....	31
Did Not Participate in the Recommended Level of Aerobic and Strengthening Physical Activity.....	33
Not Participating in Any Physical Activity .....	35

**Fruits and Vegetable Consumption**

Consuming Fruits Less than 1 Time Per Day .....37  
Consuming Vegetables Less than 1 Time Per Day.....39

**Health Care Access**

Lack Health Care Coverage .....41  
Lack Health Care Coverage 18 to 64 Years Old Only .....43  
No Personal Doctor .....45  
Did Not See Doctor Due to Cost.....47

**General Health .....49**

**Healthy Days - Health Related Quality of Life**

Physical Health Status.....51  
Mental Health Status .....53  
Poor Physical or Mental Health is Barrier to Usual Activities.....55

**Immunization**

Not Immunized Against Influenza.....57  
Not Immunized Against Influenza 65 Years and Older Only .....59  
Never Had Pneumonia Vaccination 65 Years and Older Only .....61

**Seatbelt Use.....63**

**Tobacco Use**

Current Smoker .....65

**Veteran Status .....67**

**Weight Status (BMI Categories)**

Obese.....69  
Overweight or Obese .....71

**Technical Notes.....73**

**Unpublished Tables** - The following data tables are not published due to insufficient sample and/or statistically unreliable estimates for Reno County: Heavy Drinking, Stroke, Tried Quitting Smoking, Smokeless Tobacco Use, and Male Smokeless Tobacco Use.

## Percentage of Adults Who Are Binge Drinkers, 2017

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,785	17.2	0.4	16.5	17.9
Reno County	28	12.5	2.4	7.8	17.3
<b>Gender</b>					
Men	17	15.8	4.0	8.0	23.6
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	19	20.2	4.8	10.7	29.6
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	26	12.0	2.4	7.3	16.7
<b>Race</b>					
White	28	13.1	2.5	8.1	18.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	17	13.7	3.3	7.3	20.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	18	16.5	3.8	9.0	23.9
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	26	16.9	3.3	10.5	23.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	24	15.6	3.2	9.4	21.8
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	21	10.9	2.4	6.2	15.6
<b>Health Insurance Status</b>					
Insured	25	12.8	2.6	7.7	17.9
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults with Doctor Diagnosed Arthritis, 2017

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,634	24.1	0.3	23.5	24.8
Reno County	114	23.7	2.6	18.6	28.8
<b>Gender</b>					
Men	43	22.7	3.8	15.2	30.2
Women	71	24.7	3.5	17.8	31.5
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	37	26.4	4.5	17.5	35.2
65 Years and Older	66	45.9	5.0	36.2	55.6
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	111	24.2	2.7	19.0	29.4
<b>Race</b>					
White	103	22.2	2.5	17.2	27.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	40	25.4	4.7	16.1	34.6
Some College or College Graduate	74	22.5	2.9	16.7	28.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	42	30.7	5.3	20.3	41.1
\$35,000 or Higher per Year	46	17.0	2.9	11.4	22.6
<b>Disability Status</b>					
Living with a Disability†	60	49.4	6.7	36.3	62.4
Living without a Disability	45	12.5	2.2	8.2	16.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	21	15.0	4.2	6.7	23.3
Overweight (25 ≤ BMI < 30)	41	25.2	4.7	16.0	34.3
Obese (BMI ≥ 30)	38	28.1	5.0	18.2	38.0
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	63	19.6	3.0	13.8	25.4
Does not participate in leisure time physical activity	42	35.7	6.3	23.4	47.9
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	91	21.9	2.7	16.5	27.2
<b>Health Insurance Status</b>					
Insured	107	24.6	2.8	19.2	30.0
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

**Denominator:** All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2017**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,148	49.7	0.8	48.2	51.2
Reno County	49	51.8	5.7	40.5	63.0
<b>Gender</b>					
Men	*	*	*	*	*
Women	33	54.1	7.2	40.0	68.1
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	23	41.3	7.3	27.0	55.6
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	46	48.6	5.7	37.4	59.8
<b>Race</b>					
White	45	51.0	5.9	39.4	62.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	30	46.4	7.0	32.7	60.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	36	69.3	7.3	54.9	83.7
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	24	47.1	8.0	31.5	62.7
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	38	52.1	6.4	39.5	64.8
<b>Health Insurance Status</b>					
Insured	46	52.8	5.9	41.2	64.4
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

**Denominator:** Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults with Current Asthma, 2017

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,901	9.1	0.3	8.6	9.6
Reno County	36	8.3	1.6	5.1	11.5
<b>Gender</b>					
Men	*	*	*	*	*
Women	29	12.8	2.8	7.3	18.3
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	22	15.1	3.5	8.2	22.0
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	34	8.1	1.7	4.8	11.4
<b>Race</b>					
White	34	8.5	1.7	5.1	11.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	14	11.1	3.3	4.7	17.6
Some College or College Graduate	22	6.2	1.5	3.2	9.1
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	18	19.6	5.0	9.9	29.4
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	15	12.0	3.4	5.4	18.6
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	18	16.8	4.7	7.7	26.0
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	30	7.5	1.7	4.2	10.7
<b>Health Insurance Status</b>					
Insured	35	8.9	1.8	5.4	12.4
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

**Denominator:** All respondents, excluding unknowns and refusals.

† **Living with a Disability:** Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* **Insufficient sample and/or statistically unreliable estimate**

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.**

**Please refer to Technical Notes for more information.**

**Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2017**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,030	7.1	0.2	6.7	7.4
Reno County	40	7.6	1.5	4.7	10.4
<b>Gender</b>					
Men	16	7.8	2.3	3.2	12.3
Women	24	7.4	1.8	3.9	10.9
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	29	20.6	4.1	12.7	28.6
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	40	8.2	1.6	5.1	11.3
<b>Race</b>					
White	36	7.5	1.5	4.5	10.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	30	9.7	2.1	5.5	13.8
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	16	4.2	1.2	1.9	6.4
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	25	7.2	1.8	3.6	10.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	28	7.8	1.9	4.2	11.5
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	38	8.8	1.8	5.4	12.3
<b>Health Insurance Status</b>					
Insured	39	8.4	1.6	5.2	11.6
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

**Denominator:** All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2017

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,960	6.3	0.2	5.9	6.6
Reno County	31	5.9	1.2	3.5	8.2
<b>Gender</b>					
Men	*	*	*	*	*
Women	20	6.9	1.8	3.4	10.4
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	24	20.5	4.2	12.2	28.7
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	31	6.4	1.3	3.8	8.9
<b>Race</b>					
White	31	6.2	1.3	3.7	8.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	23	6.5	1.5	3.6	9.5
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	14	5.4	1.6	2.3	8.5
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	15	3.9	1.2	1.6	6.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	20	5.3	1.4	2.6	7.9
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	26	6.2	1.4	3.5	8.9
<b>Health Insurance Status</b>					
Insured	29	6.3	1.3	3.7	8.8
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

**Denominator:** All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults Who had a Heart Attack, 2017

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,202	4.2	0.1	3.9	4.4
Reno County	20	3.8	1.0	1.9	5.7
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	20	4.1	1.1	2.1	6.2
<b>Race</b>					
White	20	4.0	1.0	2.0	6.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	16	3.7	1.1	1.6	5.8
<b>Health Insurance Status</b>					
Insured	19	3.9	1.0	1.9	5.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had a heart attack also called a myocardial infarction.

Denominator: All respondents, excluding unknowns and refusals

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults Who had Angina or Coronary Heart Disease, 2017

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,154	4.0	0.1	3.7	4.3
Reno County	22	4.7	1.1	2.4	6.9
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	16	14.1	3.7	6.8	21.4
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	22	5.0	1.2	2.6	7.5
<b>Race</b>					
White	20	4.6	1.2	2.3	6.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	20	5.4	1.4	2.7	8.1
<b>Health Insurance Status</b>					
Insured	22	5.2	1.3	2.7	7.7
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they had angina or coronary heart disease.

**Denominator:** All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults with Diagnosed Hypertension, 2017

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,757	32.8	0.4	32.0	33.5
Reno County	149	31.6	3.0	25.7	37.5
<b>Gender</b>					
Men	64	32.9	4.4	24.3	41.5
Women	85	30.4	4.1	22.3	38.5
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	50	38.2	5.3	27.7	48.6
65 Years and Older	88	62.1	4.8	52.6	71.5
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	146	33.0	3.2	26.9	39.2
<b>Race</b>					
White	138	31.7	3.1	25.6	37.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	47	26.8	5.0	17.1	36.6
Some College or College Graduate	102	35.2	3.6	28.2	42.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	49	31.0	5.1	21.0	40.9
\$35,000 or Higher per Year	67	31.9	4.3	23.5	40.4
<b>Disability Status</b>					
Living with a Disability†	61	44.2	6.2	32.0	56.4
Living without a Disability	77	25.6	3.5	18.7	32.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	25	13.1	3.4	6.5	19.7
Overweight (25 ≤ BMI < 30)	56	39.3	6.0	27.6	51.1
Obese (BMI ≥ 30)	51	39.7	5.9	28.0	51.3
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	86	27.7	3.6	20.6	34.7
Does not participate in leisure time physical activity	50	42.4	6.8	29.1	55.6
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	117	29.7	3.3	23.2	36.1
<b>Health Insurance Status</b>					
Insured	139	31.5	3.0	25.5	37.4
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

**Denominator:** All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked  
Within the Past Five Years, 2017 ‡**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,246	15.2	0.4	14.5	15.9
Reno County	41	19.3	3.4	12.7	25.9
<b>Gender</b>					
Men	18	17.3	4.9	7.7	27.0
Women	23	21.3	4.6	12.2	30.3
<b>Age Group</b>					
18 to 44 Years	27	37.5	7.0	23.7	51.3
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	41	21.1	3.6	14.0	28.1
<b>Race</b>					
White	40	20.2	3.5	13.3	27.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	13	22.0	6.4	9.6	34.5
Some College or College Graduate	28	17.3	3.5	10.5	24.1
<b>Annual Household Income</b>					
Less than \$35,000 per Year	17	29.5	6.5	16.8	42.2
\$35,000 or Higher per Year	15	9.7	2.8	4.1	15.3
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	32	23.0	4.5	14.3	31.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	13	22.8	6.3	10.4	35.3
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	27	20.2	3.9	12.5	27.9
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	33	20.4	3.9	12.7	28.1
<b>Health Insurance Status</b>					
Insured	34	17.3	3.5	10.5	24.1
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had not checked their blood cholesterol in the past five years or never had their blood cholesterol checked.

**Denominator:** All respondents excluding unknowns and refusals.

‡ In 2017, the cholesterol questions have been modified for all states.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Tested and Diagnosed with High Cholesterol, 2017 ‡**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,314	34.1	0.4	33.2	34.9
Reno County	108	32.3	3.4	25.5	39.0
<b>Gender</b>					
Men	53	36.8	5.2	26.7	47.0
Women	55	27.4	4.3	19.1	35.8
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	41	39.7	5.9	28.1	51.3
65 Years and Older	61	49.0	5.2	38.8	59.1
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	104	31.7	3.4	25.1	38.2
<b>Race</b>					
White	100	32.5	3.6	25.5	39.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	34	33.4	6.4	20.8	46.0
Some College or College Graduate	74	31.5	3.8	24.1	38.9
<b>Annual Household Income</b>					
Less than \$35,000 per Year	32	31.2	6.0	19.5	43.0
\$35,000 or Higher per Year	52	29.5	4.5	20.6	38.4
<b>Disability Status</b>					
Living with a Disability†	44	49.1	7.4	34.6	63.6
Living without a Disability	59	25.7	3.7	18.4	33.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	40	32.6	5.8	21.2	44.0
Obese (BMI ≥ 30)	38	38.6	6.4	26.1	51.1
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	63	28.3	4.0	20.6	36.1
Does not participate in leisure time physical activity	38	49.0	7.3	34.6	63.4
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	86	29.9	3.5	23.0	36.8
<b>Health Insurance Status</b>					
Insured	104	33.7	3.6	26.6	40.7
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

**Denominator:** Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

‡ In 2017, the cholesterol questions have been modified for all states.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

*Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.*

Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease (COPD), Emphysema or Chronic Bronchitis, 2017**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,644	6.4	0.2	6.0	6.8
Reno County	31	6.6	1.5	3.8	9.5
<b>Gender</b>					
Men	*	*	*	*	*
Women	20	7.5	2.2	3.3	11.8
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	20	13.6	3.3	7.1	20.0
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	30	6.7	1.5	3.7	9.7
<b>Race</b>					
White	30	6.8	1.5	3.8	9.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	16	4.0	1.1	1.8	6.1
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	20	20.9	5.0	11.1	30.7
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	18	17.2	4.8	7.9	26.6
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	21	4.9	1.4	2.2	7.6
<b>Health Insurance Status</b>					
Insured	28	6.5	1.5	3.5	9.5
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

**Denominator:** All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Were Ever Diagnosed with a Depressive Disorder,  
2017**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,374	20.9	0.4	20.2	21.6
Reno County	64	19.4	2.8	13.9	24.8
<b>Gender</b>					
Men	19	12.9	3.3	6.4	19.4
Women	45	25.8	4.4	17.2	34.3
<b>Age Group</b>					
18 to 44 Years	19	19.0	4.5	10.3	27.8
45 to 64 Years	18	20.8	5.4	10.2	31.5
65 Years and Older	26	18.5	3.8	11.1	25.8
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	62	19.7	2.9	14.0	25.4
<b>Race</b>					
White	60	19.1	2.8	13.6	24.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	21	19.9	5.1	9.9	29.8
Some College or College Graduate	43	19.0	3.1	12.9	25.0
<b>Annual Household Income</b>					
Less than \$35,000 per Year	25	25.3	6.1	13.4	37.1
\$35,000 or Higher per Year	26	14.7	3.1	8.6	20.8
<b>Disability Status</b>					
Living with a Disability†	31	38.8	6.7	25.8	51.9
Living without a Disability	27	11.4	2.6	6.3	16.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	24	20.2	4.9	10.6	29.8
Obese (BMI ≥ 30)	20	20.5	5.6	9.6	31.4
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	34	18.2	3.6	11.2	25.2
Does not participate in leisure time physical activity	24	25.0	5.6	14.0	35.9
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	48	17.9	2.9	12.3	23.6
<b>Health Insurance Status</b>					
Insured	61	20.4	3.0	14.5	26.3
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

**Denominator:** All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults with Diagnosed Diabetes, 2017

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,844	10.5	0.2	10.0	11.0
Reno County	46	9.8	1.7	6.5	13.1
<b>Gender</b>					
Men	20	10.1	2.5	5.2	15.0
Women	26	9.5	2.2	5.1	13.9
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	31	22.6	4.1	14.6	30.6
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	46	10.6	1.8	7.1	14.2
<b>Race</b>					
White	44	9.8	1.7	6.4	13.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	32	11.2	2.3	6.8	15.7
<b>Annual Household Income</b>					
Less than \$35,000 per Year	22	15.4	3.8	8.0	22.9
\$35,000 or Higher per Year	16	6.8	2.0	2.9	10.6
<b>Disability Status</b>					
Living with a Disability†	26	19.7	4.3	11.3	28.2
Living without a Disability	19	6.3	1.7	2.9	9.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	15	9.0	2.7	3.8	14.3
Obese (BMI ≥ 30)	21	15.9	4.0	8.0	23.8
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	23	8.3	2.0	4.4	12.2
Does not participate in leisure time physical activity	20	14.8	3.8	7.3	22.4
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	41	10.1	1.9	6.4	13.7
<b>Health Insurance Status</b>					
Insured	42	9.3	1.7	6.1	12.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults Who Reported Living with a Disability, 2017†

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,832	25.9	0.4	25.2	26.7
Reno County	103	27.8	3.2	21.5	34.0
<b>Gender</b>					
Men	44	27.2	4.7	18.0	36.3
Women	59	28.3	4.4	19.8	36.9
<b>Age Group</b>					
18 to 44 Years	19	20.3	4.8	10.9	29.8
45 to 64 Years	26	26.7	5.8	15.3	38.1
65 Years and Older	58	45.6	5.2	35.4	55.8
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	97	25.4	3.0	19.5	31.3
<b>Race</b>					
White	93	26.9	3.3	20.6	33.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	45	39.1	6.4	26.6	51.7
Some College or College Graduate	58	19.3	2.7	13.9	24.7
<b>Annual Household Income</b>					
Less than \$35,000 per Year	43	42.2	6.4	29.7	54.6
\$35,000 or Higher per Year	40	19.3	3.8	11.8	26.9
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	23	21.6	5.8	10.3	33.0
Overweight (25 ≤ BMI < 30)	36	24.4	4.7	15.1	33.7
Obese (BMI ≥ 30)	37	36.2	6.4	23.6	48.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	57	20.5	3.4	13.8	27.1
Does not participate in leisure time physical activity	42	51.4	7.3	37.0	65.8
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	83	24.6	3.1	18.5	30.6
<b>Health Insurance Status</b>					
Insured	95	27.9	3.4	21.3	34.5
Uninsured	*	*	*	*	*

Numerator: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living)

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2017**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	15,354	81.0	0.4	80.3	81.7
Reno County	244	83.0	2.8	77.5	88.5
<b>Gender</b>					
Men	106	85.1	3.6	78.0	92.2
Women	138	80.9	4.3	72.4	89.4
<b>Age Group</b>					
18 to 44 Years	60	80.7	5.4	70.1	91.3
45 to 64 Years	83	84.4	4.0	76.5	92.2
65 Years and Older	99	84.7	3.8	77.2	92.2
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	236	82.8	2.9	77.2	88.5
<b>Race</b>					
White	231	83.6	2.8	78.1	89.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	169	80.8	3.3	74.4	87.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	127	82.8	3.4	76.0	89.5
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	161	79.9	3.6	72.7	87.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	65	77.2	5.9	65.7	88.7
Overweight (25 ≤ BMI < 30)	84	83.3	4.3	74.9	91.6
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	212	82.5	3.1	76.4	88.6
<b>Health Insurance Status</b>					
Insured	228	82.8	3.0	76.9	88.7
Uninsured	*	*	*	*	*

**Numerator:** Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

**Denominator:** All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2017**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,754	41.2	0.5	40.3	42.1
Reno County	125	40.7	3.8	33.2	48.3
<b>Gender</b>					
Men	52	44.2	5.7	33.1	55.4
Women	73	37.2	4.9	27.5	46.8
<b>Age Group</b>					
18 to 44 Years	31	40.1	6.9	26.6	53.7
45 to 64 Years	41	39.2	6.1	27.3	51.1
65 Years and Older	51	43.0	5.5	32.3	53.7
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	120	39.1	3.8	31.6	46.6
<b>Race</b>					
White	116	40.4	3.9	32.7	48.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	78	34.9	3.9	27.2	42.6
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	51	34.8	4.9	25.2	44.3
<b>Disability Status</b>					
Living with a Disability†	52	58.9	6.9	45.3	72.5
Living without a Disability	72	33.2	4.5	24.5	42.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	37	34.7	6.1	22.7	46.7
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	103	37.6	4.0	29.7	45.6
<b>Health Insurance Status</b>					
Insured	118	42.6	4.0	34.6	50.5
Uninsured	*	*	*	*	*

**Numerator:** Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

**Denominator:** All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2017**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,721	27.9	0.4	27.1	28.7
Reno County	92	25.8	3.3	19.4	32.2
<b>Gender</b>					
Men	36	27.6	5.3	17.2	38.1
Women	56	24.0	3.7	16.8	31.2
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	33	29.8	5.5	19.1	40.4
65 Years and Older	42	33.1	4.9	23.5	42.8
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	88	24.4	3.1	18.3	30.6
<b>Race</b>					
White	84	25.1	3.3	18.5	31.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	37	33.6	6.5	20.8	46.4
Some College or College Graduate	55	20.3	2.9	14.6	26.0
<b>Annual Household Income</b>					
Less than \$35,000 per Year	42	33.8	5.6	22.8	44.7
\$35,000 or Higher per Year	34	19.4	4.0	11.5	27.2
<b>Disability Status</b>					
Living with a Disability†	42	46.7	6.7	33.5	59.9
Living without a Disability	50	17.6	3.4	10.8	24.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	21	27.3	7.5	12.6	41.9
Overweight (25 ≤ BMI < 30)	31	21.5	4.5	12.6	30.3
Obese (BMI ≥ 30)	31	25.8	5.2	15.6	36.0
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	75	23.8	3.4	17.1	30.4
<b>Health Insurance Status</b>					
Insured	88	27.3	3.5	20.5	34.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,  
2017‡**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,946	37.5	0.4	36.7	38.4
Reno County	110	39.1	3.8	31.7	46.5
<b>Gender</b>					
Men	49	41.1	5.7	29.9	52.3
Women	61	37.1	4.9	27.5	46.7
<b>Age Group</b>					
18 to 44 Years	33	44.0	6.9	30.4	57.5
45 to 64 Years	45	43.0	6.0	31.2	54.8
65 Years and Older	31	23.1	4.6	14.1	32.2
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	104	39.2	3.9	31.6	46.8
<b>Race</b>					
White	99	37.7	3.9	30.1	45.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	43	47.3	7.3	33.0	61.5
Some College or College Graduate	67	33.9	4.0	26.0	41.8
<b>Annual Household Income</b>					
Less than \$35,000 per Year	41	40.4	6.6	27.4	53.3
\$35,000 or Higher per Year	49	30.9	4.4	22.2	39.5
<b>Disability Status</b>					
Living with a Disability†	34	38.2	6.7	25.1	51.2
Living without a Disability	74	39.2	4.6	30.3	48.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	31	42.3	7.4	27.7	56.9
Overweight (25 ≤ BMI < 30)	38	31.1	5.6	20.2	42.1
Obese (BMI ≥ 30)	35	43.7	6.9	30.3	57.2
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	72	37.0	4.3	28.5	45.5
Does not participate in leisure time physical activity	37	45.3	7.8	30.1	60.6
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	88	38.5	4.1	30.4	46.6
<b>Health Insurance Status</b>					
Insured	99	38.3	3.9	30.7	46.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

‡ In 2017, the fruit and vegetable questions have been modified for all states. Fruit consumption includes: fruits and 100% PURE fruit juices/blends.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time  
Per Day, 2017‡**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,049	17.3	0.4	16.6	18.0
Reno County	44	15.9	2.8	10.5	21.3
<b>Gender</b>					
Men	23	19.8	4.5	11.0	28.6
Women	21	11.5	2.8	6.0	17.1
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	15	18.0	5.3	7.6	28.5
65 Years and Older	18	19.2	4.9	9.7	28.8
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	41	14.3	2.5	9.4	19.2
<b>Race</b>					
White	42	16.0	2.9	10.4	21.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	20	21.5	5.6	10.6	32.4
Some College or College Graduate	24	12.3	2.9	6.7	17.9
<b>Annual Household Income</b>					
Less than \$35,000 per Year	18	18.1	4.6	9.1	27.1
\$35,000 or Higher per Year	17	14.9	4.0	7.0	22.8
<b>Disability Status</b>					
Living with a Disability†	16	21.4	6.3	9.0	33.9
Living without a Disability	27	13.6	2.9	7.9	19.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	23	22.6	5.1	12.5	32.6
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	26	11.5	2.6	6.4	16.6
Does not participate in leisure time physical activity	17	28.9	7.3	14.6	43.2
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	38	15.0	2.7	9.6	20.3
<b>Health Insurance Status</b>					
Insured	42	17.1	3.0	11.2	23.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

‡ In 2017, the fruit and vegetable questions have been modified for all states. Vegetable consumption includes: green leafy or lettuce salad, fried potatoes, any other kind of potatoes/sweet potatoes, or other vegetables.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults Who Lack Health Care Coverage, 2017

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,969	12.5	0.3	11.8	13.1
Reno County	27	10.9	2.4	6.1	15.7
<b>Gender</b>					
Men	15	11.1	3.3	4.6	17.6
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	16	18.7	4.9	9.2	28.3
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	27	11.8	2.6	6.6	17.0
<b>Race</b>					
White	26	11.4	2.6	6.3	16.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	16	19.9	5.3	9.5	30.4
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	16	10.7	3.2	4.5	17.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	19	12.1	3.3	5.6	18.5
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	21	11.5	2.9	5.8	17.2

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,  
2017**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,830	15.3	0.4	14.5	16.1
Reno County	25	13.7	3.1	7.5	19.8
<b>Gender</b>					
Men	15	13.8	4.1	5.8	21.8
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	16	18.7	4.9	9.2	28.3
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	25	15.1	3.4	8.3	21.8
<b>Race</b>					
White	24	14.3	3.3	7.8	20.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	14	26.3	7.2	12.2	40.5
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	16	12.9	3.8	5.5	20.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	19	15.0	4.0	7.1	23.0
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	19	14.4	3.8	7.0	21.8

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2017

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,646	22.4	0.4	21.7	23.2
Reno County	45	19.0	3.4	12.2	25.7
<b>Gender</b>					
Men	22	16.5	4.5	7.7	25.3
Women	23	21.4	5.2	11.3	31.5
<b>Age Group</b>					
18 to 44 Years	23	34.4	6.8	21.1	47.7
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	44	19.7	3.6	12.6	26.8
<b>Race</b>					
White	43	19.1	3.6	12.1	26.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	22	28.9	6.7	15.7	42.1
Some College or College Graduate	23	11.6	2.7	6.3	16.8
<b>Annual Household Income</b>					
Less than \$35,000 per Year	20	18.7	4.6	9.7	27.7
\$35,000 or Higher per Year	17	13.9	3.9	6.2	21.5
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	31	22.0	4.6	13.0	31.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	14	18.5	5.6	7.7	29.4
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	27	19.7	4.3	11.3	28.0
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	36	20.6	4.1	12.6	28.7
<b>Health Insurance Status</b>					
Insured	33	15.3	3.5	8.5	22.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2017**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,144	12.1	0.3	11.5	12.7
Reno County	39	14.9	2.7	9.7	20.1
<b>Gender</b>					
Men	20	15.2	3.5	8.4	22.0
Women	19	14.7	4.0	6.8	22.5
<b>Age Group</b>					
18 to 44 Years	16	17.9	4.4	9.2	26.5
45 to 64 Years	16	17.5	5.2	7.3	27.6
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	37	14.9	2.7	9.5	20.3
<b>Race</b>					
White	35	14.2	2.7	9.0	19.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	20	21.2	5.2	11.1	31.4
Some College or College Graduate	19	10.2	2.5	5.3	15.1
<b>Annual Household Income</b>					
Less than \$35,000 per Year	23	32.5	6.4	19.9	45.0
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	16	24.0	6.5	11.3	36.7
Living without a Disability	21	11.5	2.7	6.1	16.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	18	26.2	6.2	14.0	38.4
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	28	17.3	3.6	10.3	24.3
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	31	13.3	2.6	8.1	18.4
<b>Health Insurance Status</b>					
Insured	28	12.1	2.7	6.9	17.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2017

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,766	16.7	0.3	16.0	17.3
Reno County	49	13.9	2.6	8.9	18.9
<b>Gender</b>					
Men	20	11.1	2.8	5.5	16.6
Women	29	16.7	4.2	8.6	24.9
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	25	18.9	4.1	11.0	26.9
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	48	14.7	2.7	9.4	20.0
<b>Race</b>					
White	45	13.7	2.6	8.5	18.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	23	20.1	5.2	9.9	30.2
Some College or College Graduate	26	9.3	2.1	5.1	13.5
<b>Annual Household Income</b>					
Less than \$35,000 per Year	26	27.0	5.9	15.3	38.6
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	31	34.8	6.5	22.0	47.6
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	21	28.0	6.6	15.1	41.0
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	23	12.1	3.3	5.6	18.5
Does not participate in leisure time physical activity	24	23.6	5.4	13.0	34.1
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	37	12.7	2.6	7.6	17.8
<b>Health Insurance Status</b>					
Insured	40	12.3	2.6	7.2	17.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Physical Health Was Not Good on 14 or More Days in the Past 30 Days, 2017**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,574	11.3	0.3	10.8	11.8
Reno County	46	14.3	2.5	9.5	19.2
<b>Gender</b>					
Men	20	12.8	3.0	6.9	18.8
Women	26	15.9	3.9	8.3	23.6
<b>Age Group</b>					
18 to 44 Years	12	13.9	3.9	6.2	21.6
45 to 64 Years	*	*	*	*	*
65 Years and Older	17	13.1	3.4	6.4	19.8
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	44	14.7	2.6	9.6	19.8
<b>Race</b>					
White	43	14.7	2.6	9.6	19.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	24	21.9	5.1	11.9	31.8
Some College or College Graduate	22	8.9	2.1	4.8	13.1
<b>Annual Household Income</b>					
Less than \$35,000 per Year	25	27.7	6.1	15.8	39.6
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	33	41.4	6.7	28.2	54.6
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	19	24.3	6.2	12.2	36.3
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	23	12.9	3.2	6.8	19.1
Does not participate in leisure time physical activity	19	21.4	5.3	11.0	31.9
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	31	11.7	2.3	7.2	16.3
<b>Health Insurance Status</b>					
Insured	37	12.4	2.5	7.5	17.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14 or More Days in the Past 30 Days, 2017**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,163	11.4	0.3	10.8	12.0
Reno County	23	7.5	2.1	3.5	11.6
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	22	7.3	2.1	3.2	11.4
<b>Race</b>					
White	20	6.9	2.0	2.9	10.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	18	8.1	2.1	3.9	12.3
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.**

**Please refer to Technical Notes for more information.**

**Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2017**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,399	40.8	0.6	39.6	42.0
Reno County	58	43.3	5.5	32.5	54.0
<b>Gender</b>					
Men	28	41.7	7.0	28.0	55.5
Women	30	44.6	8.1	28.7	60.6
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	22	45.2	8.4	28.8	61.6
65 Years and Older	14	25.6	6.9	12.2	39.1
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	55	41.8	5.6	30.8	52.8
<b>Race</b>					
White	57	45.5	5.6	34.5	56.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	22	50.5	9.1	32.8	68.3
Some College or College Graduate	36	36.3	5.6	25.2	47.3
<b>Annual Household Income</b>					
Less than \$35,000 per Year	19	34.9	8.6	18.0	51.7
\$35,000 or Higher per Year	25	41.0	7.8	25.8	56.2
<b>Disability Status</b>					
Living with a Disability†	29	58.6	7.7	43.5	73.8
Living without a Disability	26	35.4	7.5	20.8	50.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	18	46.7	10.5	26.1	67.3
Obese (BMI ≥ 30)	24	50.7	8.9	33.1	68.2
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	32	44.2	7.2	30.1	58.3
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	38	37.9	6.3	25.4	50.3
<b>Health Insurance Status</b>					
Insured	52	42.8	5.8	31.5	54.0
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

**Denominator:** Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized  
Against Influenza During the Past 12 Months, 2017**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	11,141	61.6	0.4	60.7	62.4
Reno County	189	68.1	3.3	61.7	74.5
<b>Gender</b>					
Men	86	70.5	4.6	61.5	79.4
Women	103	65.6	4.7	56.5	74.8
<b>Age Group</b>					
18 to 44 Years	62	79.4	5.3	68.9	89.8
45 to 64 Years	66	67.5	5.2	57.2	77.7
65 Years and Older	59	46.1	5.4	35.6	56.7
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	181	67.7	3.3	61.2	74.2
<b>Race</b>					
White	179	68.5	3.3	62.0	75.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	66	75.0	5.5	64.2	85.8
Some College or College Graduate	123	63.0	3.8	55.5	70.5
<b>Annual Household Income</b>					
Less than \$35,000 per Year	62	71.8	5.1	61.8	81.7
\$35,000 or Higher per Year	99	66.7	4.4	58.0	75.3
<b>Disability Status</b>					
Living with a Disability†	49	58.1	6.4	45.5	70.7
Living without a Disability	139	72.2	3.8	64.8	79.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	56	74.8	5.3	64.4	85.1
Overweight (25 ≤ BMI < 30)	69	70.1	5.3	59.7	80.5
Obese (BMI ≥ 30)	53	61.7	6.5	48.9	74.4
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	133	69.6	3.7	62.3	77.0
Does not participate in leisure time physical activity	56	65.0	6.6	52.1	77.8
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	161	66.7	3.6	59.6	73.8
<b>Health Insurance Status</b>					
Insured	168	64.8	3.5	57.9	71.7
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

**Denominator:** All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Did Not Get Immunized  
Against Influenza During the Past 12 Months, 2017**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,774	44.0	0.7	42.5	45.4
Reno County	59	46.1	5.4	35.6	56.7
<b>Gender</b>					
Men	*	*	*	*	*
Women	41	46.1	6.5	33.3	58.9
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	59	46.1	5.4	35.6	56.7
<b>Race</b>					
White	53	44.8	5.6	33.9	55.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	42	50.3	6.2	38.1	62.5
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	23	39.1	7.4	24.5	53.6
Living without a Disability	36	52.8	7.4	38.4	67.3
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	34	41.3	6.7	28.2	54.3
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	55	47.2	5.6	36.2	58.2
<b>Health Insurance Status</b>					
Insured	58	45.7	5.4	35.1	56.3
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they did not receive a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Never Had Pneumonia  
Vaccination, 2017**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,472	23.5	0.6	22.2	24.8
Reno County	26	17.4	3.8	10.0	24.8
<b>Gender</b>					
Men	*	*	*	*	*
Women	17	16.3	4.3	7.8	24.7
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	26	17.9	3.9	10.3	25.5
<b>Race</b>					
White	24	17.2	3.9	9.5	24.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	20	19.4	4.9	9.8	29.0
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	16	17.5	5.2	7.3	27.8
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	24	17.3	4.0	9.6	25.1
<b>Health Insurance Status</b>					
Insured	25	16.7	3.7	9.4	24.1
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they never had a pneumonia vaccination.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt  
When They Drive or Ride in a Car, 2017**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,294	16.6	0.3	16.0	17.3
Reno County	35	10.3	2.0	6.5	14.1
<b>Gender</b>					
Men	21	12.7	3.1	6.7	18.7
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	17	15.8	4.1	7.7	23.8
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	34	10.7	2.1	6.7	14.8
<b>Race</b>					
White	33	10.4	2.0	6.4	14.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	23	11.1	2.6	6.0	16.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	15	12.8	3.6	5.7	20.0
\$35,000 or Higher per Year	16	9.1	2.6	4.0	14.1
<b>Disability Status</b>					
Living with a Disability†	16	15.1	4.0	7.2	23.0
Living without a Disability	18	8.2	2.2	3.9	12.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	15	14.1	3.9	6.5	21.8
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	20	8.5	2.2	4.2	12.8
Does not participate in leisure time physical activity	15	15.6	4.3	7.2	24.1
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	28	10.1	2.1	5.9	14.3
<b>Health Insurance Status</b>					
Insured	31	9.8	2.0	5.9	13.7
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults Who Currently Smoke Cigarettes, 2017

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,145	17.4	0.4	16.7	18.1
Reno County	42	14.8	2.8	9.3	20.2
<b>Gender</b>					
Men	23	16.9	4.1	9.0	24.9
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	19	22.9	5.9	11.3	34.5
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	40	13.7	2.6	8.6	18.9
<b>Race</b>					
White	39	15.0	2.9	9.2	20.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	23	23.2	5.6	12.1	34.2
Some College or College Graduate	19	8.4	2.2	4.1	12.6
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	18	12.7	3.7	5.5	19.9
<b>Disability Status</b>					
Living with a Disability†	19	25.6	7.0	11.9	39.2
Living without a Disability	23	10.6	2.5	5.7	15.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	23	12.1	3.1	6.0	18.2
Does not participate in leisure time physical activity	17	22.8	6.4	10.3	35.4
<b>Health Insurance Status</b>					
Insured	38	15.3	3.0	9.4	21.3
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

**Denominator:** All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States  
Armed Forces, 2017**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,748	10.9	0.2	10.4	11.4
Reno County	36	7.4	1.4	4.7	10.2
<b>Gender</b>					
Men	32	13.5	2.7	8.1	18.8
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	22	17.2	3.9	9.5	24.9
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	36	8.1	1.5	5.1	11.1
<b>Race</b>					
White	33	7.4	1.5	4.5	10.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	27	9.0	2.0	5.1	12.9
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	19	7.9	2.0	3.9	11.9
<b>Disability Status</b>					
Living with a Disability†	*	*	*	*	*
Living without a Disability	25	8.5	1.9	4.7	12.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	17	11.1	3.0	5.1	17.0
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	25	7.4	1.7	4.0	10.7
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	27	7.2	1.6	4.1	10.3
<b>Health Insurance Status</b>					
Insured	35	8.2	1.6	5.1	11.3
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

**Denominator:** All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults Who Are Obese, 2017

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,551	32.3	0.4	31.5	33.2
Reno County	96	31.9	3.5	25.0	38.8
<b>Gender</b>					
Men	42	28.8	4.7	19.7	38.0
Women	54	35.4	5.3	25.1	45.7
<b>Age Group</b>					
18 to 44 Years	21	27.0	5.8	15.7	38.3
45 to 64 Years	43	42.6	6.2	30.4	54.8
65 Years and Older	32	25.9	4.5	17.0	34.8
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	90	30.9	3.6	23.9	37.9
<b>Race</b>					
White	89	32.0	3.6	24.9	39.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	31	33.1	6.4	20.6	45.6
Some College or College Graduate	65	31.0	3.8	23.5	38.5
<b>Annual Household Income</b>					
Less than \$35,000 per Year	39	41.4	6.6	28.5	54.3
\$35,000 or Higher per Year	49	29.0	4.3	20.6	37.4
<b>Disability Status</b>					
Living with a Disability†	37	42.8	7.0	29.1	56.4
Living without a Disability	58	28.3	4.0	20.4	36.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	62	32.5	4.3	24.0	40.9
Does not participate in leisure time physical activity	31	34.4	6.8	21.0	47.8
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	80	31.4	3.8	23.9	38.8
<b>Health Insurance Status</b>					
Insured	87	30.1	3.6	23.0	37.1
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Percentage of Adults Who Are Overweight or Obese, 2017

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	13,706	67.2	0.4	66.3	68.0
Reno County	216	66.9	3.7	59.7	74.1
<b>Gender</b>					
Men	109	66.2	5.5	55.4	77.1
Women	107	67.8	4.7	58.6	76.9
<b>Age Group</b>					
18 to 44 Years	54	63.6	6.6	50.6	76.5
45 to 64 Years	78	73.6	5.7	62.6	84.7
65 Years and Older	83	63.0	5.2	52.8	73.1
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	209	67.8	3.7	60.5	75.0
<b>Race</b>					
White	204	68.0	3.7	60.8	75.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	68	68.2	6.6	55.2	81.2
Some College or College Graduate	148	66.0	4.0	58.1	73.9
<b>Annual Household Income</b>					
Less than \$35,000 per Year	73	69.7	5.8	58.3	81.1
\$35,000 or Higher per Year	116	67.1	4.9	57.5	76.7
<b>Disability Status</b>					
Living with a Disability†	73	74.0	6.5	61.2	86.8
Living without a Disability	139	64.6	4.5	55.8	73.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	146	69.9	3.9	62.2	77.6
Does not participate in leisure time physical activity	62	65.6	8.6	48.8	82.4
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	183	67.4	4.0	59.6	75.3
<b>Health Insurance Status</b>					
Insured	198	65.6	3.9	57.9	73.3
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

## Technical Notes

The 2017 BRFSS data for your county/region on health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("\*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is greater than 30 percent

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>

In 2017, cholesterol questions and fruits and vegetables modules were modified for all states. Due to the changes in methodology, we do not advise comparing 2017 findings to the previous modules.

For more information on new fruits and vegetables module: please visit <https://www.cdc.gov/nutrition/data-statistics/using-the-new-BRFSS-modules.html>

In 2017 and 2016, a six-item set of questions identify disability in hearing, vision, cognition, mobility, self-care, and independent living for all states. Respondents who responded "yes" to at least one of the six functional disability questions were identified as adults living with a disability.

For more information on disability questions: please visit [https://www.cdc.gov/brfss/data\\_documentation/pdf/BRFSS\\_Data\\_Users\\_Guide\\_on\\_Disability\\_Questions\\_2018-508.pdf](https://www.cdc.gov/brfss/data_documentation/pdf/BRFSS_Data_Users_Guide_on_Disability_Questions_2018-508.pdf)

Please visit the BRFSS questionnaires below to see the questions on specific topics:

2017 Kansas BRFSS: <http://www.kdheks.gov/brfss/PDF/ks2017svy.pdf>

2016 Kansas BRFSS: <http://www.kdheks.gov/brfss/PDF/ks2016svy.pdf>

2015 Kansas BRFSS: <http://www.kdheks.gov/brfss/PDF/ks2015svy.pdf>