

2017 Kansas Behavioral Risk Factor Surveillance System Local Data

Riley County



This page is intentionally blank.

2017 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Laura Kelly, Governor

Kansas Department of Health and Environment
Lee A. Norman, M.D., Acting Secretary

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Health Promotion and BRFSS Epidemiology
Bureau of Epidemiology and Public Health Informatics (BEPHI)

Report Supervision:
Belle Federman, ScD
Senior Epidemiologist
Health Promotion and BRFSS Epidemiology
Bureau of Epidemiology and Public Health Informatics (BEPHI)

Project Funding:
Partial funding for the 2017 Behavioral Risk Factor Survey was provided by cooperative agreement 6NU58DP006025-03-01 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion
February 2019**

Kansas Department of Health and Environment (KDHE)


Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov



Riley County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2017 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Health Promotion and BRFSS Epidemiology
Bureau of Epidemiology and Public Health Informatics (BEPHI)
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-6513
Fax: 785-296-8059
Pratik.Pandya@ks.gov

Belle Federman, ScD
Senior Epidemiologist
Health Promotion and BRFSS Epidemiology
Bureau of Epidemiology and Public Health Informatics (BEPHI)
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1152
Fax: 785-296-8059
Belle.Federman@ks.gov

Table of Contents

Alcohol Consumption

Binge Drinking.....	1
Heavy Drinking.....	3

Arthritis

Arthritis	5
Activity Limitation Due to Arthritis	7

Asthma	9
---------------------	---

Cancer

Cancer (Excluding Skin Cancer)	11
Skin Cancer	13

Cardiovascular Health

Heart Attack	15
Coronary Heart Disease	17
Stroke	19
High Blood Pressure	21

Cholesterol

Not Checked Cholesterol within Five Years	23
High Blood Cholesterol Status.....	25

Chronic Obstructive Pulmonary Disease (COPD)	27
---	----

Depressive Disorder	29
----------------------------------	----

Diabetes	31
-----------------------	----

Disability	33
-------------------------	----

Exercise and Physical Activity

Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening)	35
Did Not Participate in the Recommended Level of Aerobic and Strengthening Physical Activity.....	37
Not Participating in Any Physical Activity	39

Fruits and Vegetable Consumption

Consuming Fruits Less than 1 Time Per Day	41
Consuming Vegetables Less than 1 Time Per Day.....	43

Health Care Access

Lack Health Care Coverage	45
Lack Health Care Coverage 18 to 64 Years Old Only	47
No Personal Doctor	49
Did Not See Doctor Due to Cost.....	51

General Health	53
-----------------------------	----

Healthy Days - Health Related Quality of Life

Physical Health Status.....	55
Mental Health Status	57
Poor Physical or Mental Health is Barrier to Usual Activities.....	59

Immunization

Not Immunized Against Influenza.....	61
Not Immunized Against Influenza 65 Years and Older Only	63
Never Had Pneumonia Vaccination 65 Years and Older Only	65

Seatbelt Use	67
---------------------------	----

Tobacco Use

Current Smoker	69
Tried Quitting Smoking	71
Smokeless Tobacco Use.....	73
Male Smokeless Tobacco Use	75

Veteran Status	77
-----------------------------	----

Weight Status (BMI Categories)

Obese.....	79
Overweight or Obese	81

Technical Notes	83
------------------------------	----

Percentage of Adults Who Are Binge Drinkers, 2017

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,785	17.2	0.4	16.5	17.9
Riley County	96	24.9	2.5	20.0	29.8
Gender					
Men	72	33.9	3.6	26.8	41.1
Women	24	13.9	3.0	8.0	19.8
Age Group					
18 to 44 Years	76	31.5	3.3	25.0	38.1
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	92	25.4	2.6	20.3	30.4
Race					
White	89	26.5	2.7	21.3	31.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	17	23.2	5.4	12.6	33.8
Some College or College Graduate	79	25.4	2.8	19.8	31.0
Annual Household Income					
Less than \$35,000 per Year	32	26.9	4.5	18.1	35.6
\$35,000 or Higher per Year	53	26.0	3.6	19.0	33.0
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	82	27.1	2.9	21.5	32.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	41	28.8	4.2	20.7	37.0
Overweight (25 ≤ BMI < 30)	31	25.9	4.6	16.8	34.9
Obese (BMI ≥ 30)	23	22.5	4.9	12.9	32.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	85	27.3	2.9	21.7	32.9
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	22	41.7	7.8	26.4	57.0
Non-smoker	74	22.9	2.7	17.7	28.1
Health Insurance Status					
Insured	89	26.2	2.7	20.9	31.4
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Heavy Alcohol Consumption in the Past 30 Days, 2017

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,067	6.0	0.2	5.6	6.4
Riley County	30	7.4	1.7	4.1	10.7
Gender					
Men	24	11.6	2.8	6.1	17.1
Women	*	*	*	*	*
Age Group					
18 to 44 Years	19	8.9	2.3	4.5	13.3
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	28	7.0	1.6	3.8	10.3
Race					
White	28	6.8	1.5	3.8	9.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	19	6.2	1.8	2.6	9.7
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	27	7.8	1.8	4.2	11.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	25	7.6	1.9	3.9	11.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	24	7.3	1.8	3.7	10.9
Health Insurance Status					
Insured	26	7.4	1.8	3.9	11.0
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported consuming an average of more than 14 drinks per week and female respondents who reported consuming an average of more than 7 drink per week during the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis, 2017

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,634	24.1	0.3	23.5	24.8
Riley County	126	13.8	1.6	10.8	16.9
Gender					
Men	62	13.0	1.9	9.2	16.8
Women	64	14.7	2.5	9.8	19.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	48	32.6	4.3	24.1	41.0
65 Years and Older	65	46.9	4.6	37.9	55.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	123	14.5	1.6	11.3	17.7
Race					
White	115	14.1	1.6	11.0	17.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	33	19.8	3.9	12.1	27.4
Some College or College Graduate	93	12.2	1.7	8.9	15.4
Annual Household Income					
Less than \$35,000 per Year	38	15.7	3.3	9.2	22.2
\$35,000 or Higher per Year	70	14.9	2.1	10.8	19.0
Disability Status					
Living with a Disability†	55	39.8	6.0	28.0	51.6
Living without a Disability	66	8.4	1.3	5.8	11.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	30	8.9	2.4	4.2	13.6
Overweight (25 ≤ BMI < 30)	45	16.6	2.9	11.0	22.3
Obese (BMI ≥ 30)	43	21.7	3.8	14.2	29.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	83	13.1	1.9	9.4	16.7
Does not participate in leisure time physical activity	37	21.5	4.0	13.6	29.3
Smoking Status					
Current smoker	21	27.5	6.4	15.0	39.9
Non-smoker	102	12.7	1.6	9.5	15.9
Health Insurance Status					
Insured	120	14.5	1.7	11.2	17.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2017

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,148	49.7	0.8	48.2	51.2
Riley County	46	35.9	5.6	24.9	46.9
Gender					
Men	22	35.5	7.6	20.6	50.4
Women	24	36.3	8.3	20.0	52.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	20	30.6	6.1	18.7	42.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	45	34.7	5.5	23.8	45.6
Race					
White	41	35.3	5.7	24.2	46.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	37	43.1	7.1	29.2	57.1
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	25	39.0	7.5	24.4	53.6
Disability Status					
Living with a Disability†	29	44.2	8.5	27.5	60.9
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	27	34.4	7.2	20.3	48.5
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	40	39.9	6.5	27.1	52.7
Health Insurance Status					
Insured	45	36.9	5.8	25.5	48.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Current Asthma, 2017

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,901	9.1	0.3	8.6	9.6
Riley County	59	9.6	1.5	6.6	12.5
Gender					
Men	22	7.5	1.9	3.8	11.2
Women	37	12.0	2.4	7.2	16.8
Age Group					
18 to 44 Years	20	8.2	1.9	4.5	11.9
45 to 64 Years	24	15.9	3.5	9.1	22.8
65 Years and Older	14	9.5	2.5	4.5	14.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	57	9.9	1.6	6.8	13.1
Race					
White	53	10.5	1.7	7.1	13.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	15	12.8	3.8	5.3	20.3
Some College or College Graduate	44	8.7	1.6	5.5	11.8
Annual Household Income					
Less than \$35,000 per Year	21	12.4	3.1	6.3	18.5
\$35,000 or Higher per Year	25	6.7	1.7	3.4	10.0
Disability Status					
Living with a Disability†	23	11.9	2.9	6.3	17.6
Living without a Disability	33	9.2	1.8	5.7	12.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	16	9.2	2.6	4.1	14.4
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	20	13.5	3.5	6.7	20.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	41	9.9	1.9	6.2	13.5
Does not participate in leisure time physical activity	15	10.4	3.1	4.3	16.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	50	10.0	1.7	6.7	13.4
Health Insurance Status					
Insured	54	9.5	1.6	6.4	12.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2017

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,030	7.1	0.2	6.7	7.4
Riley County	42	4.4	0.9	2.6	6.1
Gender					
Men	*	*	*	*	*
Women	24	5.5	1.5	2.6	8.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	28	17.9	3.5	11.1	24.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	40	4.4	0.9	2.6	6.2
Race					
White	40	4.7	1.0	2.8	6.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	30	4.1	1.0	2.1	6.1
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	27	5.9	1.5	2.9	8.9
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	25	3.1	0.9	1.4	4.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	17	6.4	1.9	2.7	10.1
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	26	3.6	1.0	1.7	5.5
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	34	4.2	1.0	2.3	6.1
Health Insurance Status					
Insured	41	4.7	1.0	2.8	6.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

† **Living with a Disability:** Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2017

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,960	6.3	0.2	5.9	6.6
Riley County	53	5.0	0.8	3.4	6.6
Gender					
Men	25	4.4	1.0	2.5	6.3
Women	28	5.7	1.3	3.0	8.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	14	8.3	2.3	3.8	12.7
65 Years and Older	35	24.7	4.0	16.8	32.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	52	5.5	0.9	3.7	7.2
Race					
White	51	5.5	0.9	3.7	7.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	44	5.4	1.0	3.5	7.3
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	36	7.6	1.5	4.7	10.5
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	40	4.5	0.8	2.9	6.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	24	7.8	1.8	4.3	11.3
Obese (BMI ≥ 30)	17	7.9	2.2	3.7	12.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	42	5.1	0.9	3.3	7.0
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	47	5.2	0.9	3.5	7.0
Health Insurance Status					
Insured	52	5.4	0.9	3.7	7.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who had a Heart Attack, 2017

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,202	4.2	0.1	3.9	4.4
Riley County	24	2.1	0.5	1.1	3.1
Gender					
Men	17	2.8	0.8	1.2	4.3
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	20	12.6	2.8	7.1	18.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	23	2.0	0.5	1.0	3.0
Race					
White	22	2.2	0.6	1.1	3.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	17	1.4	0.4	0.7	2.1
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	19	1.6	0.4	0.8	2.4
Health Insurance Status					
Insured	24	2.3	0.6	1.2	3.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had a heart attack also called a myocardial infarction.

Denominator: All respondents, excluding unknowns and refusals.

† **Living with a Disability:** Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who had Angina or Coronary Heart Disease, 2017

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,154	4.0	0.1	3.7	4.3
Riley County	26	2.9	0.7	1.6	4.2
Gender					
Men	17	3.3	0.9	1.5	5.1
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	17	12.9	3.1	6.8	19.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	25	2.9	0.7	1.6	4.3
Race					
White	22	3.0	0.7	1.5	4.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	19	2.2	0.6	1.0	3.3
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	17	1.8	0.5	0.9	2.8
Health Insurance Status					
Insured	26	3.2	0.7	1.8	4.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had angina or coronary heart disease.

Denominator: All respondents, excluding unknowns and refusals.

† **Living with a Disability:** Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Had a Stroke, 2017

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	799	2.9	0.1	2.7	3.2
Riley County	20	2.0	0.5	1.0	3.1
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	18	2.0	0.5	1.0	3.0
Race					
White	17	2.1	0.6	1.0	3.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	15	1.8	0.5	0.8	2.9
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	16	1.9	0.5	0.9	2.9
Health Insurance Status					
Insured	20	2.2	0.6	1.1	3.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had a stroke.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Hypertension, 2017

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,757	32.8	0.4	32.0	33.5
Riley County	194	23.3	2.0	19.4	27.1
Gender					
Men	116	29.1	3.0	23.1	35.0
Women	78	16.6	2.2	12.2	21.0
Age Group					
18 to 44 Years	41	13.9	2.2	9.5	18.3
45 to 64 Years	62	39.4	4.5	30.6	48.1
65 Years and Older	88	61.3	4.4	52.7	69.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	188	24.1	2.0	20.1	28.1
Race					
White	178	24.5	2.1	20.4	28.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	44	26.0	4.3	17.6	34.4
Some College or College Graduate	148	22.3	2.2	18.0	26.7
Annual Household Income					
Less than \$35,000 per Year	48	17.3	3.0	11.5	23.1
\$35,000 or Higher per Year	117	29.0	3.0	23.2	34.9
Disability Status					
Living with a Disability†	70	52.4	6.4	39.9	64.9
Living without a Disability	120	18.0	2.0	14.2	21.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	36	11.5	2.6	6.4	16.5
Overweight (25 ≤ BMI < 30)	78	32.9	4.0	25.0	40.8
Obese (BMI ≥ 30)	70	38.1	4.8	28.7	47.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	135	21.1	2.2	16.8	25.4
Does not participate in leisure time physical activity	52	41.8	5.9	30.2	53.3
Smoking Status					
Current smoker	28	38.8	7.1	24.9	52.8
Non-smoker	161	22.3	2.1	18.1	26.4
Health Insurance Status					
Insured	186	24.2	2.1	20.1	28.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2017 ‡**

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,246	15.2	0.4	14.5	15.9
Riley County	77	24.9	2.7	19.6	30.1
Gender					
Men	53	31.4	3.8	23.9	38.8
Women	24	17.0	3.5	10.1	23.9
Age Group					
18 to 44 Years	62	34.1	3.7	26.8	41.3
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	72	25.4	2.8	19.9	30.9
Race					
White	68	24.4	2.7	19.0	29.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	20	28.3	5.8	17.0	39.6
Some College or College Graduate	56	24.0	3.0	18.1	29.9
Annual Household Income					
Less than \$35,000 per Year	38	41.3	5.5	30.5	52.1
\$35,000 or Higher per Year	28	16.4	3.2	10.1	22.7
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	60	26.7	3.2	20.5	32.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	38	32.8	4.7	23.6	42.1
Overweight (25 ≤ BMI < 30)	19	19.6	4.5	10.8	28.4
Obese (BMI ≥ 30)	15	18.8	4.5	9.9	27.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	55	25.0	3.1	18.9	31.2
Does not participate in leisure time physical activity	13	21.7	6.0	10.0	33.4
Smoking Status					
Current smoker	14	24.6	6.5	11.8	37.3
Non-smoker	57	24.8	3.0	18.9	30.7
Health Insurance Status					
Insured	65	23.4	2.8	18.0	28.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years or never had their blood cholesterol checked.

Denominator: All respondents excluding unknowns and refusals.

‡ In 2017, the cholesterol questions have been modified for all states.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2017 †

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,314	34.1	0.4	33.2	34.9
Riley County	149	22.3	2.1	18.2	26.3
Gender					
Men	80	24.1	3.0	18.3	30.0
Women	69	20.3	2.8	14.7	25.9
Age Group					
18 to 44 Years	17	8.5	2.1	4.4	12.5
45 to 64 Years	62	40.6	4.6	31.5	49.6
65 Years and Older	68	50.2	4.6	41.1	59.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	146	23.3	2.2	19.1	27.6
Race					
White	137	25.1	2.3	20.5	29.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	26	24.6	5.3	14.3	34.9
Some College or College Graduate	122	21.7	2.2	17.3	26.1
Annual Household Income					
Less than \$35,000 per Year	26	16.8	3.9	9.2	24.5
\$35,000 or Higher per Year	98	25.4	2.8	19.9	30.9
Disability Status					
Living with a Disability†	49	34.9	5.7	23.7	46.1
Living without a Disability	97	19.5	2.2	15.1	23.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	29	12.9	2.9	7.2	18.5
Overweight (25 ≤ BMI < 30)	63	31.3	4.1	23.3	39.4
Obese (BMI ≥ 30)	51	29.1	4.5	20.3	37.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	108	21.2	2.3	16.7	25.7
Does not participate in leisure time physical activity	37	33.6	6.0	21.8	45.4
Smoking Status					
Current smoker	21	31.5	7.1	17.6	45.4
Non-smoker	126	21.6	2.2	17.3	25.9
Health Insurance Status					
Insured	144	23.0	2.2	18.7	27.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

‡ In 2017, the cholesterol questions have been modified for all states.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2017**

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,644	6.4	0.2	6.0	6.8
Riley County	22	3.2	0.8	1.6	4.7
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	19	2.5	0.6	1.2	3.7
Race					
White	20	3.2	0.8	1.6	4.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	21	3.2	0.8	1.6	4.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Were Ever Diagnosed with a Depressive Disorder,
2017**

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,374	20.9	0.4	20.2	21.6
Riley County	117	18.4	2.0	14.6	22.3
Gender					
Men	51	17.1	2.6	12.0	22.2
Women	66	20.0	2.9	14.2	25.7
Age Group					
18 to 44 Years	47	16.7	2.5	11.9	21.6
45 to 64 Years	45	28.5	4.3	20.2	36.9
65 Years and Older	25	16.6	3.2	10.2	22.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	113	18.8	2.0	14.8	22.8
Race					
White	103	19.4	2.2	15.1	23.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	23	23.0	4.8	13.6	32.4
Some College or College Graduate	94	17.2	2.1	13.1	21.3
Annual Household Income					
Less than \$35,000 per Year	46	25.9	4.1	17.9	34.0
\$35,000 or Higher per Year	56	15.5	2.4	10.7	20.3
Disability Status					
Living with a Disability†	50	42.2	6.1	30.2	54.1
Living without a Disability	62	13.1	2.0	9.2	17.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	27	14.9	3.1	8.8	21.0
Overweight (25 ≤ BMI < 30)	42	19.3	3.4	12.6	26.0
Obese (BMI ≥ 30)	39	27.6	4.7	18.4	36.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	90	20.2	2.4	15.5	24.8
Does not participate in leisure time physical activity	24	16.2	4.0	8.5	24.0
Smoking Status					
Current smoker	17	29.6	7.0	15.8	43.4
Non-smoker	98	17.6	2.1	13.5	21.7
Health Insurance Status					
Insured	113	19.6	2.1	15.4	23.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2017

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,844	10.5	0.2	10.0	11.0
Riley County	57	5.5	0.8	3.9	7.2
Gender					
Men	25	4.2	0.9	2.4	6.1
Women	32	7.1	1.4	4.2	9.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	22	14.3	3.1	8.1	20.4
65 Years and Older	31	22.7	4.0	14.9	30.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	54	5.8	0.9	4.0	7.5
Race					
White	50	5.7	0.9	3.9	7.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	17	8.9	2.4	4.3	13.6
Some College or College Graduate	40	4.6	0.8	2.9	6.2
Annual Household Income					
Less than \$35,000 per Year	21	6.1	1.6	3.0	9.1
\$35,000 or Higher per Year	25	4.8	1.1	2.7	7.0
Disability Status					
Living with a Disability†	28	16.2	3.5	9.2	23.1
Living without a Disability	27	3.3	0.7	1.9	4.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	19	6.1	1.6	2.9	9.3
Obese (BMI ≥ 30)	28	<i>14.1</i>	2.9	8.3	19.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	35	4.2	0.8	2.6	5.9
Does not participate in leisure time physical activity	20	<i>13.0</i>	3.2	6.7	19.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	46	5.1	0.9	3.4	6.8
Health Insurance Status					
Insured	56	5.9	0.9	4.2	7.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2017†

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,832	25.9	0.4	25.2	26.7
Riley County	110	18.0	2.1	13.9	22.0
Gender					
Men	57	16.3	2.6	11.2	21.4
Women	53	19.9	3.3	13.5	26.4
Age Group					
18 to 44 Years	29	12.7	2.5	7.9	17.6
45 to 64 Years	44	34.6	4.8	25.1	44.0
65 Years and Older	37	28.5	4.3	20.0	37.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	102	16.4	2.0	12.6	20.3
Race					
White	93	14.7	1.7	11.3	18.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	32	25.9	4.9	16.2	35.6
Some College or College Graduate	78	15.8	2.3	11.4	20.3
Annual Household Income					
Less than \$35,000 per Year	49	26.9	4.4	18.3	35.5
\$35,000 or Higher per Year	43	11.5	2.0	7.5	15.4
Weight Category					
Normal or Underweight (BMI < 25)	23	12.6	3.2	6.3	18.9
Overweight (25 ≤ BMI < 30)	39	19.2	3.6	12.2	26.2
Obese (BMI ≥ 30)	40	26.8	4.6	17.8	35.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	75	16.8	2.3	12.2	21.4
Does not participate in leisure time physical activity	34	25.1	5.0	15.4	34.9
Smoking Status					
Current smoker	20	30.7	7.0	17.0	44.4
Non-smoker	90	16.5	2.2	12.3	20.7
Health Insurance Status					
Insured	102	17.9	2.2	13.7	22.2
Uninsured	*	*	*	*	*

Numerator: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living)

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2017

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	15,354	81.0	0.4	80.3	81.7
Riley County	390	74.7	2.5	69.8	79.7
Gender					
Men	203	71.3	3.6	64.3	78.4
Women	187	78.8	3.3	72.3	85.3
Age Group					
18 to 44 Years	167	72.9	3.3	66.4	79.4
45 to 64 Years	119	79.6	3.8	72.1	87.0
65 Years and Older	103	79.0	4.0	71.1	87.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	373	75.9	2.5	70.9	80.8
Race					
White	354	76.2	2.5	71.4	81.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	74	80.1	5.1	70.1	90.1
Some College or College Graduate	315	73.3	2.9	67.7	78.9
Annual Household Income					
Less than \$35,000 per Year	101	74.8	4.8	65.5	84.1
\$35,000 or Higher per Year	227	74.0	3.3	67.5	80.5
Disability Status					
Living with a Disability†	86	77.2	6.3	64.8	89.6
Living without a Disability	299	74.0	2.8	68.6	79.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	123	71.1	4.2	62.9	79.3
Overweight (25 ≤ BMI < 30)	134	68.5	4.8	59.1	77.8
Obese (BMI ≥ 30)	107	85.9	3.7	78.6	93.1
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	339	73.6	2.7	68.2	79.0
Health Insurance Status					
Insured	360	73.8	2.7	68.6	79.0
Uninsured	*	*	*	*	*

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2017

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,754	41.2	0.5	40.3	42.1
Riley County	166	32.1	2.6	27.0	37.1
Gender					
Men	81	28.2	3.3	21.7	34.6
Women	85	36.8	4.0	28.9	44.6
Age Group					
18 to 44 Years	74	31.1	3.3	24.6	37.6
45 to 64 Years	51	33.9	4.6	24.9	42.8
65 Years and Older	41	35.7	4.8	26.3	45.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	157	31.5	2.6	26.4	36.6
Race					
White	143	30.8	2.6	25.7	36.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	42	46.8	6.2	34.6	58.9
Some College or College Graduate	124	28.2	2.7	22.9	33.6
Annual Household Income					
Less than \$35,000 per Year	48	33.5	4.9	23.9	43.1
\$35,000 or Higher per Year	89	29.9	3.3	23.5	36.3
Disability Status					
Living with a Disability†	47	39.7	6.1	27.8	51.7
Living without a Disability	116	30.6	2.9	25.0	36.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	51	30.1	4.2	21.9	38.4
Overweight (25 ≤ BMI < 30)	50	27.3	4.1	19.2	35.4
Obese (BMI ≥ 30)	51	40.6	5.4	30.0	51.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	145	32.2	2.8	26.8	37.6
Health Insurance Status					
Insured	150	31.0	2.6	25.8	36.1
Uninsured	*	*	*	*	*

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2017

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,721	27.9	0.4	27.1	28.7
Riley County	103	18.0	2.0	14.0	22.0
Gender					
Men	56	18.0	2.7	12.6	23.3
Women	47	18.1	3.1	12.1	24.0
Age Group					
18 to 44 Years	36	15.3	2.5	10.3	20.3
45 to 64 Years	31	21.7	4.2	13.4	30.0
65 Years and Older	35	30.5	4.6	21.6	39.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	96	16.6	2.0	12.8	20.5
Race					
White	92	17.6	2.1	13.5	21.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	35	36.9	5.9	25.4	48.5
Some College or College Graduate	67	13.1	1.9	9.3	16.8
Annual Household Income					
Less than \$35,000 per Year	33	19.3	3.8	11.9	26.8
\$35,000 or Higher per Year	50	16.0	2.6	10.9	21.2
Disability Status					
Living with a Disability†	34	25.0	5.0	15.2	34.8
Living without a Disability	68	16.7	2.3	12.3	21.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	26	14.0	3.1	7.9	20.7
Overweight (25 ≤ BMI < 30)	28	12.5	2.8	7.0	18.0
Obese (BMI ≥ 30)	40	31.0	5.0	21.2	40.8
Smoking Status					
Current smoker	13	23.0	6.8	9.7	36.3
Non-smoker	90	17.4	2.1	13.3	21.6
Health Insurance Status					
Insured	92	17.1	2.1	13.0	21.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2017‡**

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,946	37.5	0.4	36.7	38.4
Riley County	157	36.1	2.8	30.6	41.5
Gender					
Men	89	35.4	3.6	28.3	42.5
Women	68	36.9	4.2	28.6	45.2
Age Group					
18 to 44 Years	79	39.3	3.6	32.2	46.4
45 to 64 Years	47	32.4	4.5	23.5	41.3
65 Years and Older	28	20.0	3.7	12.7	27.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	142	33.0	2.8	27.5	38.5
Race					
White	141	34.4	2.8	28.9	39.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	38	43.1	6.2	30.9	55.4
Some College or College Graduate	117	34.2	3.1	28.1	40.2
Annual Household Income					
Less than \$35,000 per Year	53	49.3	5.3	39.0	59.6
\$35,000 or Higher per Year	76	25.7	3.2	19.4	32.0
Disability Status					
Living with a Disability†	40	48.6	6.5	35.8	61.3
Living without a Disability	113	32.4	3.0	26.6	38.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	52	34.3	4.5	25.5	43.2
Overweight (25 ≤ BMI < 30)	47	31.3	4.5	22.4	40.3
Obese (BMI ≥ 30)	45	37.4	5.3	27.0	47.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	122	35.5	3.1	29.4	41.5
Does not participate in leisure time physical activity	32	36.8	6.3	24.5	49.1
Smoking Status					
Current smoker	25	50.3	7.9	34.9	65.7
Non-smoker	131	34.2	2.9	28.4	39.9
Health Insurance Status					
Insured	145	35.6	2.9	30.0	41.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

‡ In 2017, the fruit and vegetable questions have been modified for all states. Fruit consumption includes: fruits and 100% PURE fruit juices/blends.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2017‡**

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,049	17.3	0.4	16.6	18.0
Riley County	72	14.9	2.0	10.9	18.9
Gender					
Men	43	15.0	2.6	9.8	20.1
Women	29	14.8	3.2	8.5	21.1
Age Group					
18 to 44 Years	34	15.1	2.6	9.9	20.3
45 to 64 Years	20	14.9	3.9	7.2	22.7
65 Years and Older	17	13.6	3.4	7.0	20.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	67	13.6	1.9	9.8	17.5
Race					
White	65	13.8	1.9	10.0	17.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	22	22.0	5.1	12.0	31.9
Some College or College Graduate	50	13.2	2.2	8.8	17.5
Annual Household Income					
Less than \$35,000 per Year	30	22.4	4.4	13.8	31.1
\$35,000 or Higher per Year	29	8.7	1.9	5.0	12.4
Disability Status					
Living with a Disability†	28	28.8	6.3	16.4	41.3
Living without a Disability	44	12.1	2.0	8.1	16.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	21	13.9	3.3	7.4	20.4
Overweight (25 ≤ BMI < 30)	24	15.5	3.7	8.2	22.7
Obese (BMI ≥ 30)	24	18.1	4.2	9.8	26.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	50	13.0	2.2	8.7	17.3
Does not participate in leisure time physical activity	22	24.1	5.5	13.3	34.9
Smoking Status					
Current smoker	14	28.8	7.3	14.5	43.1
Non-smoker	57	12.9	2.1	8.8	16.9
Health Insurance Status					
Insured	66	14.8	2.2	10.6	19.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

‡ In 2017, the fruit and vegetable questions have been modified for all states. Vegetable consumption includes: green leafy or lettuce salad, fried potatoes, any other kind of potatoes/sweet potatoes, or other vegetables.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2017

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,969	12.5	0.3	11.8	13.1
Riley County	37	7.9	1.5	5.0	10.9
Gender					
Men	21	8.5	2.0	4.6	12.4
Women	*	*	*	*	*
Age Group					
18 to 44 Years	24	9.4	2.0	5.5	13.3
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	36	8.1	1.5	5.1	11.0
Race					
White	33	8.0	1.6	4.9	11.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	23	6.4	1.5	3.4	9.4
Annual Household Income					
Less than \$35,000 per Year	17	11.8	3.1	5.7	18.0
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	28	7.6	1.6	4.4	10.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	13	13.5	3.8	6.1	20.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	25	6.7	1.6	3.7	9.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	29	7.9	1.7	4.6	11.1

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2017**

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,830	15.3	0.4	14.5	16.1
Riley County	33	8.6	1.7	5.4	11.9
Gender					
Men	18	9.2	2.3	4.8	13.6
Women	*	*	*	*	*
Age Group					
18 to 44 Years	24	9.4	2.0	5.5	13.3
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	32	8.8	1.7	5.5	12.2
Race					
White	29	8.7	1.8	5.2	12.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	22	7.1	1.7	3.7	10.5
Annual Household Income					
Less than \$35,000 per Year	17	12.6	3.3	6.1	19.2
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	24	8.1	1.8	4.5	11.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	13	15.6	4.4	7.1	24.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	22	7.1	1.7	3.7	10.5
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	25	8.6	1.9	4.9	12.3

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2017

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,646	22.4	0.4	21.7	23.2
Riley County	114	29.8	2.6	24.8	34.9
Gender					
Men	77	35.9	3.6	29.0	42.9
Women	37	22.7	3.7	15.4	30.0
Age Group					
18 to 44 Years	91	38.3	3.4	31.6	44.9
45 to 64 Years	16	10.4	2.7	5.2	15.7
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	103	28.2	2.6	23.0	33.3
Race					
White	94	26.6	2.6	21.5	31.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	23	30.0	5.5	19.2	40.7
Some College or College Graduate	90	29.8	2.9	24.0	35.6
Annual Household Income					
Less than \$35,000 per Year	48	40.2	5.0	30.4	50.0
\$35,000 or Higher per Year	42	20.3	3.2	14.1	26.4
Disability Status					
Living with a Disability†	17	27.1	6.6	14.2	40.1
Living without a Disability	89	29.6	2.9	23.9	35.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	48	33.6	4.3	25.1	42.2
Overweight (25 ≤ BMI < 30)	25	18.2	3.8	10.8	25.6
Obese (BMI ≥ 30)	30	33.3	5.3	22.8	43.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	82	28.2	3.0	22.4	34.0
Does not participate in leisure time physical activity	20	30.8	6.2	18.6	43.0
Smoking Status					
Current smoker	17	34.6	7.5	19.9	49.3
Non-smoker	91	29.4	2.9	23.8	35.0
Health Insurance Status					
Insured	92	26.0	2.6	20.8	31.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2017

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,144	12.1	0.3	11.5	12.7
Riley County	38	6.8	1.3	4.3	9.4
Gender					
Men	14	5.2	1.5	2.2	8.2
Women	24	8.8	2.2	4.5	13.0
Age Group					
18 to 44 Years	17	5.9	1.6	2.9	9.0
45 to 64 Years	19	15.0	3.7	7.7	22.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	35	6.9	1.4	4.2	9.6
Race					
White	31	6.3	1.3	3.8	8.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	29	6.5	1.4	3.7	9.3
Annual Household Income					
Less than \$35,000 per Year	22	13.3	3.3	6.9	19.7
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	17	17.9	5.1	7.9	27.9
Living without a Disability	20	4.6	1.1	2.3	6.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	30	7.1	1.5	4.1	10.1
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	25	5.8	1.4	3.1	8.5
Health Insurance Status					
Insured	28	5.3	1.2	2.9	7.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2017

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,766	16.7	0.3	16.0	17.3
Riley County	65	9.4	1.4	6.7	12.1
Gender					
Men	30	8.5	1.8	5.0	12.1
Women	35	10.4	2.1	6.3	14.6
Age Group					
18 to 44 Years	17	6.0	1.5	3.0	9.0
45 to 64 Years	25	19.6	4.1	11.5	27.7
65 Years and Older	21	15.5	3.4	8.8	22.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	60	8.8	1.4	6.1	11.5
Race					
White	56	9.4	1.5	6.5	12.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	19	13.3	3.3	6.7	19.8
Some College or College Graduate	46	8.3	1.5	5.4	11.3
Annual Household Income					
Less than \$35,000 per Year	33	16.0	3.2	9.7	22.2
\$35,000 or Higher per Year	22	6.6	1.7	3.3	9.9
Disability Status					
Living with a Disability†	37	30.1	5.4	19.6	40.7
Living without a Disability	20	3.9	1.0	1.8	5.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	19	7.7	2.0	3.7	11.6
Obese (BMI ≥ 30)	21	12.0	2.9	6.4	17.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	34	6.2	1.3	3.7	8.8
Does not participate in leisure time physical activity	24	19.5	4.3	11.0	28.1
Smoking Status					
Current smoker	12	19.5	5.7	8.3	30.7
Non-smoker	47	7.3	1.3	4.8	9.9
Health Insurance Status					
Insured	62	9.6	1.5	6.8	12.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Physical Health Was Not Good on 14
or More Days in the Past 30 Days, 2017**

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,574	11.3	0.3	10.8	11.8
Riley County	45	7.1	1.2	4.7	9.5
Gender					
Men	17	5.3	1.5	2.5	8.2
Women	28	9.1	2.0	5.1	13.1
Age Group					
18 to 44 Years	15	5.3	1.4	2.5	8.1
45 to 64 Years	19	14.0	3.5	7.2	20.8
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	41	6.4	1.2	4.1	8.7
Race					
White	39	7.5	1.4	4.8	10.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	13	13.8	4.0	6.0	21.5
Some College or College Graduate	32	5.2	1.1	3.1	7.4
Annual Household Income					
Less than \$35,000 per Year	25	12.9	2.9	7.1	18.6
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	28	24.2	5.1	14.2	34.2
Living without a Disability	16	3.5	1.0	1.6	5.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	15	12.2	3.5	5.3	19.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	25	5.1	1.2	2.7	7.4
Does not participate in leisure time physical activity	18	15.8	4.2	7.5	24.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	35	6.4	1.3	3.9	8.9
Health Insurance Status					
Insured	42	7.3	1.3	4.7	9.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14
or More Days in the Past 30 Days, 2017**

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,163	11.4	0.3	10.8	12.0
Riley County	61	13.5	1.9	9.8	17.2
Gender					
Men	25	10.9	2.3	6.3	15.5
Women	36	16.5	3.0	10.6	22.4
Age Group					
18 to 44 Years	37	15.3	2.5	10.4	20.2
45 to 64 Years	16	11.3	3.1	5.1	17.5
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	54	12.1	1.8	8.5	15.8
Race					
White	57	15.5	2.2	11.2	19.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	19	20.8	4.8	11.4	30.2
Some College or College Graduate	42	11.5	2.0	7.6	15.5
Annual Household Income					
Less than \$35,000 per Year	31	24.0	4.3	15.6	32.4
\$35,000 or Higher per Year	20	7.3	1.9	3.5	11.1
Disability Status					
Living with a Disability†	25	25.7	5.4	15.0	36.3
Living without a Disability	30	9.9	1.9	6.2	13.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	18	11.0	2.8	5.4	16.6
Overweight (25 ≤ BMI < 30)	19	15.3	3.7	8.1	22.5
Obese (BMI ≥ 30)	22	19.4	4.4	10.9	28.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	37	11.4	2.1	7.4	15.5
Does not participate in leisure time physical activity	19	22.8	5.4	12.1	33.4
Smoking Status					
Current smoker	14	26.3	6.8	12.9	39.6
Non-smoker	44	12.1	2.0	8.2	16.1
Health Insurance Status					
Insured	50	11.7	1.8	8.1	15.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2017

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,399	40.8	0.6	39.6	42.0
Riley County	117	38.1	3.4	31.3	44.8
Gender					
Men	41	27.0	4.3	18.6	35.5
Women	76	48.0	5.0	38.2	57.7
Age Group					
18 to 44 Years	58	37.7	4.3	29.3	46.0
45 to 64 Years	34	42.8	6.3	30.4	55.1
65 Years and Older	23	33.3	6.4	20.8	45.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	112	39.3	3.6	32.3	46.4
Race					
White	103	38.0	3.6	30.9	45.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	25	38.0	6.9	24.4	51.6
Some College or College Graduate	92	38.1	4.0	30.3	45.9
Annual Household Income					
Less than \$35,000 per Year	51	49.3	6.0	37.6	61.0
\$35,000 or Higher per Year	44	25.0	4.0	17.1	32.9
Disability Status					
Living with a Disability†	50	59.2	7.0	45.4	72.9
Living without a Disability	59	30.1	3.9	22.3	37.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	32	36.5	5.9	24.9	48.1
Overweight (25 ≤ BMI < 30)	39	37.3	6.0	25.6	49.1
Obese (BMI ≥ 30)	37	42.9	6.4	30.3	55.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	82	39.8	4.1	31.7	47.9
Does not participate in leisure time physical activity	29	39.0	7.4	24.6	53.5
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	97	40.1	3.9	32.4	47.8
Health Insurance Status					
Insured	108	37.6	3.6	30.6	44.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2017**

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	11,141	61.6	0.4	60.7	62.4
Riley County	272	60.5	2.6	55.4	65.6
Gender					
Men	149	63.3	3.4	56.6	69.9
Women	123	57.1	4.1	49.2	65.1
Age Group					
18 to 44 Years	152	68.2	3.3	61.7	74.7
45 to 64 Years	72	49.6	4.7	40.4	58.9
65 Years and Older	45	29.6	4.1	21.6	37.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	251	58.2	2.7	52.9	63.6
Race					
White	243	58.3	2.8	52.9	63.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	57	64.4	5.7	53.1	75.6
Some College or College Graduate	215	59.6	2.9	53.8	65.4
Annual Household Income					
Less than \$35,000 per Year	83	70.4	4.6	61.3	79.4
\$35,000 or Higher per Year	140	53.1	3.6	46.1	60.1
Disability Status					
Living with a Disability†	53	62.2	5.7	51.0	73.4
Living without a Disability	214	59.8	3.0	54.0	65.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	96	61.3	4.3	52.9	69.7
Overweight (25 ≤ BMI < 30)	103	64.4	4.2	56.1	72.6
Obese (BMI ≥ 30)	60	52.6	5.4	42.0	63.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	221	60.4	2.9	54.6	66.1
Does not participate in leisure time physical activity	50	60.9	5.8	49.5	72.3
Smoking Status					
Current smoker	39	70.0	6.8	56.7	83.3
Non-smoker	231	59.1	2.8	53.5	64.6
Health Insurance Status					
Insured	248	58.8	2.8	53.4	64.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2017**

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,774	44.0	0.7	42.5	45.4
Riley County	45	29.6	4.1	21.6	37.6
Gender					
Men	24	30.0	5.6	19.1	40.9
Women	21	28.9	5.9	17.3	40.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	44	29.5	4.1	21.4	37.5
Race					
White	44	30.4	4.2	22.2	38.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	32	24.7	4.2	16.5	32.9
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	22	21.6	4.5	12.8	30.3
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	36	32.9	4.9	23.3	42.6
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	26	35.9	6.2	23.7	48.0
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	33	31.3	4.9	21.6	41.0
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	42	28.7	4.1	20.6	36.8
Health Insurance Status					
Insured	45	30.0	4.1	21.9	38.1
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they did not receive a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Never Had Pneumonia
Vaccination, 2017**

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,472	23.5	0.6	22.2	24.8
Riley County	25	18.9	3.6	11.7	26.0
Gender					
Men	14	18.9	4.8	9.4	28.4
Women	11	18.9	5.6	8.0	29.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	25	19.1	3.7	11.9	26.3
Race					
White	22	16.6	3.4	9.9	23.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	18	17.6	4.1	9.6	25.6
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	13	15.2	4.3	6.9	23.6
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	19	20.4	4.4	11.7	29.0
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	15	22.2	5.4	11.6	32.8
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	17	18.3	4.3	9.9	26.6
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	22	17.4	3.6	10.3	24.5
Health Insurance Status					
Insured	24	18.3	3.6	11.2	25.5
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they never had a pneumonia vaccination.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2017**

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,294	16.6	0.3	16.0	17.3
Riley County	61	12.9	1.9	9.2	16.6
Gender					
Men	36	13.4	2.6	8.2	18.6
Women	25	12.3	2.7	7.0	17.7
Age Group					
18 to 44 Years	30	13.6	2.5	8.6	18.5
45 to 64 Years	*	*	*	*	*
65 Years and Older	18	14.6	3.5	7.7	21.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	59	13.4	2.0	9.4	17.4
Race					
White	55	12.7	1.9	9.0	16.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	15	13.2	3.7	5.9	20.4
Some College or College Graduate	46	12.9	2.2	8.5	17.2
Annual Household Income					
Less than \$35,000 per Year	22	15.7	3.6	8.6	22.7
\$35,000 or Higher per Year	32	12.1	2.6	7.0	17.2
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	48	13.2	2.2	9.0	17.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	20	12.1	3.0	6.3	18.0
Overweight (25 ≤ BMI < 30)	19	12.7	3.7	5.5	19.9
Obese (BMI ≥ 30)	19	15.0	3.7	7.8	22.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	46	12.6	2.2	8.4	16.9
Does not participate in leisure time physical activity	14	13.8	4.0	6.0	21.5
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	52	13.2	2.1	9.1	17.3
Health Insurance Status					
Insured	57	13.1	2.0	9.1	17.1
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2017

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,145	17.4	0.4	16.7	18.1
Riley County	61	11.4	1.6	8.2	14.6
Gender					
Men	37	13.1	2.3	8.5	17.6
Women	24	9.4	2.3	4.9	13.8
Age Group					
18 to 44 Years	31	10.7	2.0	6.8	14.6
45 to 64 Years	24	20.3	4.4	11.6	29.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	58	11.2	1.6	8.0	14.4
Race					
White	56	12.3	1.8	8.8	15.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	26	26.0	5.2	15.8	36.1
Some College or College Graduate	35	7.5	1.4	4.7	10.3
Annual Household Income					
Less than \$35,000 per Year	25	14.3	3.1	8.2	20.5
\$35,000 or Higher per Year	29	11.6	2.4	6.9	16.3
Disability Status					
Living with a Disability†	20	18.8	4.6	9.7	27.9
Living without a Disability	39	9.4	1.7	6.1	12.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	23	9.7	2.4	5.0	14.3
Overweight (25 ≤ BMI < 30)	23	12.7	2.8	7.2	18.1
Obese (BMI ≥ 30)	15	16.2	4.3	7.6	24.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	45	10.9	1.8	7.4	14.4
Does not participate in leisure time physical activity	*	*	*	*	*
Health Insurance Status					
Insured	54	11.4	1.7	8.0	14.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Stopped Smoking for One Day or Longer Because
They Were Trying to Quit Smoking, 2017**

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,708	57.1	1.1	54.9	59.2
Riley County	34	60.5	7.3	46.3	74.8
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	32	60.4	7.3	46.0	74.7
Race					
White	29	57.3	7.6	42.4	72.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Health Insurance Status					
Insured	<i>30</i>	<i>60.3</i>	<i>7.8</i>	<i>45.0</i>	<i>75.5</i>
Uninsured	*	*	*	*	*

Numerator: Current smokers who stopped smoking for one day or longer because they were trying to quit smoking.

Denominator: Current smokers, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2017

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,011	5.5	0.2	5.1	5.9
Riley County	28	4.8	1.0	2.8	6.8
Gender					
Men	26	8.3	1.8	4.9	11.8
Women	*	*	*	*	*
Age Group					
18 to 44 Years	12	4.1	1.2	1.7	6.5
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	28	5.3	1.1	3.1	7.4
Race					
White	27	5.4	1.1	3.2	7.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	17	13.1	3.5	6.2	20.0
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	14	4.5	1.3	2.0	7.0
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	21	4.6	1.1	2.4	6.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	15	9.6	2.6	4.6	14.6
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	20	4.4	1.1	2.3	6.5
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	17	3.4	0.9	1.6	5.2
Health Insurance Status					
Insured	24	4.3	1.0	2.4	6.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2017

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	919	10.1	0.4	9.4	10.9
Riley County	26	8.3	1.8	4.9	11.8
Age Group					
18 to 44 Years	12	7.3	2.1	3.1	11.5
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	26	9.0	1.9	5.3	12.8
Race					
White	25	9.1	2.0	5.3	13.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	15	18.9	5.2	8.7	29.1
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	13	6.9	2.0	2.9	10.8
Disability Status					
Living with a Disability†	*	*	*	*	*
Living without a Disability	20	8.0	1.9	4.2	11.8
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	15	14.6	3.8	7.1	22.1
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	18	7.6	1.9	3.9	11.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	17	6.3	1.7	3.0	9.6
Health Insurance Status					
Insured	22	7.4	1.7	4.0	10.8
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2017**

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,748	10.9	0.2	10.4	11.4
Riley County	95	14.9	1.9	11.3	18.6
Gender					
Men	89	26.6	3.2	20.5	32.8
Women	*	*	*	*	*
Age Group					
18 to 44 Years	34	13.4	2.4	8.7	18.1
45 to 64 Years	22	14.3	3.0	8.3	20.2
65 Years and Older	38	26.6	4.0	18.8	34.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	89	13.9	1.8	10.4	17.4
Race					
White	89	15.3	1.9	11.6	18.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	26	22.2	4.6	13.2	31.1
Some College or College Graduate	69	12.9	2.0	9.0	16.9
Annual Household Income					
Less than \$35,000 per Year	18	7.6	2.2	3.3	11.9
\$35,000 or Higher per Year	58	17.9	2.8	12.4	23.5
Disability Status					
Living with a Disability†	28	22.6	5.2	12.4	32.7
Living without a Disability	62	13.1	2.0	9.1	17.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	21	9.3	2.4	4.6	14.0
Overweight (25 ≤ BMI < 30)	49	24.5	4.1	16.5	32.6
Obese (BMI ≥ 30)	22	15.8	3.9	8.2	23.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	69	15.3	2.2	10.9	19.7
Does not participate in leisure time physical activity	22	16.2	4.2	8.0	24.4
Smoking Status					
Current smoker	17	26.9	6.9	13.5	40.3
Non-smoker	76	13.9	2.0	10.0	17.8
Health Insurance Status					
Insured	91	15.5	2.0	11.7	19.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2017

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,551	32.3	0.4	31.5	33.2
Riley County	140	23.0	2.2	18.7	27.2
Gender					
Men	72	20.3	2.6	15.2	25.5
Women	68	26.3	3.6	19.3	33.3
Age Group					
18 to 44 Years	54	20.6	2.7	15.3	26.0
45 to 64 Years	50	31.0	4.5	22.2	39.8
65 Years and Older	34	25.8	4.1	17.7	33.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	131	21.5	2.1	17.3	25.6
Race					
White	134	25.0	2.4	20.4	29.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	36	32.7	5.4	22.1	43.3
Some College or College Graduate	104	20.2	2.3	15.7	24.7
Annual Household Income					
Less than \$35,000 per Year	46	27.0	4.2	18.7	35.3
\$35,000 or Higher per Year	80	23.5	2.9	17.7	29.3
Disability Status					
Living with a Disability†	40	34.2	5.9	22.6	45.8
Living without a Disability	96	20.5	2.3	15.9	25.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	91	18.7	2.3	14.3	23.2
Does not participate in leisure time physical activity	40	40.1	6.2	27.9	52.3
Smoking Status					
Current smoker	15	30.9	7.4	16.4	45.4
Non-smoker	122	22.1	2.3	17.7	26.6
Health Insurance Status					
Insured	126	21.4	2.2	17.1	25.7
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2017

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	13,706	67.2	0.4	66.3	68.0
Riley County	335	54.9	2.8	49.5	60.3
Gender					
Men	188	57.2	3.7	50.0	64.3
Women	147	52.0	4.2	43.8	60.2
Age Group					
18 to 44 Years	127	48.6	3.6	41.6	55.5
45 to 64 Years	103	68.2	4.6	59.2	77.1
65 Years and Older	102	76.5	3.8	69.0	84.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	320	54.3	2.8	48.7	59.8
Race					
White	317	58.4	2.9	52.8	64.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	69	61.1	5.9	49.6	72.7
Some College or College Graduate	266	53.2	3.1	47.1	59.3
Annual Household Income					
Less than \$35,000 per Year	86	53.2	5.1	43.2	63.3
\$35,000 or Higher per Year	207	59.4	3.6	52.4	66.5
Disability Status					
Living with a Disability†	79	68.7	6.7	55.5	81.9
Living without a Disability	248	52.3	3.1	46.3	58.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	250	53.3	3.1	47.1	59.4
Does not participate in leisure time physical activity	68	63.6	6.5	50.8	76.4
Smoking Status					
Current smoker	38	64.3	7.3	50.1	78.5
Non-smoker	291	54.1	3.0	48.2	59.9
Health Insurance Status					
Insured	313	54.8	2.9	49.2	60.4
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

† Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution.

Please refer to Technical Notes for more information.

Technical Notes

The 2017 BRFSS data for your county/region on health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is greater than 30 percent

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>

In 2017, cholesterol questions and fruits and vegetables modules were modified for all states. Due to the changes in methodology, we do not advise comparing 2017 findings to the previous modules.

For more information on new fruits and vegetables module: please visit <https://www.cdc.gov/nutrition/data-statistics/using-the-new-BRFSS-modules.html>

In 2017 and 2016, a six-item set of questions identify disability in hearing, vision, cognition, mobility, self-care, and independent living for all states. Respondents who responded "yes" to at least one of the six functional disability questions were identified as adults living with a disability.

For more information on disability questions: please visit https://www.cdc.gov/brfss/data_documentation/pdf/BRFSS_Data_Users_Guide_on_Disability_Questions_2018-508.pdf

Please visit the BRFSS questionnaires below to see the questions on specific topics:

2017 Kansas BRFSS: <http://www.kdheks.gov/brfss/PDF/ks2017svy.pdf>

2016 Kansas BRFSS: <http://www.kdheks.gov/brfss/PDF/ks2016svy.pdf>

2015 Kansas BRFSS: <http://www.kdheks.gov/brfss/PDF/ks2015svy.pdf>