

Table E21  
Deaths from 39 Selected Causes by Number and Percent and Sex of Decedent  
Related to Tobacco  
Kansas, 2016

Cause of Death * and Sex of Decedent	Total	Did Tobacco Use Contribute to This Death?					
		Yes	Probably	Yes + Probably as % of Known	No	Total Known	Unknown
All Causes	26,129	2,554	1,580	25.4	12,148	16,282	9,847
Male	13,053	1,481	963	31.2	5,387	7,831	5,222
Female	13,076	1,073	617	20.0	6,761	8,451	4,625
Tuberculosis	2	0	0		0	0	2
Male	0	0	0		0	0	0
Female	2	0	0		0	0	2
Syphilis	0	0	0		0	0	0
Male	0	0	0		0	0	0
Female	0	0	0		0	0	0
HIV/AIDS	15	2	0	16.7	10	12	3
Male	13	1	0	9.1	10	11	2
Female	2	1	0	100.0	0	1	1
Cancer of Stomach	78	5	7	29.3	29	41	37
Male	47	5	5	35.7	18	28	19
Female	31	0	2	15.4	11	13	18
Cancer of Colon, Rectum & Anus	495	12	17	9.3	283	312	183
Male	245	8	5	8.4	142	155	90
Female	250	4	12	10.2	141	157	93
Cancer of Pancreas	386	12	21	13.5	211	244	142
Male	191	7	10	13.9	105	122	69
Female	195	5	11	13.1	106	122	73
Cancer of Trachea, Bronchus & Lung	1,361	602	272	89.2	106	980	381
Male	707	310	155	91.5	43	508	199
Female	654	292	117	86.7	63	472	182
Cancer of Breast	405	7	7	5.4	245	259	146
Male	3	0	0	0.0	2	2	1
Female	402	7	7	5.4	243	257	145
Cancer of Cervix, Corpus & Ovary	244	1	6	4.4	153	160	84
Male	0	0	0		0	0	0
Female	244	1	6	4.4	153	160	84
Cancer of Prostate	254	5	9	9.9	128	142	112
Male	254	5	9	9.9	128	142	112
Female	0	0	0		0	0	0

Table E21  
Deaths from 39 Selected Causes by Number and Percent and Sex of Decedent  
Related to Tobacco  
Kansas, 2016

Cause of Death * and Sex of Decedent	Total	Did Tobacco Use Contribute to This Death?					
		Yes	Probably	Yes + Probably as % of Known	No	Total Known	Unknown
Cancer of Urinary Tract	286	14	24	25.5	111	149	137
Male	196	11	17	29.5	67	95	101
Female	90	3	7	18.5	44	54	36
Non-Hodgkin's Lymphoma	207	9	5	10.4	121	135	72
Male	102	5	5	16.1	52	62	40
Female	105	4	0	5.5	69	73	32
Leukemia	223	2	4	4.1	141	147	76
Male	125	2	4	7.2	77	83	42
Female	98	0	0	0.0	64	64	34
Other Malignant Neoplasms	1,521	137	107	26.2	686	930	591
Male	941	108	81	33.3	378	567	374
Female	580	29	26	15.2	308	363	217
Diabetes mellitus	725	60	38	24.3	306	404	321
Male	404	36	28	31.5	139	203	201
Female	321	24	10	16.9	167	201	120
Alzheimer's Disease	853	9	10	3.3	564	583	270
Male	260	6	7	8.1	147	160	100
Female	593	3	3	1.4	417	423	170
Hypertensive Heart Disease	290	16	26	24.6	129	171	119
Male	138	5	15	30.8	45	65	73
Female	152	11	11	20.8	84	106	46
Ischemic Heart Disease	3,103	347	224	36.3	1,004	1,575	1,528
Male	1,847	255	171	46.1	499	925	922
Female	1,256	92	53	22.3	505	650	606
Other Heart Disease	2,237	101	80	14.3	1,087	1,268	969
Male	1,000	62	47	21.8	391	500	500
Female	1,237	39	33	9.4	696	768	469
Prim. Hypertension/ Hypertensive Renal Dis. & Sec. Hypertension	222	17	13	19.9	121	151	71
Male	85	7	9	29.6	38	54	31
Female	137	10	4	14.4	83	97	40

Table E21  
Deaths from 39 Selected Causes by Number and Percent and Sex of Decedent  
Related to Tobacco  
Kansas, 2016

Cause of Death * and Sex of Decedent	Total	Did Tobacco Use Contribute to This Death?					
		Yes	Probably	Yes + Probably as % of Known	No	Total Known	Unknown
Cerebrovascular Disease	1,355	67	77	18.4	640	784	571
Male	573	36	45	25.3	239	320	253
Female	782	31	32	13.6	401	464	318
Atherosclerosis	385	7	4	3.4	317	328	57
Male	153	5	3	6.7	111	119	34
Female	232	2	1	1.4	206	209	23
Other Disease of Circulatory System	207	26	23	44.1	62	111	96
Male	121	20	18	55.9	30	68	53
Female	86	6	5	25.6	32	43	43
Pneumonia & Influenza	518	27	16	15.4	237	280	238
Male	241	16	7	20.2	91	114	127
Female	277	11	9	12.0	146	166	111
Chronic Lower Respiratory Disease	1,653	766	294	86.2	169	1,229	424
Male	788	391	142	90.2	58	591	197
Female	865	375	152	82.6	111	638	227
Peptic Ulcer	39	3	3	25.0	18	24	15
Male	20	2	2	28.6	10	14	6
Female	19	1	1	20.0	8	10	9
Chronic Liver Disease & Cirrhosis	316	21	25	22.4	159	205	111
Male	206	12	20	24.2	100	132	74
Female	110	9	5	19.2	59	73	37
Nephritis, Nephrotic Syndrome & Nephrosis	529	20	25	15.4	248	293	236
Male	257	11	12	18.0	105	128	129
Female	272	9	13	13.3	143	165	107
Pregnancy, Childbirth, & the Puerperium	12	0	2	18.2	9	11	1
Male	0	0	0		0	0	0
Female	12	0	2	18.2	9	11	1
Certain Conditions Originating In the Perinatal Period	104	0	0	0.0	92	92	12
Male	61	0	0	0.0	55	55	6
Female	43	0	0	0.0	37	37	6

Table E21  
Deaths from 39 Selected Causes by Number and Percent and Sex of Decedent  
Related to Tobacco  
Kansas, 2016

Cause of Death * and Sex of Decedent	Total	Did Tobacco Use Contribute to This Death?					
		Yes	Probably	Yes + Probably as % of Known	No	Total Known	Unknown
Congenital Anomalies	108	0	2	2.1	95	97	11
Male	61	0	1	1.8	55	56	5
Female	47	0	1	2.4	40	41	6
Sudden Infant Death Syndrome	27	0	1	4.3	22	23	4
Male	14	0	0	0.0	11	11	3
Female	13	0	1	8.3	11	12	1
Symptoms and Abnormal Findings	388	2	2	2.3	170	174	214
Male	162	1	1	3.2	61	63	99
Female	226	1	1	1.8	109	111	115
All Other Diseases	5,421	216	199	12.1	3,018	3,433	1,988
Male	2,411	130	123	17.5	1,194	1,447	964
Female	3,010	86	76	8.2	1,824	1,986	1,024
Motor Vehicle Accidents	428	3	4	2.1	331	338	90
Male	301	2	3	2.1	232	237	64
Female	127	1	1	2.0	99	101	26
All Other Accidents and Adverse Effects	1,040	34	29	10.1	562	625	415
Male	590	19	16	10.0	315	350	240
Female	450	15	13	10.2	247	275	175
Suicide	512	2	2	1.0	410	414	98
Male	401	2	1	0.9	323	326	75
Female	111	0	1	1.1	87	88	23
Homicide	148	1	1	1.5	135	137	11
Male	114	1	1	1.9	103	105	9
Female	34	0	0	0.0	32	32	2
All Other External Causes	32	1	1	9.5	19	21	11
Male	21	0	0	0.0	13	13	8
Female	11	1	1	25.0	6	8	3

\* The ICD-10 codes associated with each category are listed in Appendix 4.