

Table E21  
Deaths from 39 Selected Causes by Number and Percent and Sex of Decedent  
Related to Tobacco  
Kansas, 2017

Cause of Death * and Sex of Decedent	Total	Did Tobacco Use Contribute to This Death?					
		Yes	Probably	Yes + Probably as % of Known	No	Total Known	Unknown
All Causes	26,725	2,993	1,722	25.3	13,946	18,661	8,064
Male	13,576	1,782	1,093	31.5	6,257	9,132	4,444
Female	13,149	1,211	629	19.3	7,689	9,529	3,620
Tuberculosis	1	1	0	100.0	0	1	0
Male	1	1	0	100.0	0	1	0
Female	0	0	0		0	0	0
Syphilis	1	0	0		0	0	1
Male	1	0	0		0	0	1
Female	0	0	0		0	0	0
HIV/AIDS	22	1	1	12.5	14	16	6
Male	19	1	1	14.3	12	14	5
Female	3	0	0	0.0	2	2	1
Cancer of Stomach	69	7	7	26.9	38	52	17
Male	45	5	6	33.3	22	33	12
Female	24	2	1	15.8	16	19	5
Cancer of Colon, Rectum & Anus	507	23	23	13.4	297	343	164
Male	285	15	15	15.7	161	191	94
Female	222	8	8	10.5	136	152	70
Cancer of Pancreas	363	19	25	17.7	205	249	114
Male	181	11	13	20.2	95	119	62
Female	182	8	12	15.4	110	130	52
Cancer of Trachea, Bronchus & Lung	1,367	634	268	86.1	146	1,048	319
Male	753	366	151	89.9	58	575	178
Female	614	268	117	81.4	88	473	141
Cancer of Breast	342	12	10	9.0	223	245	97
Male	8	1	2	50.0	3	6	2
Female	334	11	8	7.9	220	239	95
Cancer of Cervix, Corpus & Ovary	259	5	5	5.4	176	186	73
Male	0	0	0		0	0	0
Female	259	5	5	5.4	176	186	73
Cancer of Prostate	271	9	12	11.2	166	187	84
Male	271	9	12	11.2	166	187	84
Female	0	0	0		0	0	0

Table E21  
Deaths from 39 Selected Causes by Number and Percent and Sex of Decedent  
Related to Tobacco  
Kansas, 2017

Cause of Death * and Sex of Decedent	Total	Did Tobacco Use Contribute to This Death?					
		Yes	Probably	Yes + Probably as % of Known	No	Total Known	Unknown
Cancer of Urinary Tract	299	29	39	33.3	136	204	95
Male	207	20	30	36.0	89	139	68
Female	92	9	9	27.7	47	65	27
Non-Hodgkin's Lymphoma	174	6	7	10.4	112	125	49
Male	101	6	5	15.7	59	70	31
Female	73	0	2	3.6	53	55	18
Leukemia	234	9	7	8.7	167	183	51
Male	142	3	6	8.2	101	110	32
Female	92	6	1	9.6	66	73	19
Other Malignant Neoplasms	1,506	150	114	25.1	788	1,052	454
Male	943	119	91	32.5	436	646	297
Female	563	31	23	13.3	352	406	157
Diabetes mellitus	864	98	78	28.9	434	610	254
Male	476	75	51	39.0	197	323	153
Female	388	23	27	17.4	237	287	101
Alzheimer's Disease	886	6	12	2.5	697	715	171
Male	278	2	9	5.2	200	211	67
Female	608	4	3	1.4	497	504	104
Hypertensive Heart Disease	376	30	24	23.3	178	232	144
Male	156	21	14	41.2	50	85	71
Female	220	9	10	12.9	128	147	73
Ischemic Heart Disease	3,299	401	236	33.2	1,279	1,916	1,383
Male	1,977	279	174	42.2	620	1,073	904
Female	1,322	122	62	21.8	659	843	479
Other Heart Disease	1,961	119	88	16.2	1,071	1,278	683
Male	829	67	54	25.1	362	483	346
Female	1,132	52	34	10.8	709	795	337
Prim. Hypertension/ Hypertensive Renal Dis. & Sec. Hypertension	263	24	14	20.8	145	183	80
Male	117	12	11	29.5	55	78	39
Female	146	12	3	14.3	90	105	41

Table E21  
Deaths from 39 Selected Causes by Number and Percent and Sex of Decedent  
Related to Tobacco  
Kansas, 2017

Cause of Death * and Sex of Decedent	Total	Did Tobacco Use Contribute to This Death?					
		Yes	Probably	Yes + Probably as % of Known	No	Total Known	Unknown
Cerebrovascular Disease	1,327	73	75	16.7	737	885	442
Male	539	37	44	24.0	256	337	202
Female	788	36	31	12.2	481	548	240
Atherosclerosis	384	6	6	3.4	342	354	30
Male	156	2	2	2.8	137	141	15
Female	228	4	4	3.8	205	213	15
Other Disease of Circulatory System	191	32	25	48.7	60	117	74
Male	95	21	14	67.3	17	52	43
Female	96	11	11	33.8	43	65	31
Pneumonia & Influenza	540	33	21	14.7	313	367	173
Male	243	20	13	21.4	121	154	89
Female	297	13	8	9.9	192	213	84
Chronic Lower Respiratory Disease	1,816	905	309	84.3	226	1,440	376
Male	896	483	170	88.5	85	738	158
Female	920	422	139	79.9	141	702	218
Peptic Ulcer	32	1	0	4.5	21	22	10
Male	13	1	0	11.1	8	9	4
Female	19	0	0	0.0	13	13	6
Chronic Liver Disease & Cirrhosis	311	23	27	23.1	166	216	95
Male	207	13	20	23.2	109	142	65
Female	104	10	7	23.0	57	74	30
Nephritis, Nephrotic Syndrome & Nephrosis	531	24	20	13.0	294	338	193
Male	267	11	15	16.6	131	157	110
Female	264	13	5	9.9	163	181	83
Pregnancy, Childbirth, & the Puerperium	10	2	1	30.0	7	10	0
Male	0	0	0		0	0	0
Female	10	2	1	30.0	7	10	0
Certain Conditions Originating In the Perinatal Period	108	1	0	1.1	94	95	13
Male	64	0	0	0.0	57	57	7
Female	44	1	0	2.6	37	38	6

Table E21  
Deaths from 39 Selected Causes by Number and Percent and Sex of Decedent  
Related to Tobacco  
Kansas, 2017

Cause of Death * and Sex of Decedent	Total	Did Tobacco Use Contribute to This Death?					
		Yes	Probably	Yes + Probably as % of Known	No	Total Known	Unknown
Congenital Anomalies	102	1	1	2.2	88	90	12
Male	48	1	0	2.4	40	41	7
Female	54	0	1	2.0	48	49	5
Sudden Infant Death Syndrome	13	0	0	0.0	9	9	4
Male	10	0	0	0.0	7	7	3
Female	3	0	0	0.0	2	2	1
Symptoms and Abnormal Findings	459	5	7	4.6	247	259	200
Male	251	4	5	8.0	103	112	139
Female	208	1	2	2.0	144	147	61
All Other Diseases	5,505	257	241	12.6	3,444	3,942	1,563
Male	2,497	146	153	17.6	1,399	1,698	799
Female	3,008	111	88	8.9	2,045	2,244	764
Motor Vehicle Accidents	447	2	0	0.5	362	364	83
Male	317	0	0	0.0	254	254	63
Female	130	2	0	1.8	108	110	20
All Other Accidents and Adverse Effects	1,126	39	17	8.2	623	679	447
Male	596	24	10	9.1	340	374	222
Female	530	15	7	7.2	283	305	225
Suicide	544	3	2	1.1	457	462	82
Male	426	3	2	1.4	365	370	56
Female	118	0	0	0.0	92	92	26
Homicide	179	2	0	1.2	167	169	10
Male	141	2	0	1.5	133	135	6
Female	38	0	0	0.0	34	34	4
All Other External Causes	36	1	0	5.6	17	18	18
Male	20	1	0	10.0	9	10	10
Female	16	0	0	0.0	8	8	8

\* The ICD-10 codes associated with each category are listed in Appendix 4.