

KANSAS

Teenage Pregnancy Report Kansas, 2000



Research Summary

Center for Health and Environmental Statistics
Kansas Department of Health and Environment
1000 SW Jackson, Room 130, Topeka, KS 66612-1354
<http://www.kdhe.state.ks.us/hci/>
October 2000

KANSAS TEENAGE PREGNANCY REPORT

The Kansas Department of Health and Environment (KDHE) annually publishes a teenage pregnancy report, summarizing data collected from vital records on fetal deaths, abortions, and live births. The total of these three elements represents the number of pregnancies. KDHE has compiled nine tables containing pregnancy totals and pregnancy rates for the following age-groups 10-17, 15-17, 10-14, and 15-19 by county of residence.

List of Tables

Teenage Pregnancies for 10-17 Year Olds by County of Residence, Kansas, 2000

Teenage Pregnancies (10-17 years of age) by County of Residence, Kansas, 1996-2000

Teenage Pregnancy Rates (10-17 years of age) by County of Residence, Kansas, 1996-2000

Teenage Pregnancies for 15-17 Year Olds by County of Residence, Kansas, 2000

Teenage Pregnancies (15-17 years of age) by County of Residence, Kansas, 1996-2000

Teenage Pregnancy Rates (15-17 years of age) by County of Residence, 1996-2000

Teenage Pregnancies for 10-19 Year Olds by Component, by County of Residence, Kansas, 2000

Teenage Pregnancy Rates (10-14, 15-19 years of age) by County of Residence, Kansas, 1996-2000

Teenage Pregnancy Rates (10-19 years of age) by County of Residence, Kansas, 1996-2000

Technical Notes

- Abortion (induced termination of pregnancy): The purposeful interruption of pregnancy with the intention other than to produce a live-born infant or to remove a dead fetus and which does not result in a live birth.
- Fetal Death: Any complete expulsion or extraction from its mother of a product of human conception, the weight of which is in excess of 350 grams, irrespective of the duration of pregnancy, resulting in other than a live birth, and which is not an induced termination of pregnancy.
- Live Birth: The complete expulsion or extraction of a product of human conception from its mother, irrespective of the duration of pregnancy, that, after such expulsion or extraction, shows any evidence of life such as breathing, heartbeat, pulsation of the umbilical cord, or voluntary muscle movement, whether or not the umbilical cord has been cut or the placenta attached.

Population:

U.S. Census Bureau population estimates and counts were obtained on the Internet at:

<http://www.census.gov/>

1996 female 10-17 and 10-19 age-group county population estimates were compiled by the

Kansas Department of Health and Environment based on 1990 U.S. Census Bureau totals.

1997-1998 female 10-17 and 10-19 age-group county population estimates were compiled by the U.S. Census Bureau as of 7/1/97 and 7/1/98.

County estimates were then adjusted to the 1996-1998 Census totals for the state.

1999 state and county female 10-17 and 10-19 age-group population estimates were compiled by the U.S. Census Bureau as of 7/1/99 (Internet release date: 8/30/00).

1996-1999 state and county female 15-17 age-group population estimates were compiled by the U.S. Census Bureau as of July 1 of each year (Internet release date: 8/30/00).

2000 female age-group county population counts were compiled by the U.S. Census Bureau as of 4/1/2001.

Rate Reliability:

Vital statistics are easily influenced by random variation, and single-year rates can fluctuate from year to year. A multiple-year rate, such as a 5- or 10- year average of single-year rates, would be more accurate in formulating conclusions on vital events. For example, between 1996 and 2000, the teenage pregnancy rate for Kansas varied from 30.3 to 33.9 teenage pregnancies per 1,000 10-19 female population. The 1996-2000 5-year teenage pregnancy rate was 32.4. The 5-year rate smooths some of the variation in single-year rates and would be a more reliable indicator of teenage pregnancy rates in Kansas.

Rates based on a small or large number of events in a sparsely populated area can vary widely. To exemplify the variation that may occur with a small change in the number of events, in 2000, Comanche County had the lowest 10-19 female population in Kansas at 108 and Sedgwick County had the highest at 33,346. With 2 teenage pregnancies occurring in Comanche County in

2000, the 10-19 teenage pregnancy rate was 18.5; whereas 1,276 teenage pregnancies occurring in Sedgwick County resulted in a teen pregnancy rate of 38.3 per 1,000 10-19 female population. If 5 more teenage pregnancies had occurred in each county, Comanche County's teenage pregnancy rate would have increased to 64.8, while Sedgwick County's rate would have increased only slightly, to 38.4 teenage pregnancies per 1,000 10-19 female population. Therefore, one must use caution when comparing rates of vital events between counties of significantly different population sizes to avoid misleading conclusions.

Residence Data: Residence data is information compiled according to the usual residence regardless of where the event occurred (including events occurring out-of-state).

Teenage Pregnancy: A live birth, fetal death or abortion occurring to a female under 20 years of age.

Teenage Pregnancy Rate: live births, fetal deaths, abortions for females
in a specific age-group x 1,000
female population in a specific age-group

Teenage Pregnancies for 10-17 Year Olds By County of Residence, Kansas, 2000

County of Residence	Live Births	Fetal Deaths	Abortions	Total Pregnancies	Pregnancy Rate*
ALLEN	9	-	2	11	12.4
ANDERSON	7	-	1	8	15.6
ATCHISON	9	-	1	10	9.4
BARBER	-	-	-	-	-
BARTON	21	-	4	25	14.4
BOURBON	12	-	1	13	14.3
BROWN	3	-	1	4	5.8
BUTLER	30	-	15	45	11.2
CHASE	3	-	-	3	18.3
CHAUTAUQUA	3	-	1	4	14.7
CHEROKEE	7	-	-	7	5.1
CHEYENNE	2	-	-	2	10.4
CLARK	1	-	-	1	6.9
CLAY	3	-	3	6	11.0
CLOUD	-	-	1	1	1.8
COFFEY	3	-	1	4	6.6
COMANCHE	-	-	-	-	-
COWLEY	20	-	3	23	10.1
CRAWFORD	20	-	4	24	12.3
DECATUR	3	-	-	3	14.9
DICKINSON	5	-	1	6	4.7
DONIPHAN	5	-	1	6	13.0
DOUGLAS	30	-	15	45	10.0
EDWARDS	6	-	-	6	28.2
ELK	4	-	-	4	17.8
ELLIS	12	-	2	14	9.5
ELLSWORTH	2	-	1	3	7.9
FINNEY	55	-	9	64	23.5
FORD	39	-	6	45	22.8
FRANKLIN	11	-	5	16	10.2
GEARY	15	-	14	29	17.4
GOVE	-	-	-	-	-
GRAHAM	2	-	-	2	11.7
GRANT	6	-	-	6	10.4
GRAY	4	-	1	5	11.9
GREELEY	1	-	-	1	11.2
GREENWOOD	4	-	1	5	11.4
HAMILTON	2	-	-	2	11.0
HARPER	4	-	4	8	19.0
HARVEY	15	-	1	16	7.8
HASKELL	6	-	1	7	22.8
HODGEMAN	-	-	-	-	-
JACKSON	1	-	1	2	2.3
JEFFERSON	10	-	2	12	10.4
JEWELL	1	-	-	1	4.7
JOHNSON	80	-	76	156	5.9
KEARNY	5	1	-	6	18.1
KINGMAN	7	-	1	8	13.1
KIOWA	-	-	-	-	-
LABETTE	10	-	5	15	10.9
LANE	1	-	-	1	7.4
LEAVENWORTH	31	-	6	37	9.1
LINCOLN	-	-	-	-	-
LINN	6	-	1	7	12.3
LOGAN	-	-	-	-	-

Teenage Pregnancies for 10-17 Year Olds By County of Residence, Kansas, 2000

County of Residence	Live Births	Fetal Deaths	Abortions	Total Pregnancies	Pregnancy Rate*
LYON	23	1	8	32	15.3
MARION	2	-	3	5	6.1
MARSHALL	3	-	1	4	5.4
MCPHERSON	15	-	10	25	13.3
MEADE	3	-	-	3	10.1
MIAMI	8	-	8	16	8.5
MITCHELL	2	-	1	3	6.2
MONTGOMERY	30	-	8	38	17.9
MORRIS	2	-	-	2	5.3
MORTON	2	-	1	3	12.0
NEMAHA	5	-	-	5	6.7
NEOSHO	8	-	2	10	8.9
NESS	1	-	1	2	10.1
NORTON	1	-	1	2	6.4
OSAGE	6	-	5	11	10.2
OSBORNE	2	-	-	2	7.4
OTTAWA	2	-	-	2	5.1
PAWNEE	3	-	1	4	9.4
PHILLIPS	3	-	1	4	10.6
POTTAWATOMIE	7	-	4	11	8.5
PRATT	2	-	2	4	6.7
RAWLINS	-	-	-	-	-
RENO	23	-	10	33	9.1
REPUBLIC	-	-	-	-	-
RICE	7	-	2	9	13.7
RILEY	13	-	2	15	6.1
ROOKS	-	-	-	-	-
RUSH	-	-	-	-	-
RUSSELL	4	-	-	4	9.7
SALINE	31	-	4	35	11.2
SCOTT	4	-	1	5	15.2
SEDGWICK	307	-	95	402	14.7
SEWARD	37	-	5	42	29.6
SHAWNEE	113	-	46	159	16.7
SHERIDAN	1	-	-	1	5.2
SHERMAN	3	-	-	3	7.8
SMITH	-	-	-	-	-
STAFFORD	2	-	-	2	6.4
STANTON	2	-	1	3	17.1
STEVENS	8	-	1	9	21.8
SUMNER	11	-	2	13	7.4
THOMAS	1	-	-	1	2.1
TREGO	1	-	-	1	4.8
WABAUNSEE	1	-	2	3	6.5
WALLACE	-	-	-	-	-
WASHINGTON	2	-	-	2	5.2
WICHITA	1	-	-	1	6.6
WILSON	6	-	-	6	10.0
WOODSON	4	-	-	4	16.8
WYANDOTTE	185	4	54	243	25.7
UNKNOWN	-	-	-	-	n/a
KANSAS	1,433	6	474	1,913	12.0

*Rates per 1,000 female age-group population. 2000 10-17 female age-group county population counts were compiled by the U.S. Census Bureau as of 4/1/2001.

n/a-Not applicable

Source: Kansas Department of Health and Environment

**Teenage Pregnancies* (10-17 years of age)
By County of Residence, Kansas, 1996-2000**

County of Residence	Year					Teenage Pregnancies 1996-2000
	1996	1997	1998	1999	2000	
ALLEN	18	16	9	21	11	75
ANDERSON	6	4	10	4	8	32
ATCHISON	17	11	9	13	10	60
BARBER	1	2	5	6	-	14
BARTON	28	30	19	21	25	123
BOURBON	17	10	13	19	13	72
BROWN	7	2	9	5	4	27
BUTLER	43	31	49	37	45	205
CHASE	4	2	4	2	3	15
CHAUTAUQUA	-	4	5	3	4	16
CHEROKEE	14	19	13	15	7	68
CHEYENNE	2	2	-	-	2	6
CLARK	-	-	3	-	1	4
CLAY	7	10	4	4	6	31
CLOUD	3	3	7	4	1	18
COFFEY	7	5	4	4	4	24
COMANCHE	3	-	1	1	-	5
COWLEY	34	44	26	30	23	157
CRAWFORD	26	36	25	40	24	151
DECATUR	3	1	1	-	3	8
DICKINSON	21	22	8	11	6	68
DONIPHAN	8	8	4	7	6	33
DOUGLAS	53	54	51	41	45	244
EDWARDS	4	2	2	1	6	15
ELK	-	2	2	2	4	10
ELLIS	9	11	15	10	14	59
ELLSWORTH	1	2	2	1	3	9
FINNEY	83	84	67	67	64	365
FORD	52	52	44	58	45	251
FRANKLIN	24	38	23	12	16	113
GEARY	43	43	44	34	29	193
GOVE	-	1	-	2	-	3
GRAHAM	4	1	2	1	2	10
GRANT	21	14	15	13	6	69
GRAY	4	2	6	4	5	21
GREELEY	1	-	2	1	1	5
GREENWOOD	6	6	7	5	5	29
HAMILTON	1	2	2	3	2	10
HARPER	5	2	6	4	8	25
HARVEY	25	19	31	28	16	119
HASKELL	4	6	7	5	7	29
HODGEMAN	1	-	-	4	-	5
JACKSON	13	6	7	6	2	34
JEFFERSON	12	19	19	10	12	72
JEWELL	1	-	1	2	1	5
JOHNSON	173	175	185	158	156	847
KEARNY	4	9	3	7	6	29
KINGMAN	13	6	8	2	8	37
KIOWA	2	2	5	1	-	10
LABETTE	14	20	24	23	15	96
LANE	1	1	1	2	1	6
LEAVENWORTH	43	50	50	49	37	229
LINCOLN	2	1	2	2	-	7
LINN	8	5	10	12	7	42
LOGAN	3	-	1	4	-	8

**Teenage Pregnancies* (10-17 years of age)
By County of Residence, Kansas, 1996-2000**

County of Residence	Year					Teenage Pregnancies 1996-2000
	1996	1997	1998	1999	2000	
LYON	22	39	29	41	32	163
MARION	5	7	9	5	5	31
MARSHALL	2	5	-	4	4	15
MCPHERSON	22	17	20	11	25	95
MEADE	1	1	7	2	3	14
MIAMI	16	23	19	17	16	91
MITCHELL	2	5	1	-	3	11
MONTGOMERY	41	33	46	29	38	187
MORRIS	2	2	2	4	2	12
MORTON	1	1	2	6	3	13
NEMAHA	4	4	4	4	5	21
NEOSHO	9	11	7	8	10	45
NESS	4	3	1	1	2	11
NORTON	3	-	-	1	2	6
OSAGE	15	10	13	9	11	58
OSBORNE	1	3	2	1	2	9
OTTAWA	3	-	4	3	2	12
PAWNEE	9	3	4	6	4	26
PHILLIPS	4	4	-	7	4	19
POTTAWATOMIE	5	10	6	4	11	36
PRATT	6	7	9	9	4	35
RAWLINS	1	2	1	-	-	4
RENO	72	62	52	41	33	260
REPUBLIC	1	2	2	3	-	8
RICE	11	7	5	4	9	36
RILEY	36	27	14	23	15	115
ROOKS	3	5	4	4	-	16
RUSH	1	1	1	3	-	6
RUSSELL	7	2	2	2	4	17
SALINE	51	43	50	54	35	233
SCOTT	5	6	1	2	5	19
SEDGWICK	511	547	457	430	402	2,347
SEWARD	44	35	31	40	42	192
SHAWNEE	205	146	162	138	159	810
SHERIDAN	1	-	-	1	1	3
SHERMAN	8	6	8	3	3	28
SMITH	2	1	3	-	-	6
STAFFORD	6	2	4	6	2	20
STANTON	2	4	-	3	3	12
STEVENS	11	3	7	13	9	43
SUMNER	30	23	16	11	13	93
THOMAS	3	5	3	-	1	12
TREGO	3	3	2	1	1	10
WABAUNSEE	4	5	4	8	3	24
WALLACE	-	1	1	-	-	2
WASHINGTON	1	2	2	-	2	7
WICHITA	-	2	4	5	1	12
WILSON	7	15	10	16	6	54
WOODSON	2	3	-	1	4	10
WYANDOTTE	300	334	291	273	243	1,441
UNKNOWN	5	4	1	4	-	14
KANSAS	2,409	2,383	2,195	2,082	1,913	10,982

*Teenage pregnancies include the sum of live births, reported abortions and fetal deaths

Residence data

Source: Kansas Department of Health and Environment

**Teenage Pregnancy Rates* (10-17 years of age)
By County of Residence, Kansas, 1996-2000**

County of Residence	Year					5-year Rate
	1996	1997	1998	1999	2000	
ALLEN	19.1	16.9	9.6	22.8	12.4	16.2
ANDERSON	12.0	8.0	20.0	7.9	15.6	12.7
ATCHISON	16.6	10.5	8.4	12.1	9.4	11.4
BARBER	2.9	5.8	14.4	18.3	-	8.3
BARTON	17.3	18.1	11.5	13.0	14.4	14.9
BOURBON	18.7	11.0	14.2	21.1	14.3	15.9
BROWN	9.8	2.8	12.4	6.9	5.8	7.5
BUTLER	10.6	7.6	11.7	8.7	11.2	10.0
CHASE	26.5	13.9	27.6	13.6	18.3	20.0
CHAUTAUQUA	-	17.8	22.3	13.3	14.7	13.6
CHEROKEE	9.5	12.8	8.7	10.1	5.1	9.2
CHEYENNE	9.8	9.9	-	-	10.4	6.0
CLARK	-	-	22.1	-	6.9	5.8
CLAY	11.7	16.2	6.5	6.6	11.0	10.4
CLOUD	5.9	6.0	13.8	8.1	1.8	7.1
COFFEY	12.2	8.6	6.8	6.7	6.6	8.2
COMANCHE	26.1	-	8.7	9.1	-	8.8
COWLEY	14.5	18.9	11.1	13.1	10.1	13.5
CRAWFORD	13.2	18.6	13.0	20.3	12.3	15.5
DECATUR	14.2	5.1	5.1	-	14.9	7.9
DICKINSON	16.7	17.6	6.5	9.1	4.7	10.9
DONIPHAN	16.9	16.9	8.4	14.7	13.0	14.0
DOUGLAS	13.3	12.9	12.0	9.2	10.0	11.5
EDWARDS	19.3	9.6	9.6	5.1	28.2	14.4
ELK	-	12.4	12.3	11.8	17.8	10.9
ELLIS	5.7	7.0	9.4	6.5	9.5	7.6
ELLSWORTH	2.7	5.4	5.5	2.8	7.9	4.9
FINNEY	32.4	32.9	25.8	25.6	23.5	28.0
FORD	28.6	28.5	23.8	31.7	22.8	27.1
FRANKLIN	16.1	25.5	15.1	7.5	10.2	14.9
GEARY	30.0	30.1	31.7	26.1	17.4	27.1
GOVE	-	4.7	-	10.1	-	3.0
GRAHAM	20.2	5.0	10.1	5.5	11.7	10.5
GRANT	33.2	21.9	22.9	20.4	10.4	21.8
GRAY	9.6	4.7	14.1	9.4	11.9	9.9
GREELEY	8.1	-	16.5	9.2	11.2	9.0
GREENWOOD	13.4	13.0	15.2	10.8	11.4	12.8
HAMILTON	6.7	13.5	13.5	20.1	11.0	13.0
HARPER	13.6	5.5	16.4	11.5	19.0	13.2
HARVEY	12.6	9.6	15.3	13.6	7.8	11.8
HASKELL	13.7	20.1	23.0	16.9	22.8	19.3
HODGEMAN	8.1	-	-	30.1	-	7.6
JACKSON	16.0	7.5	8.7	7.5	2.3	8.4
JEFFERSON	11.0	17.5	17.1	9.0	10.4	13.0
JEWELL	4.8	-	4.5	9.8	4.7	4.8
JOHNSON	7.1	7.1	7.3	6.1	5.9	6.7
KEARNY	13.0	29.3	9.7	23.7	18.1	18.8
KINGMAN	22.1	10.6	14.2	3.6	13.1	12.7
KIOWA	8.8	8.8	22.3	4.8	-	8.9
LABETTE	9.9	14.4	17.2	16.5	10.9	13.8
LANE	8.0	8.7	7.9	18.0	7.4	10.0
LEAVENWORTH	9.9	11.2	11.1	10.8	9.1	10.4
LINCOLN	9.2	4.6	9.2	9.3	-	6.5
LINN	14.9	8.8	17.4	20.3	12.3	14.7
LOGAN	16.1	-	5.1	22.2	-	8.7

Teenage Pregnancy Rates* (10-17 years of age) By County of Residence, Kansas, 1996-2000

County of Residence	Year					5-year Rate
	1996	1997	1998	1999	2000	
LYON	10.9	19.1	14.3	20.7	15.3	16.1
MARION	6.6	9.0	11.5	6.3	6.1	7.9
MARSHALL	3.1	7.9	-	6.5	5.4	4.6
MCPHERSON	13.6	10.1	11.7	6.5	13.3	11.0
MEADE	3.6	3.5	24.9	7.2	10.1	9.9
MIAMI	9.4	13.7	11.1	9.7	8.5	10.5
MITCHELL	3.7	9.4	2.2	-	6.2	4.3
MONTGOMERY	18.3	14.9	20.6	13.4	17.9	17.0
MORRIS	5.0	4.9	5.0	10.0	5.3	6.0
MORTON	4.0	4.1	8.2	24.6	12.0	10.6
NEMAHA	6.0	5.9	6.0	6.1	6.7	6.1
NEOSHO	8.9	10.8	6.8	8.0	8.9	8.7
NESS	18.6	13.4	4.5	4.8	10.1	10.3
NORTON	9.6	-	-	3.3	6.4	3.9
OSAGE	13.5	9.0	11.4	7.9	10.2	10.4
OSBORNE	3.7	11.6	7.8	3.8	7.4	6.9
OTTAWA	8.2	-	10.6	7.8	5.1	6.3
PAWNEE	20.1	6.9	9.3	13.9	9.4	11.9
PHILLIPS	10.4	10.3	-	19.1	10.6	10.1
POTTAWATOMIE	4.3	8.6	5.1	3.2	8.5	5.9
PRATT	10.1	11.5	14.8	15.3	6.7	11.7
RAWLINS	4.9	9.8	5.0	-	-	3.9
RENO	19.1	16.6	13.8	11.1	9.1	13.9
REPUBLIC	3.1	6.2	6.3	9.6	-	5.0
RICE	17.7	10.7	7.6	6.3	13.7	11.2
RILEY	13.6	9.9	5.2	8.7	6.1	8.7
ROOKS	8.1	13.7	11.1	11.6	-	8.9
RUSH	5.1	5.1	5.3	16.6	-	6.4
RUSSELL	18.3	5.2	5.2	5.5	9.7	8.8
SALINE	16.5	13.6	15.8	17.6	11.2	14.9
SCOTT	14.9	18.0	3.0	5.7	15.2	11.4
SEDGWICK	20.2	21.3	17.0	15.8	14.7	17.8
SEWARD	32.0	25.8	22.4	29.6	29.6	27.9
SHAWNEE	21.2	14.9	16.4	13.9	16.7	16.6
SHERIDAN	5.4	-	-	5.8	5.2	3.3
SHERMAN	19.9	14.6	19.6	7.8	7.8	13.9
SMITH	7.6	3.8	11.8	-	-	4.6
STAFFORD	19.9	6.8	13.4	20.2	6.4	13.3
STANTON	11.6	23.5	-	19.1	17.1	14.3
STEVENS	28.1	7.3	17.0	31.9	21.8	21.2
SUMNER	16.2	12.5	8.6	5.9	7.4	10.1
THOMAS	5.2	8.6	5.2	0.0	2.1	4.2
TREGO	14.9	15.1	10.3	5.4	4.8	10.1
WABAUNSEE	9.5	11.8	9.3	19.1	6.5	11.2
WALLACE	-	9.2	9.1	-	-	3.7
WASHINGTON	2.2	4.5	4.6	-	5.2	3.3
WICHITA	-	10.1	19.9	27.0	6.6	12.7
WILSON	10.2	21.4	14.0	22.9	10.0	15.7
WOODSON	8.7	13.2	-	4.4	16.8	8.6
WYANDOTTE	31.0	34.4	29.7	28.4	25.7	29.8
KANSAS	15.6	15.3	13.8	13.1	12.0	14.0

*Rate per 1,000 female 10-17 age-group population

Teenage pregnancies include the sum of live births, reported abortions and fetal deaths.

The 1996 female 10-17 age-group county population estimate was compiled by the Kansas

Department of Health and Environment based on 1990 U.S. Census Bureau totals.

1997-1998 10-17 female age-group county population estimates were compiled by the U.S. Census Bureau as of 7/1/97, and 7/1/98. County estimates were then adjusted to the 1996-1998 Census totals for the state.

1999 10-17 female age-group county population estimates were compiled by the U.S. Census Bureau as of 7/1/99.

2000 10-17 female age-group county population counts were compiled by the U.S. Census Bureau as of 4/1/2001.

Source: Kansas Department of Health and Environment

Teenage Pregnancies for 15-17 Year Olds By County of Residence, Kansas, 2000

County of Residence	Live Births	Fetal Deaths	Abortions	Total Pregnancies	Pregnancy Rate*
ALLEN	8	-	2	10	28.4
ANDERSON	7	-	1	8	39.6
ATCHISON	8	-	1	9	20.7
BARBER	-	-	-	-	-
BARTON	20	-	4	24	35.8
BOURBON	12	-	-	12	31.3
BROWN	3	-	1	4	14.5
BUTLER	29	-	14	43	28.5
CHASE	3	-	-	3	50.0
CHAUTAUQUA	3	-	1	4	37.4
CHEROKEE	7	-	-	7	13.4
CHEYENNE	2	-	-	2	31.7
CLARK	1	-	-	1	16.4
CLAY	3	-	3	6	28.6
CLOUD	-	-	1	1	4.7
COFFEY	3	-	1	4	15.7
COMANCHE	-	-	-	-	-
COWLEY	20	-	2	22	24.3
CRAWFORD	20	-	3	23	28.7
DECATUR	3	-	-	3	38.0
DICKINSON	5	-	1	6	12.4
DONIPHAN	5	-	1	6	34.7
DOUGLAS	30	-	13	43	25.7
EDWARDS	6	-	-	6	69.0
ELK	4	-	-	4	46.5
ELLIS	11	-	2	13	22.3
ELLSWORTH	2	-	1	3	19.1
FINNEY	50	-	9	59	57.9
FORD	37	-	6	43	58.3
FRANKLIN	10	-	4	14	23.8
GEARY	15	-	10	25	41.2
GOVE	-	-	-	-	-
GRAHAM	2	-	-	2	28.6
GRANT	6	-	-	6	25.8
GRAY	4	-	1	5	28.1
GREELEY	1	-	-	1	29.4
GREENWOOD	4	-	1	5	27.9
HAMILTON	2	-	-	2	29.9
HARPER	4	-	4	8	53.3
HARVEY	15	-	1	16	20.3
HASKELL	6	-	1	7	55.6
HODGEMAN	-	-	-	-	-
JACKSON	1	-	1	2	6.0
JEFFERSON	10	-	2	12	27.0
JEWELL	1	-	-	1	10.6
JOHNSON	79	-	74	153	15.8
KEARNY	5	1	-	6	55.0
KINGMAN	7	-	1	8	35.1
KIOWA	-	-	-	-	-
LABETTE	10	-	5	15	28.9
LANE	1	-	-	1	18.2
LEAVENWORTH	31	-	6	37	25.0
LINCOLN	-	-	-	-	-
LINN	6	-	1	7	30.7
LOGAN	-	-	-	-	-

Teenage Pregnancies for 15-17 Year Olds By County of Residence, Kansas, 2000

County of Residence	Live Births	Fetal Deaths	Abortions	Total Pregnancies	Pregnancy Rate*
LYON	22	1	7	30	35.9
MARION	2	-	3	5	15.4
MARSHALL	3	-	1	4	12.7
MCPHERSON	15	-	9	24	31.4
MEADE	3	-	-	3	27.5
MIAMI	8	-	8	16	21.9
MITCHELL	2	-	1	3	14.9
MONTGOMERY	28	-	7	35	40.3
MORRIS	2	-	-	2	13.2
MORTON	1	-	1	2	22.2
NEMAHA	5	-	-	5	17.5
NEOSHO	8	-	2	10	21.9
NESS	1	-	1	2	22.2
NORTON	1	-	1	2	16.4
OSAGE	6	-	5	11	26.4
OSBORNE	2	-	-	2	20.0
OTTAWA	2	-	-	2	11.8
PAWNEE	2	-	1	3	17.5
PHILLIPS	3	-	1	4	28.0
POTTAWATOMIE	7	-	4	11	22.6
PRATT	2	-	2	4	15.9
RAWLINS	-	-	-	-	-
RENO	22	-	9	31	21.6
REPUBLIC	-	-	-	-	-
RICE	6	-	1	7	27.6
RILEY	12	-	2	14	15.0
ROOKS	-	-	-	-	-
RUSH	-	-	-	-	-
RUSSELL	4	-	-	4	22.5
SALINE	29	-	4	33	28.1
SCOTT	4	-	1	5	36.5
SEDGWICK	293	-	86	379	37.4
SEWARD	36	-	5	41	75.6
SHAWNEE	107	-	39	146	39.7
SHERIDAN	1	-	-	1	13.7
SHERMAN	3	-	-	3	21.4
SMITH	-	-	-	-	-
STAFFORD	2	-	-	2	17.9
STANTON	2	-	1	3	42.3
STEVENS	8	-	1	9	59.6
SUMNER	11	-	2	13	18.9
THOMAS	1	-	-	1	5.1
TREGO	1	-	-	1	9.1
WABAUNSEE	1	-	2	3	16.0
WALLACE	-	-	-	-	-
WASHINGTON	2	-	-	2	13.2
WICHITA	1	-	-	1	13.9
WILSON	6	-	-	6	27.4
WOODSON	4	-	-	4	44.0
WYANDOTTE	174	4	50	228	64.4
UNKNOWN	-	-	-	-	n/a
KANSAS	1,377	6	436	1,819	29.9

*Rates per 1,000 female age-group population. 2000 10-17 female age-group county population counts were compiled by the U.S. Census Bureau as of 4/1/2001.

n/a-Not applicable

Source: Kansas Department of Health and Environment

**Teenage Pregnancies* (15-17 years of age)
By County of Residence, Kansas, 1996-2000**

County of Residence	Year					Teenage Pregnancies 1996-2000
	1996	1997	1998	1999	2000	
ALLEN	18	16	9	20	10	73
ANDERSON	4	4	8	4	8	28
ATCHISON	15	10	8	12	9	54
BARBER	1	2	5	6	-	14
BARTON	26	30	16	21	24	117
BOURBON	17	10	13	17	12	69
BROWN	7	2	9	4	4	26
BUTLER	43	30	48	35	43	199
CHASE	4	2	4	2	3	15
CHAUTAQUA	-	4	5	3	4	16
CHEROKEE	14	18	13	15	7	67
CHEYENNE	2	2	-	-	2	6
CLARK	-	-	2	-	1	3
CLAY	5	10	3	4	6	28
CLOUD	3	3	6	4	1	17
COFFEY	6	5	4	4	4	23
COMANCHE	3	-	1	1	-	5
COWLEY	33	41	26	30	22	152
CRAWFORD	24	33	23	40	23	143
DECATUR	3	1	1	-	3	8
DICKINSON	21	22	8	10	6	67
DONIPHAN	8	8	4	7	6	33
DOUGLAS	51	53	50	40	43	237
EDWARDS	3	2	1	1	6	13
ELK	-	2	1	1	4	8
ELLIS	9	11	14	9	13	56
ELLSWORTH	-	2	2	1	3	8
FINNEY	77	77	65	62	59	340
FORD	49	48	44	57	43	241
FRANKLIN	23	34	21	12	14	104
GEARY	40	40	40	31	25	176
GOVE	-	1	-	2	-	3
GRAHAM	4	1	2	1	2	10
GRANT	20	13	15	13	6	67
GRAY	3	2	6	4	5	20
GREELEY	1	-	2	1	1	5
GREENWOOD	6	5	7	4	5	27
HAMILTON	1	2	2	3	2	10
HARPER	5	2	6	3	8	24
HARVEY	22	19	31	28	16	116
HASKELL	4	6	6	5	7	28
HODGEMAN	1	-	-	3	-	4
JACKSON	13	6	7	6	2	34
JEFFERSON	11	18	18	9	12	68
JEWELL	1	-	1	1	1	4
JOHNSON	167	169	178	152	153	819
KEARNY	4	9	3	7	6	29
KINGMAN	12	6	8	1	8	35
KIOWA	2	2	4	1	-	9
LABETTE	14	20	22	23	15	94
LANE	1	1	1	2	1	6
LEAVENWORTH	41	48	48	48	37	222
LINCOLN	2	1	2	2	-	7
LINN	8	5	10	11	7	41
LOGAN	2	-	1	4	-	7

Teenage Pregnancies* (15-17 years of age) By County of Residence, Kansas, 1996-2000

County of Residence	Year					Teenage Pregnancies 1996-2000
	1996	1997	1998	1999	2000	
LYON	20	37	28	40	30	155
MARION	5	7	8	5	5	30
MARSHALL	2	5	-	4	4	15
MCPHERSON	20	15	20	10	24	89
MEADE	1	1	7	2	3	14
MIAMI	16	22	19	16	16	89
MITCHELL	2	4	1	-	3	10
MONTGOMERY	38	31	43	29	35	176
MORRIS	2	2	2	3	2	11
MORTON	1	1	2	6	2	12
NEMAHA	4	4	4	4	5	21
NEOSHO	9	10	7	7	10	43
NESS	4	3	1	1	2	11
NORTON	3	-	-	1	2	6
OSAGE	13	9	12	9	11	54
OSBORNE	1	3	2	1	2	9
OTTAWA	2	-	4	3	2	11
PAWNEE	8	3	4	6	3	24
PHILLIPS	4	4	-	7	4	19
POTTAWATOMIE	5	9	6	2	11	33
PRATT	5	7	9	9	4	34
RAWLINS	1	2	1	-	-	4
RENO	70	58	49	40	31	248
REPUBLIC	1	2	2	3	-	8
RICE	11	7	4	4	7	33
RILEY	36	25	14	23	14	112
ROOKS	3	5	4	4	-	16
RUSH	1	-	1	3	-	5
RUSSELL	7	2	2	2	4	17
SALINE	49	42	47	50	33	221
SCOTT	5	4	1	2	5	17
SEDGWICK	486	526	434	405	379	2,230
SEWARD	42	33	29	37	41	182
SHAWNEE	189	138	154	128	146	755
SHERIDAN	1	-	-	1	1	3
SHERMAN	8	4	7	3	3	25
SMITH	2	1	3	-	-	6
STAFFORD	6	2	4	6	2	20
STANTON	2	4	-	3	3	12
STEVENS	11	3	6	13	9	42
SUMNER	28	23	15	11	13	90
THOMAS	3	5	3	-	1	12
TREGO	3	3	2	1	1	10
WABAUNSEE	4	5	4	8	3	24
WALLACE	-	1	1	-	-	2
WASHINGTON	1	2	1	-	2	6
WICHITA	-	2	4	4	1	11
WILSON	7	12	10	16	6	51
WOODSON	2	2	-	1	4	9
WYANDOTTE	274	308	271	255	228	1,336
UNKNOWN	4	4	1	4	-	13
KANSAS	2,276	2,260	2,087	1,979	1,819	10,421

*Teenage pregnancies include the sum of live births, reported abortions and fetal deaths

Residence data

Source: Kansas Department of Health and Environment

**Teenage Pregnancy Rates* (15-17 years of age)
By County of Residence, Kansas, 1996-2000**

County of Residence	Year					5-year Rate
	1996	1997	1998	1999	2000	
ALLEN	53.4	46.8	26.0	58.5	28.4	42.6
ANDERSON	20.2	19.3	38.8	19.4	39.6	27.5
ATCHISON	35.5	22.9	18.2	27.1	20.7	24.9
BARBER	8.5	16.3	41.0	51.3	-	23.4
BARTON	43.7	49.1	26.4	35.1	35.8	38.0
BOURBON	47.0	26.9	34.4	46.3	31.3	37.2
BROWN	25.2	6.9	30.6	13.7	14.5	18.2
BUTLER	28.8	19.2	29.9	21.6	28.5	25.6
CHASE	66.7	32.3	62.5	32.3	50.0	48.8
CHAUTAQUA	-	41.2	50.5	30.9	37.4	32.0
CHEROKEE	23.7	29.4	21.2	24.6	13.4	22.5
CHEYENNE	27.0	26.0	-	-	31.7	16.9
CLARK	-	-	37.0	-	16.4	10.7
CLAY	20.7	40.8	12.1	16.5	28.6	23.7
CLOUD	14.6	14.2	28.6	19.4	4.7	16.3
COFFEY	24.6	19.9	16.1	15.7	15.7	18.4
COMANCHE	63.8	-	21.7	22.2	-	21.5
COWLEY	37.3	45.6	28.9	33.5	24.3	33.9
CRAWFORD	32.2	43.2	30.1	52.5	28.7	37.3
DECATUR	51.7	16.9	16.7	-	38.0	24.7
DICKINSON	45.8	46.6	17.2	21.4	12.4	28.7
DONIPHAN	42.6	41.0	20.2	35.4	34.7	34.8
DOUGLAS	30.3	30.0	27.8	22.0	25.7	27.2
EDWARDS	45.5	29.4	14.9	15.4	69.0	34.8
ELK	-	27.8	13.7	13.9	46.5	20.4
ELLIS	16.6	19.6	24.8	16.2	22.3	19.9
ELLSWORTH	-	13.1	12.9	6.6	19.1	10.3
FINNEY	79.1	76.5	62.7	59.6	57.9	67.2
FORD	70.1	67.2	60.7	78.9	58.3	67.0
FRANKLIN	39.7	56.2	34.0	19.3	23.8	34.6
GEARY	81.1	82.0	81.6	64.6	41.2	70.1
GOVE	-	12.2	-	25.0	-	7.4
GRAHAM	59.7	14.7	30.3	15.6	28.6	29.8
GRANT	87.0	54.6	61.0	54.2	25.8	56.5
GRAY	21.0	13.5	39.7	26.5	28.1	25.8
GREELEY	27.0	-	55.6	28.6	29.4	28.1
GREENWOOD	35.3	28.6	39.5	23.0	27.9	30.9
HAMILTON	17.5	32.3	32.3	46.2	29.9	31.6
HARPER	39.1	14.5	44.1	22.2	53.3	34.6
HARVEY	29.4	24.8	40.0	36.1	20.3	30.1
HASKELL	34.5	49.6	50.4	41.0	55.6	46.2
HODGEMAN	24.4	-	-	66.7	-	18.2
JACKSON	45.9	20.6	23.6	20.3	6.0	23.3
JEFFERSON	27.2	42.4	41.7	21.0	27.0	31.9
JEWELL	11.8	-	11.8	12.2	10.6	9.3
JOHNSON	18.4	17.7	18.0	15.1	15.8	17.0
KEARNY	38.1	83.3	28.6	65.4	55.0	54.1
KINGMAN	52.2	25.2	33.5	4.1	35.1	30.0
KIOWA	25.0	24.7	49.4	12.7	-	22.4
LABETTE	25.3	35.1	38.6	40.5	28.9	33.7
LANE	28.6	28.6	27.0	58.8	18.2	32.2
LEAVENWORTH	24.5	27.7	27.2	27.1	25.0	26.3
LINCOLN	26.3	13.0	26.0	26.3	-	18.3
LINN	37.9	22.8	44.6	48.5	30.7	36.9
LOGAN	29.0	-	14.5	58.8	-	20.5

Teenage Pregnancy Rates* (15-17 years of age) By County of Residence, Kansas, 1996-2000

County of Residence	Year					5-year Rate
	1996	1997	1998	1999	2000	
LYON	27.1	49.4	37.3	53.6	35.9	40.7
MARION	15.9	21.5	25.0	15.7	15.4	18.7
MARSHALL	10.1	25.0	-	20.1	12.7	13.6
MCPHERSON	33.8	24.7	32.6	16.2	31.4	27.7
MEADE	9.5	9.3	64.2	18.3	27.5	25.8
MIAMI	24.9	32.8	27.9	23.0	21.9	26.1
MITCHELL	8.2	16.1	4.0	-	14.9	8.6
MONTGOMERY	46.5	36.9	51.4	35.1	40.3	42.0
MORRIS	12.0	11.8	12.0	18.1	13.2	13.4
MORTON	12.2	11.9	23.5	70.6	22.2	28.1
NEMAHA	15.7	15.5	15.4	15.4	17.5	15.9
NEOSHO	23.9	25.7	18.0	18.2	21.9	21.5
NESS	67.8	50.0	15.9	16.4	22.2	34.5
NORTON	23.3	-	-	7.8	16.4	9.5
OSAGE	31.9	21.1	27.8	20.8	26.4	25.6
OSBORNE	9.9	29.7	19.6	10.0	20.0	17.8
OTTAWA	13.5	-	25.8	19.2	11.8	14.1
PAWNEE	47.6	17.3	23.0	34.9	17.5	28.1
PHILLIPS	27.8	27.4	-	49.3	28.0	26.5
POTTAWATOMIE	11.0	18.9	12.2	4.0	22.6	13.7
PRATT	21.5	29.2	36.9	37.8	15.9	28.3
RAWLINS	14.3	29.0	14.5	-	-	11.6
RENO	50.1	40.2	33.6	27.5	21.6	34.6
REPUBLIC	8.3	16.3	16.3	25.2	-	13.2
RICE	43.0	26.9	15.3	15.7	27.6	25.7
RILEY	35.1	24.4	13.8	23.0	15.0	22.3
ROOKS	25.6	42.0	33.6	34.5	-	27.1
RUSH	15.4	-	15.4	44.8	-	15.1
RUSSELL	56.9	15.9	16.1	16.1	22.5	25.5
SALINE	41.8	35.1	39.1	41.9	28.1	37.2
SCOTT	35.5	27.4	6.8	13.7	36.5	24.0
SEDGWICK	50.0	51.7	41.6	38.7	37.4	43.9
SEWARD	89.2	67.3	58.9	75.5	75.6	73.3
SHAWNEE	49.7	35.2	39.0	32.5	39.7	39.2
SHERIDAN	17.5	-	-	16.7	13.7	9.6
SHERMAN	50.3	24.7	43.5	19.0	21.4	31.8
SMITH	20.0	10.0	30.0	-	-	12.0
STAFFORD	61.9	20.6	41.2	62.5	17.9	40.8
STANTON	35.7	71.4	-	55.6	42.3	41.0
STEVENS	74.3	19.5	39.2	83.3	59.6	55.2
SUMNER	38.5	30.5	19.6	14.4	18.9	24.4
THOMAS	14.4	23.8	14.5	-	5.1	11.6
TREGO	41.7	41.7	27.8	14.3	9.1	26.9
WABAUNSEE	23.1	27.8	22.2	44.7	16.0	26.8
WALLACE	-	20.0	19.6	-	-	7.9
WASHINGTON	5.7	11.2	5.6	-	13.2	7.1
WICHITA	-	31.3	64.5	66.7	13.9	35.3
WILSON	25.2	42.1	35.2	56.3	27.4	37.2
WOODSON	25.3	24.7	-	12.2	44.0	21.2
WYANDOTTE	72.2	79.0	69.8	66.5	64.4	70.4
KANSAS	38.7	37.1	33.8	32.0	29.9	34.3

*Rate per 1,000 female 15-17 age-group population

Teenage pregnancies include the sum of live births, reported abortions and fetal deaths.

1996-1999 15-17 female age-group county population estimates were compiled by the U.S. Census

Bureau as of July 1, of each year. 2000 population counts were compiled by the U.S. Census

Bureau as of 4/1/2001.

Source: Kansas Department of Health and Environment

**Teenage Pregnancies for 10-19 Year Olds by Component
By County of Residence, Kansas, 2000**

County of Residence	Live Births		Fetal Deaths		Abortions*		Total Pregnancies		Teenage** Pregnancy Rate		Teenage** Preg. Rate
	Age-Group		Age-Group		Age-Group		Age-Group		Age-Group		Age-Group
	10-14	15-19	10-14	15-19	10-14	15-19	10-14	15-19	10-14	15-19	10-19
LYON	1	71	-	1	1	21	2	93	1.6	53.1	31.5
MARION	-	14	-	-	-	5	-	19	-	37.8	19.0
MARSHALL	-	12	-	-	-	2	-	14	-	33.6	16.5
MCPHERSON	-	48	-	-	1	14	1	62	0.9	49.4	26.7
MEADE	-	7	-	-	-	1	-	8	-	49.4	22.9
MIAMI	-	47	-	-	-	12	-	59	-	55.2	26.6
MITCHELL	-	7	-	1	-	1	-	9	-	30.5	15.5
MONTGOMERY	2	90	-	-	1	14	3	104	2.4	73.9	40.1
MORRIS	-	8	-	-	-	-	-	8	-	37.2	18.2
MORTON	1	8	-	-	-	3	1	11	6.3	72.4	38.6
NEMAHA	-	17	-	-	-	-	-	17	-	42.4	19.6
NEOSHO	-	26	-	-	-	2	-	28	-	38.7	20.1
NESS	-	4	-	-	-	2	-	6	-	47.2	25.5
NORTON	-	4	-	-	-	1	-	5	-	30.1	14.0
OSAGE	-	24	-	-	-	10	-	34	-	58.3	27.2
OSBORNE	-	6	-	-	-	-	-	6	-	44.1	19.5
OTTAWA	-	6	-	-	-	1	-	7	-	30.3	15.5
PAWNEE	1	11	-	-	-	2	1	13	4.0	52.0	27.8
PHILLIPS	-	9	-	-	-	1	-	10	-	50.3	23.1
POTTAWATOMIE	-	25	-	1	-	5	-	31	-	44.6	20.7
PRATT	-	11	-	-	-	4	-	15	-	33.3	18.8
RAWLINS	-	1	-	-	-	-	-	1	-	11.2	5.1
RENO	1	117	-	1	1	31	2	149	0.9	62.7	33.1
REPUBLIC	-	3	-	-	-	1	-	4	-	20.5	9.6
RICE	1	20	-	-	1	1	2	21	5.0	37.9	24.1
RILEY	1	64	-	-	-	34	1	98	0.7	27.1	19.3
ROOKS	-	5	-	-	-	-	-	5	-	25.8	12.5
RUSH	-	8	-	-	-	-	-	8	-	72.1	34.2
RUSSELL	-	13	-	-	-	-	-	13	-	49.6	26.1
SALINE	2	98	-	1	-	24	2	123	1.0	64.2	32.3
SCOTT	-	10	-	-	-	2	-	12	-	64.9	31.7
SEDGWICK	14	1,004	-	3	9	246	23	1,253	1.3	77.2	38.3
SEWARD	1	96	-	-	-	15	1	111	1.1	121.2	62.5
SHAWNEE	6	336	-	1	7	89	13	426	2.2	71.9	37.3
SHERIDAN	-	1	-	-	-	-	-	1	-	9.2	4.4
SHERMAN	-	11	-	-	-	-	-	11	-	45.1	22.5
SMITH	-	4	-	-	-	-	-	4	-	28.2	12.8
STAFFORD	-	5	-	-	-	-	-	5	-	34.0	14.4
STANTON	-	4	-	-	-	2	-	6	-	62.5	30.0
STEVENS	-	23	-	-	-	2	-	25	-	110.6	51.3
SUMNER	-	52	-	2	-	6	-	60	-	58.3	28.7
THOMAS	-	16	-	-	-	-	-	16	-	38.1	23.0
TREGO	-	5	-	-	-	-	-	5	-	33.3	20.0
WABAUNSEE	-	6	-	-	-	3	-	9	-	35.3	17.0
WALLACE	-	2	-	-	-	-	-	2	-	21.1	12.0
WASHINGTON	-	7	-	-	-	-	-	7	-	34.3	15.9
WICHITA	-	3	-	-	-	-	-	3	-	31.9	17.3
WILSON	-	22	-	-	-	2	-	24	-	71.2	33.5
WOODSON	-	7	-	-	-	-	-	7	-	51.1	24.6
WYANDOTTE	11	525	-	8	4	142	15	675	2.5	113.6	58.2
KANSAS	56	4,706	-	33	38	1,257	94	5,996	0.9	58.7	30.3

*County of residence for three abortions unknown.

**Rate per 1,000 female age-group population. 2000 female age-group county population counts were compiled by the U.S. Census Bureau as of 4/1/2001.

Source: Kansas Department of Health and Environment

**Teen Pregnancy Rates* (10-14, 15-19 years of age)
By County of Residence, Kansas 1996-2000**

County of Residence	Year										5-year Rate	
	1996		1997		1998		1999		2000			
	Age-Group		Age-Group		Age-Group		Age-Group		Age-Group		Age-Group	
	10-14	15-19	10-14	15-19	10-14	15-19	10-14	15-19	10-14	15-19	10-14	15-19
ALLEN	-	91.9	-	81.9	-	69.7	1.7	102.1	1.9	56.7	0.7	80.5
ANDERSON	6.8	29.3	-	23.7	6.8	69.1	-	71.4	-	56.1	2.7	49.9
ATCHISON	3.1	73.6	1.6	55.8	1.5	53.9	1.6	54.2	1.6	42.8	1.9	56.1
BARBER	-	24.5	-	52.9	-	62.1	-	77.8	-	15.1	-	46.5
BARTON	1.8	71.9	-	73.6	2.9	71.9	-	61.9	0.9	52.0	1.1	66.3
BOURBON	-	80.3	-	52.0	-	60.7	3.8	70.2	1.9	49.4	1.1	62.5
BROWN	-	80.5	-	34.1	-	48.7	2.3	66.8	-	63.8	0.5	58.8
BUTLER	-	63.3	0.4	49.3	0.4	57.2	0.8	47.6	0.8	51.2	0.5	53.7
CHASE	-	73.2	-	90.9	-	97.8	-	54.3	-	54.9	-	74.2
CHAUTAUQUA	-	22.9	-	50.4	-	91.5	-	83.9	-	65.5	-	62.8
CHEROKEE	-	59.3	1.1	65.6	-	51.9	-	51.0	-	50.5	0.2	55.7
CHEYENNE	-	59.5	-	22.2	-	10.6	-	11.0	-	22.0	0.0	25.1
CLARK	-	27.4	-	50.6	12.2	73.2	-	25.3	-	24.1	2.4	40.1
CLAY	5.3	60.4	-	56.4	2.7	33.5	-	62.5	-	56.3	1.6	53.8
CLOUD	-	36.1	-	42.9	3.4	42.1	-	28.8	-	50.6	0.7	40.1
COFFEY	2.9	63.7	-	41.7	-	34.3	-	42.1	-	47.9	0.6	45.9
COMANCHE	-	79.4	-	46.2	-	63.5	-	16.4	-	40.0	-	49.1
COWLEY	0.7	67.7	2.1	84.0	-	62.4	-	75.5	0.7	52.8	0.7	68.5
CRAWFORD	1.6	61.1	2.5	61.0	1.7	74.5	-	63.1	0.9	52.6	1.3	62.5
DECATUR	-	56.3	-	13.3	-	25.3	-	-	-	36.7	-	26.3
DICKINSON	-	78.5	-	78.7	-	42.6	1.3	55.6	-	47.7	0.3	60.6
DONIPHAN	-	77.8	-	66.7	-	54.6	-	43.7	-	48.6	-	58.3
DOUGLAS	0.8	33.5	0.4	34.8	0.4	34.8	0.4	30.7	0.7	29.8	0.5	32.7
EDWARDS	6.8	63.8	-	61.2	7.2	69.3	-	63.2	-	104.5	2.8	72.4
ELK	-	36.1	-	75.3	10.8	63.2	10.2	20.6	-	80.4	4.2	55.1
ELLIS	-	30.7	-	54.9	1.0	41.5	1.0	31.5	1.1	36.9	0.6	39.1
ELLSWORTH	4.4	38.8	-	14.2	-	13.9	-	38.1	-	18.6	0.9	24.7
FINNEY	3.9	125.0	4.5	117.9	1.3	118.0	3.2	95.0	2.9	102.8	3.2	111.7
FORD	2.7	96.7	3.6	101.1	-	99.9	0.9	108.8	1.6	87.6	1.8	98.8
FRANKLIN	1.1	78.2	4.4	73.2	2.2	73.5	-	60.2	2.0	66.9	1.9	70.4
GEARY	2.7	108.0	3.3	143.4	4.6	127.3	3.7	121.2	3.8	118.2	3.6	123.6
GOVE	-	29.1	-	9.1	-	9.0	-	19.2	-	39.2	-	21.1
GRAHAM	-	60.6	-	40.0	-	38.8	-	31.9	-	43.5	-	43.0
GRANT	2.5	142.0	2.5	94.8	-	90.7	-	92.2	-	79.3	1.0	99.8
GRAY	3.7	52.6	-	48.3	-	70.4	-	37.2	-	44.9	0.7	50.7
GREELEY	-	63.8	-	40.8	-	80.0	-	113.6	-	74.1	-	74.5
GREENWOOD	-	49.6	3.5	57.5	-	82.4	3.4	55.8	-	60.4	1.4	61.1
HAMILTON	-	49.4	-	68.2	-	98.9	-	65.9	-	60.0	-	68.5
HARPER	-	77.3	-	55.0	-	72.8	4.7	66.0	-	53.4	0.9	64.9
HARVEY	2.4	50.4	-	63.9	-	72.3	-	58.5	-	47.4	0.5	58.5
HASKELL	-	88.6	-	59.5	5.5	63.6	-	88.8	-	84.7	1.1	77.0
HODGEMAN	-	17.5	-	0.0	-	16.4	11.4	64.5	-	21.5	2.3	24.0
JACKSON	-	85.4	-	48.9	-	51.7	-	34.3	-	33.1	-	50.7
JEFFERSON	1.5	44.3	1.5	72.1	1.5	57.5	1.5	55.9	-	43.2	1.2	54.6
JEWELL	-	28.0	-	25.4	-	49.6	8.1	18.2	-	31.7	1.6	30.6
JOHNSON	0.4	37.3	0.4	34.5	0.5	32.9	0.4	32.9	0.2	35.5	0.4	34.6
KEARNY	0.0	82.8	-	89.7	-	49.7	-	103.9	-	93.6	-	83.9
KINGMAN	3.1	55.7	-	36.8	-	51.7	3.1	30.2	-	50.8	1.2	45.0
KIOWA	-	40.3	-	30.3	7.3	73.5	-	32.8	-	8.3	1.5	37.0
LABETTE	-	47.5	-	63.0	2.4	68.8	-	70.3	-	55.4	0.5	61.0
LANE	-	65.2	-	42.6	-	50.0	-	65.2	-	29.0	-	50.4
LEAVENWORTH	0.7	47.9	0.7	53.9	0.7	54.4	0.4	53.1	-	53.9	0.5	52.6
LINCOLN	-	52.1	-	9.8	-	48.1	-	19.4	-	33.1	-	32.5
LINN	-	88.6	-	36.3	-	60.3	2.7	70.8	-	69.9	0.5	65.2
LOGAN	7.9	63.2	-	9.9	-	48.1	-	84.2	-	-	1.6	41.1

**Teen Pregnancy Rates* (10-14, 15-19 years of age)
By County of Residence, Kansas 1996-2000**

County of Residence	Year										5-year Rate	
	1996		1997		1998		1999		2000			
	Age-Group		Age-Group		Age-Group		Age-Group		Age-Group		Age-Group	
	10-14	15-19	10-14	15-19	10-14	15-19	10-14	15-19	10-14	15-19	10-14	15-19
LYON	1.5	55.2	1.6	56.6	0.8	50.2	0.8	53.7	1.6	53.1	1.3	53.8
MARION	-	28.0	-	34.8	2.1	42.9	-	31.3	-	37.8	0.4	35.0
MARSHALL	-	42.7	-	60.6	-	33.3	-	53.9	-	33.6	-	44.8
MCPHERSON	1.9	40.2	1.9	55.1	-	63.0	0.9	40.7	0.9	49.4	1.1	49.7
MEADE	-	38.5	-	55.6	-	61.6	-	54.8	-	49.4	-	52.0
MIAMI	-	60.1	1.0	47.7	-	48.4	0.9	52.1	-	55.2	0.4	52.7
MITCHELL	-	18.5	3.6	26.3	-	41.5	-	15.0	-	30.5	0.7	26.4
MONTGOMERY	2.1	74.1	1.4	66.0	2.2	76.8	-	68.6	2.4	73.9	1.6	71.9
MORRIS	-	42.9	-	35.6	-	25.9	4.3	53.3	-	37.2	0.9	39.0
MORTON	-	69.6	-	82.6	-	47.6	-	112.9	6.3	72.4	1.3	77.0
NEMAHA	-	51.0	-	45.2	-	39.4	-	24.1	-	42.4	-	40.4
NEOSHO	-	54.5	1.6	64.2	-	41.5	1.6	64.6	-	38.7	0.6	52.7
NESS	-	101.3	-	36.6	-	24.1	-	25.0	-	47.2	-	46.8
NORTON	-	50.0	-	10.6	-	19.1	-	26.7	-	30.1	-	27.3
OSAGE	2.9	58.1	1.4	54.6	1.4	48.7	-	45.5	-	58.3	1.1	53.0
OSBORNE	-	23.1	-	37.3	-	58.4	-	21.6	-	44.1	-	36.9
OTTAWA	4.5	39.8	-	30.6	-	44.1	-	68.0	-	30.3	0.9	42.6
PAWNEE	3.5	82.6	-	56.3	-	64.4	-	84.0	4.0	52.0	1.5	67.9
PHILLIPS	-	51.8	-	35.2	-	14.9	-	57.0	-	50.3	-	41.8
POTTAWATOMIE	-	38.3	1.4	25.5	-	21.7	2.7	25.9	-	44.6	0.8	31.2
PRATT	2.7	59.0	-	52.1	-	53.3	-	44.2	-	33.3	0.5	48.4
RAWLINS	-	28.8	-	72.7	-	18.0	-	10.2	-	11.2	-	28.2
RENO	0.9	75.4	1.8	77.9	1.3	61.9	0.4	63.5	0.9	62.7	1.1	68.3
REPUBLIC	-	53.0	-	43.2	-	61.7	-	37.5	-	20.5	-	43.2
RICE	-	62.3	-	83.3	2.5	52.0	-	43.4	5.0	37.9	1.5	55.8
RILEY	-	40.5	1.2	29.7	-	29.7	-	34.9	0.7	27.1	0.4	32.4
ROOKS	-	35.1	-	50.8	-	61.5	-	57.8	-	25.8	-	46.2
RUSH	-	21.5	8.0	20.4	-	30.3	-	53.2	-	72.1	1.6	39.5
RUSSELL	-	68.8	-	35.2	-	48.5	-	45.7	-	49.6	-	49.6
SALINE	1.0	72.8	0.5	74.6	1.5	68.9	2.1	77.9	1.0	64.2	1.2	71.7
SCOTT	-	58.2	10.2	46.6	-	35.0	-	43.3	-	64.9	2.0	49.6
SEDGWICK	1.6	89.3	1.3	87.5	1.4	79.1	1.5	77.2	1.3	77.2	1.4	82.1
SEWARD	2.4	141.5	2.3	94.0	2.3	127.5	3.5	135.2	1.1	121.2	2.3	123.9
SHAWNEE	2.6	81.7	1.3	71.3	1.3	68.5	1.7	63.0	2.2	71.9	1.8	71.3
SHERIDAN	-	40.0	-	-	-	25.3	-	26.3	-	9.2	-	20.2
SHERMAN	-	51.6	8.2	61.1	4.1	71.4	-	50.4	-	45.1	2.5	55.9
SMITH	-	30.1	-	21.4	-	69.9	-	36.8	-	28.2	-	37.3
STAFFORD	-	74.1	-	100.7	-	130.1	-	55.6	-	34.0	-	78.9
STANTON	-	95.2	-	157.3	-	10.8	-	116.3	-	62.5	-	88.4
STEVENS	-	94.7	-	75.8	3.9	59.4	-	130.2	-	110.6	0.8	94.1
SUMNER	1.8	77.6	-	54.0	0.9	52.2	-	59.9	-	58.3	0.5	60.4
THOMAS	-	69.6	-	44.1	-	32.9	-	35.4	-	38.1	-	44.0
TREGO	-	108.4	-	101.1	-	56.8	-	59.5	-	33.3	-	71.8
WABAUNSEE	-	41.8	-	35.2	-	37.9	-	42.5	-	35.3	-	38.5
WALLACE	-	28.6	-	13.5	-	52.6	-	26.7	-	21.1	-	28.5
WASHINGTON	-	26.4	-	24.9	3.8	29.2	-	16.8	-	34.3	0.8	26.3
WICHITA	-	42.6	-	63.8	-	110.0	8.0	65.2	-	31.9	1.6	62.7
WILSON	-	74.1	7.2	69.3	-	81.7	-	75.4	-	71.2	1.4	74.3
WOODSON	-	70.7	6.8	38.1	-	63.6	-	55.6	-	51.1	1.4	55.8
WYANDOTTE	4.3	118.5	4.5	121.8	3.4	114.9	3.1	120.3	2.5	113.6	3.6	117.8
KANSAS	1.4	67.0	1.3	64.7	1.1	62.0	1.1	60.7	0.9	58.7	1.2	62.6

*Rate per 1,000 female age-group population

Teenage pregnancies include the sum of live births, reported abortions and fetal deaths.

The 1996 female age-group county population estimates were compiled by the Kansas

Department of Health and Environment based on 1990 U.S. Census Bureau totals.

1997-1998 female age-group county population estimates were compiled by the U.S. Census Bureau as of 7/1/97, and 7/1/98.

County estimates were then adjusted to the 1996-1998 Census totals for the state.

1999 female age-group county population estimates were compiled by the U.S. Census Bureau as of 7/1/99.

2000 10-17 female age-group county population counts were compiled by the U.S. Census Bureau as of 4/1/2001.

**Teenage Pregnancy Rates* (10-19 years of age)
By County of Residence, Kansas, 1996-2000**

County of Residence	Year					5-year Rate
	1996	1997	1998	1999	2000	
ALLEN	43.1	39.6	34.3	51.3	31.2	39.9
ANDERSON	17.6	11.8	38.4	36.1	28.4	26.5
ATCHISON	40.1	28.8	27.2	30.3	24.2	30.1
BARBER	10.1	22.8	27.4	34.4	7.0	20.3
BARTON	35.1	35.7	37.0	30.7	27.7	33.2
BOURBON	42.0	28.1	33.3	40.0	28.1	34.3
BROWN	37.4	16.6	24.2	34.4	32.2	29.0
BUTLER	29.1	23.7	28.1	23.5	25.1	25.9
CHASE	35.5	46.5	51.1	28.2	25.6	37.4
CHAUTAUQUA	11.4	25.9	48.0	44.3	33.0	32.5
CHEROKEE	29.3	34.1	27.0	26.6	25.1	28.4
CHEYENNE	23.3	9.2	4.5	4.6	9.0	10.1
CLARK	12.9	25.3	42.7	12.4	12.0	21.1
CLAY	29.5	26.0	17.1	29.2	26.7	25.7
CLOUD	21.2	25.7	26.8	17.6	29.3	24.1
COFFEY	32.1	20.7	17.4	21.4	24.2	23.2
COMANCHE	36.0	22.2	30.3	7.9	18.5	23.0
COWLEY	33.5	43.0	31.7	39.1	28.8	35.2
CRAWFORD	33.2	34.5	42.2	35.2	31.9	35.4
DECATUR	18.8	4.7	9.3	-	17.2	10.0
DICKINSON	36.3	37.5	20.5	27.6	22.0	28.8
DONIPHAN	43.3	37.6	31.1	26.1	27.3	33.1
DOUGLAS	23.7	23.7	23.9	21.3	19.9	22.5
EDWARDS	29.2	25.2	33.3	26.5	53.8	33.6
ELK	17.0	37.8	37.2	15.4	35.9	28.7
ELLIS	16.4	30.0	23.3	18.1	22.5	22.1
ELLSWORTH	20.9	7.0	7.0	19.2	9.1	12.6
FINNEY	64.0	62.8	61.7	51.2	52.8	58.5
FORD	51.9	54.3	52.7	58.5	44.7	52.4
FRANKLIN	38.2	38.0	37.5	30.5	33.2	35.5
GEARY	58.0	78.7	71.7	67.9	61.8	67.6
GOVE	12.8	4.2	4.2	9.0	18.9	9.8
GRAHAM	25.3	17.4	17.3	14.1	20.7	19.0
GRANT	64.6	45.6	42.7	43.7	40.3	47.4
GRAY	23.8	20.7	30.7	16.4	22.6	22.8
GREELEY	22.6	15.4	30.3	42.4	36.7	29.5
GREENWOOD	22.6	29.1	39.7	28.6	30.4	30.1
HAMILTON	24.0	34.5	50.8	34.3	27.9	34.3
HARPER	34.8	25.8	34.6	34.1	23.1	30.5
HARVEY	25.9	29.9	34.8	29.7	23.7	28.8
HASKELL	40.8	28.9	33.9	43.7	43.2	38.1
HODGEMAN	6.8	-	6.6	33.3	10.8	11.5
JACKSON	38.5	22.9	24.6	16.4	15.8	23.6
JEFFERSON	20.9	34.8	28.2	27.6	21.3	26.6
JEWELL	12.3	11.8	23.5	12.9	16.2	15.3
JOHNSON	17.7	16.9	16.4	16.4	16.4	16.8
KEARNY	35.1	39.7	22.4	46.8	40.6	36.9
KINGMAN	28.5	18.4	26.0	16.8	22.9	22.5
KIOWA	18.5	14.6	40.3	16.0	4.1	18.7
LABETTE	24.4	33.4	38.2	37.8	27.0	32.2
LANE	22.6	15.7	21.4	24.4	13.4	19.5
LEAVENWORTH	22.9	26.4	27.0	26.5	25.5	25.7
LINCOLN	20.5	4.1	20.4	8.2	16.9	14.0
LINN	39.4	16.8	28.4	34.8	34.4	30.8
LOGAN	31.7	4.4	22.3	38.6	-	19.4

Teenage Pregnancy Rates* (10-19 years of age) By County of Residence, Kansas, 1996-2000

County of Residence	Year					5-year Rate
	1996	1997	1998	1999	2000	
LYON	32.3	32.8	29.4	31.4	31.5	31.5
MARION	14.0	16.7	21.9	16.3	19.0	17.6
MARSHALL	16.7	24.7	13.8	22.5	16.5	18.8
MCPHERSON	20.8	26.0	29.0	21.2	26.7	24.7
MEADE	16.7	25.2	28.4	25.6	22.9	23.8
MIAMI	29.0	24.2	24.5	26.7	26.6	26.2
MITCHELL	10.0	16.2	20.5	8.4	15.5	14.1
MONTGOMERY	37.5	34.0	40.5	35.4	40.1	37.5
MORRIS	19.8	17.2	12.9	28.4	18.2	19.3
MORTON	28.9	36.1	21.1	49.5	38.6	34.8
NEMAHA	23.4	21.6	19.0	11.7	19.6	19.1
NEOSHO	26.2	33.4	21.3	33.5	20.1	26.9
NESS	32.3	12.4	8.3	8.7	25.5	17.4
NORTON	24.6	5.4	10.2	13.8	14.0	13.6
OSAGE	27.4	26.1	23.7	21.5	27.2	25.2
OSBORNE	10.1	16.9	27.0	9.9	19.5	16.7
OTTAWA	20.2	14.2	20.9	32.2	15.5	20.6
PAWNEE	38.6	25.9	30.4	40.2	27.8	32.6
PHILLIPS	22.6	16.0	6.9	26.3	23.1	19.0
POTTAWATOMIE	18.6	13.5	11.0	14.5	20.7	15.7
PRATT	29.8	26.0	27.0	22.5	18.8	24.8
RAWLINS	12.6	33.3	8.4	4.8	5.1	12.8
RENO	38.4	41.1	33.0	33.4	33.1	35.8
REPUBLIC	22.8	19.4	28.1	17.0	9.6	19.4
RICE	29.1	38.1	25.6	21.9	24.1	27.8
RILEY	27.6	20.2	20.0	23.7	19.3	22.2
ROOKS	14.2	21.4	26.3	24.9	12.5	19.9
RUSH	9.1	13.5	13.7	24.0	34.2	18.9
RUSSELL	29.1	15.5	21.8	20.7	26.1	22.6
SALINE	35.8	37.3	35.5	40.7	32.3	36.3
SCOTT	27.9	28.3	17.8	21.7	31.7	25.5
SEDGWICK	43.5	43.8	40.3	39.5	38.3	41.1
SEWARD	68.0	46.9	63.6	68.4	62.5	61.9
SHAWNEE	41.3	36.6	35.7	33.0	37.3	36.8
SHERIDAN	14.8	-	9.9	10.6	4.4	7.9
SHERMAN	25.7	35.5	39.4	26.7	22.5	30.0
SMITH	13.7	10.1	33.8	17.6	12.8	17.6
STAFFORD	29.2	41.1	54.8	23.2	14.4	32.5
STANTON	40.8	69.7	4.8	52.9	30.0	39.6
STEVENS	41.2	34.4	29.6	60.0	51.3	43.3
SUMNER	36.7	25.9	25.9	29.3	28.7	29.3
THOMAS	35.5	23.3	17.3	19.0	23.0	23.6
TREGO	42.7	42.3	23.9	25.1	20.0	30.8
WABAUNSEE	20.4	17.9	19.5	22.0	17.0	19.4
WALLACE	15.2	7.5	29.6	15.2	12.0	15.9
WASHINGTON	12.0	11.8	16.0	8.1	15.9	12.8
WICHITA	16.7	26.3	46.8	32.3	17.3	27.9
WILSON	35.0	37.7	40.5	37.5	33.5	36.8
WOODSON	27.9	19.8	27.2	23.6	24.6	24.6
WYANDOTTE	60.8	64.7	61.3	63.5	58.2	61.7
KANSAS	33.9	33.3	32.4	31.9	30.3	32.4

*Rate per 1,000 female age-group population

Teenage pregnancies include the sum of live births, reported abortions and fetal deaths.

The 1996 female 10-19 age-group county population estimates were compiled by the Kansas

Department of Health and Environment based on 1990 U.S. Census Bureau totals.

1997-1998 female 10-19 age-group county population estimates were compiled by the U.S. Census Bureau as of 7/1/97, and 7/1/98.

County estimates were then adjusted to the 1996-1998 Census totals for the state.

1999 female 10-19 age-group county population estimates were compiled by the U.S. Census

Bureau as of 7/1/99.

2000 10-19 female age-group county population counts were compiled by the U.S. Census Bureau as of 4/1/2001.

This Research Summary Was Prepared By:

Kansas Department of Health and Environment
Clyde D. Graeber, Secretary

Center for Health and Environmental Statistics
Lorne A. Phillips, Ph.D., Director and State Registrar

Office of Health Care Information
Elizabeth W. Saadi, Ph.D., Director

Prepared by: Joy Crevoiserat, B.A.
Karen Sommer, M.A.

Edited by: Greg Crawford, B.A.

Data for this report were collected by:

Office of Vital Statistics
Gabriel Faimon, M.P.A., Director

This summary was prepared in consultation with the:

Bureau For Children, Youth and Families