

# KANSAS

---

## *Teenage Pregnancy Report Kansas, 1999*



Research  
Summary

---

**Center for Health and Environmental Statistics**  
**Kansas Department of Health and Environment**  
Landon State Office Building - 900 SW Jackson, Topeka, KS 66612-1220  
<http://www.kdhe.state.ks.us/ches/>  
September 2000

## **KANSAS TEENAGE PREGNANCY REPORT**

The Kansas Department of Health and Environment (KDHE) annually publishes a teenage pregnancy report, summarizing data collected from vital records on fetal deaths, abortions, and live births. The total of these three elements represents the number of pregnancies. KDHE has compiled nine tables containing pregnancy totals and pregnancy rates for the following age-groups 10-17, 15-17, 10-14, and 15-19 by county of residence.

### **List of Tables**

Teenage Pregnancies for 10-17 Year Olds by County of Residence, Kansas, 1999

Teenage Pregnancies (10-17 years of age) by County of Residence, Kansas, 1995-1999

Teenage Pregnancy Rates (10-17 years of age) by County of Residence, Kansas, 1995-1999

Teenage Pregnancies for 15-17 Year Olds by County of Residence, Kansas 1999

Teenage Pregnancies (15-17 years of age) by County of Residence, Kansas, 1995-1999

Teenage Pregnancy Rates (15-17 years of age) by County of Residence, 1995-1999

Teenage Pregnancies for 10-19 Year Olds by Component, by County of Residence, Kansas, 1999

Teenage Pregnancy Rates (10-14, 15-19 years of age) by County of Residence, Kansas, 1995-1999

Teenage Pregnancy Rates (10-19 years of age) by County of Residence, Kansas, 1995-1999

## Teenage Pregnancies for 10-17 Year Olds By County of Residence, Kansas, 1999

County of Residence	Live Births	Fetal Deaths	Abortions	Total Pregnancies	Pregnancy Rate*
ALLEN	17	-	4	21	22.8
ANDERSON	1	-	3	4	7.9
ATCHISON	10	-	3	13	12.1
BARBER	4	-	2	6	18.3
BARTON	17	-	4	21	13.0
BOURBON	16	-	3	19	21.1
BROWN	3	-	2	5	6.9
BUTLER	30	-	7	37	8.7
CHASE	2	-	-	2	13.6
CHAUTAUQUA	2	-	1	3	13.3
CHEROKEE	15	-	-	15	10.1
CHEYENNE	-	-	-	-	-
CLARK	-	-	-	-	-
CLAY	1	-	3	4	6.6
CLOUD	4	-	-	4	8.1
COFFEY	3	-	1	4	6.7
COMANCHE	1	-	-	1	9.1
COWLEY	27	-	3	30	13.1
CRAWFORD	33	-	7	40	20.3
DECATUR	-	-	-	-	-
DICKINSON	6	-	5	11	9.1
DONIPHAN	6	-	1	7	14.7
DOUGLAS	29	-	12	41	9.2
EDWARDS	1	-	-	1	5.1
ELK	-	-	2	2	11.8
ELLIS	7	-	3	10	6.5
ELLSWORTH	1	-	-	1	2.8
FINNEY	58	-	9	67	25.6
FORD	50	-	8	58	31.7
FRANKLIN	10	-	2	12	7.5
GEARY	23	1	10	34	26.1
GOVE	1	-	1	2	10.1
GRAHAM	1	-	-	1	5.5
GRANT	12	-	1	13	20.4
GRAY	3	-	1	4	9.4
GREELEY	1	-	-	1	9.2
GREENWOOD	5	-	-	5	10.8
HAMILTON	2	-	1	3	20.1
HARPER	2	-	2	4	11.5
HARVEY	25	-	3	28	13.6
HASKELL	4	-	1	5	16.9
HODGEMAN	3	-	1	4	30.1
JACKSON	4	-	2	6	7.5
JEFFERSON	6	-	4	10	9.0
JEWELL	-	-	2	2	9.8
JOHNSON	74	-	84	158	6.1
KEARNY	5	-	2	7	23.7
KINGMAN	2	-	-	2	3.6
KIOWA	-	-	1	1	4.8
LABETTE	18	-	5	23	16.5
LANE	1	-	1	2	18.0
LEAVENWORTH	36	-	13	49	10.8
LINCOLN	2	-	-	2	9.3
LINN	6	-	6	12	20.3
LOGAN	1	-	3	4	22.2

## Teenage Pregnancies for 10-17 Year Olds By County of Residence, Kansas, 1999

County of Residence	Live Births	Fetal Deaths	Abortions	Total Pregnancies	Pregnancy Rate*
LYON	34	-	7	41	20.7
MARION	5	-	-	5	6.3
MARSHALL	3	-	1	4	6.5
MCPHERSON	7	-	4	11	6.5
MEADE	2	-	-	2	7.2
MIAMI	12	-	5	17	9.7
MITCHELL	-	-	-	-	-
MONTGOMERY	25	-	4	29	13.4
MORRIS	2	-	2	4	10.0
MORTON	6	-	-	6	24.6
NEMAHA	3	-	1	4	6.1
NEOSHO	5	-	3	8	8.0
NESS	1	-	-	1	4.8
NORTON	-	-	1	1	3.3
OSAGE	8	-	1	9	7.9
OSBORNE	1	-	-	1	3.8
OTTAWA	3	-	-	3	7.8
PAWNEE	3	-	3	6	13.9
PHILLIPS	5	1	1	7	19.1
POTTAWATOMIE	3	-	1	4	3.2
PRATT	6	-	3	9	15.3
RAWLINS	-	-	-	-	-
RENO	31	-	10	41	11.1
REPUBLIC	1	-	2	3	9.6
RICE	2	-	2	4	6.3
RILEY	13	-	10	23	8.7
ROOKS	4	-	-	4	11.6
RUSH	3	-	-	3	16.6
RUSSELL	2	-	-	2	5.5
SALINE	42	-	12	54	17.6
SCOTT	2	-	-	2	5.7
SEDGWICK	327	3	100	430	15.8
SEWARD	35	2	3	40	29.6
SHAWNEE	98	1	39	138	13.9
SHERIDAN	-	-	1	1	5.8
SHERMAN	3	-	-	3	7.8
SMITH	-	-	-	-	-
STAFFORD	5	-	1	6	20.2
STANTON	3	-	-	3	19.1
STEVENS	11	-	2	13	31.9
SUMNER	9	-	2	11	5.9
THOMAS	-	-	-	-	-
TREGO	-	-	1	1	5.4
WABAUNSEE	8	-	-	8	19.1
WALLACE	-	-	-	-	-
WASHINGTON	-	-	-	-	-
WICHITA	4	-	1	5	27.0
WILSON	10	-	6	16	22.9
WOODSON	1	-	-	1	4.4
WYANDOTTE	203	4	66	273	28.4
UNKNOWN	-	-	4	4	n/a
KANSAS	1542	12	528	2,082	13.1

\*Rates per 1,000 female age-group population. 1999 10-17 female age-group county population estimates were compiled by the U.S. Census Bureau as of 7/1/99.

n/a-Not applicable

Source: Kansas Department of Health and Environment

**Teenage Pregnancies\* (10-17 years of age)  
By County of Residence, Kansas, 1995-1999**

County of Residence	Year					Teenage Pregnancies 1995-1999
	1995	1996	1997	1998	1999	
ALLEN	9	18	16	9	21	73
ANDERSON	3	6	4	10	4	27
ATCHISON	11	17	11	9	13	61
BARBER	4	1	2	5	6	18
BARTON	28	28	30	19	21	126
BOURBON	11	17	10	13	19	70
BROWN	8	7	2	9	5	31
BUTLER	39	43	31	49	37	199
CHASE	6	4	2	4	2	18
CHAUTAUQUA	5	-	4	5	3	17
CHEROKEE	23	14	19	13	15	84
CHEYENNE	1	2	2	-	-	5
CLARK	4	-	-	3	-	7
CLAY	7	7	10	4	4	32
CLOUD	3	3	3	7	4	20
COFFEY	7	7	5	4	4	27
COMANCHE	-	3	-	1	1	5
COWLEY	33	34	44	26	30	167
CRAWFORD	29	26	36	25	40	156
DECATUR	1	3	1	1	-	6
DICKINSON	20	21	22	8	11	82
DONIPHAN	2	8	8	4	7	29
DOUGLAS	41	53	54	51	41	240
EDWARDS	3	4	2	2	1	12
ELK	4	-	2	2	2	10
ELLIS	14	9	11	15	10	59
ELLSWORTH	7	1	2	2	1	13
FINNEY	71	83	84	67	67	372
FORD	47	52	52	44	58	253
FRANKLIN	20	24	38	23	12	117
GEARY	53	43	43	44	34	217
GOVE	2	-	1	-	2	5
GRAHAM	2	4	1	2	1	10
GRANT	18	21	14	15	13	81
GRAY	4	4	2	6	4	20
GREELEY	-	1	-	2	1	4
GREENWOOD	13	6	6	7	5	37
HAMILTON	2	1	2	2	3	10
HARPER	8	5	2	6	4	25
HARVEY	22	25	19	31	28	125
HASKELL	3	4	6	7	5	25
HODGEMAN	-	1	-	-	4	5
JACKSON	8	13	6	7	6	40
JEFFERSON	12	12	19	19	10	72
JEWELL	1	1	-	1	2	5
JOHNSON	175	173	175	185	158	866
KEARNY	3	4	9	3	7	26
KINGMAN	10	13	6	8	2	39
KIOWA	1	2	2	5	1	11
LABETTE	20	14	20	24	23	101
LANE	1	1	1	1	2	6
LEAVENWORTH	64	43	50	50	49	256
LINCOLN	-	2	1	2	2	7
LINN	7	8	5	10	12	42
LOGAN	1	3	-	1	4	9

**Teenage Pregnancies\* (10-17 years of age)  
By County of Residence, Kansas, 1995-1999**

County of Residence	Year					Teenage Pregnancies 1995-1999
	1995	1996	1997	1998	1999	
LYON	36	22	39	29	41	167
MARION	7	5	7	9	5	33
MARSHALL	8	2	5	-	4	19
MCPHERSON	15	22	17	20	11	85
MEADE	4	1	1	7	2	15
MIAMI	19	16	23	19	17	94
MITCHELL	7	2	5	1	-	15
MONTGOMERY	34	41	33	46	29	183
MORRIS	2	2	2	2	4	12
MORTON	3	1	1	2	6	13
NEMAHA	5	4	4	4	4	21
NEOSHO	14	9	11	7	8	49
NESS	3	4	3	1	1	12
NORTON	3	3	-	-	1	7
OSAGE	11	15	10	13	9	58
OSBORNE	2	1	3	2	1	9
OTTAWA	3	3	-	4	3	13
PAWNEE	8	9	3	4	6	30
PHILLIPS	2	4	4	-	7	17
POTTAWATOMIE	17	5	10	6	4	42
PRATT	8	6	7	9	9	39
RAWLINS	2	1	2	1	-	6
RENO	51	72	62	52	41	278
REPUBLIC	3	1	2	2	3	11
RICE	13	11	7	5	4	40
RILEY	28	36	27	14	23	128
ROOKS	1	3	5	4	4	17
RUSH	2	1	1	1	3	8
RUSSELL	4	7	2	2	2	17
SALINE	57	51	43	50	54	255
SCOTT	5	5	6	1	2	19
SEDGWICK	515	511	547	457	430	2,460
SEWARD	47	44	35	31	40	197
SHAWNEE	224	205	146	162	138	875
SHERIDAN	-	1	-	-	1	2
SHERMAN	6	8	6	8	3	31
SMITH	2	2	1	3	-	8
STAFFORD	2	6	2	4	6	20
STANTON	1	2	4	-	3	10
STEVENS	10	11	3	7	13	44
SUMNER	31	30	23	16	11	111
THOMAS	4	3	5	3	-	15
TREGO	4	3	3	2	1	13
WABAUNSEE	4	4	5	4	8	25
WALLACE	2	-	1	1	-	4
WASHINGTON	3	1	2	2	-	8
WICHITA	5	-	2	4	5	16
WILSON	11	7	15	10	16	59
WOODSON	2	2	3	-	1	8
WYANDOTTE	343	300	334	291	273	1,541
UNKNOWN	1	5	4	1	4	15
<b>KANSAS</b>	<b>2,485</b>	<b>2,409</b>	<b>2,383</b>	<b>2,195</b>	<b>2,082</b>	<b>11,554</b>

\*Teenage pregnancies include the sum of live births, reported abortions and fetal deaths

Residence data

Source: Kansas Department of Health and Environment

**Teenage Pregnancy Rates\* (10-17 years of age)  
By County of Residence, Kansas, 1995-1999**

County of Residence	Year					5-year Rate
	1995	1996	1997	1998	1999	
ALLEN	9.5	19.1	16.9	9.6	22.8	15.6
ANDERSON	6.0	12.0	8.0	20.0	7.9	10.8
ATCHISON	10.7	16.6	10.5	8.4	12.1	11.7
BARBER	11.5	2.9	5.8	14.4	18.3	10.6
BARTON	16.9	17.3	18.1	11.5	13.0	15.4
BOURBON	12.2	18.7	11.0	14.2	21.1	15.4
BROWN	11.0	9.8	2.8	12.4	6.9	8.6
BUTLER	9.8	10.6	7.6	11.7	8.7	9.7
CHASE	39.7	26.5	13.9	27.6	13.6	24.3
CHAUTAQUA	22.1	-	17.8	22.3	13.3	15.1
CHEROKEE	15.6	9.5	12.8	8.7	10.1	11.3
CHEYENNE	4.9	9.8	9.9	-	-	4.9
CLARK	29.0	-	-	22.1	-	10.2
CLAY	11.7	11.7	16.2	6.5	6.6	10.5
CLOUD	5.7	5.9	6.0	13.8	8.1	7.9
COFFEY	12.3	12.2	8.6	6.8	6.7	9.3
COMANCHE	-	26.1	-	8.7	9.1	8.8
COWLEY	14.1	14.5	18.9	11.1	13.1	14.3
CRAWFORD	14.6	13.2	18.6	13.0	20.3	15.9
DECATUR	4.7	14.2	5.1	5.1	-	5.8
DICKINSON	15.9	16.7	17.6	6.5	9.1	13.2
DONIPHAN	4.3	16.9	16.9	8.4	14.7	12.2
DOUGLAS	10.5	13.3	12.9	12.0	9.2	11.6
EDWARDS	14.1	19.3	9.6	9.6	5.1	11.5
ELK	23.8	-	12.4	12.3	11.8	12.1
ELLIS	8.9	5.7	7.0	9.4	6.5	7.5
ELLSWORTH	18.4	2.7	5.4	5.5	2.8	7.0
FINNEY	28.2	32.4	32.9	25.8	25.6	29.0
FORD	26.2	28.6	28.5	23.8	31.7	27.8
FRANKLIN	13.7	16.1	25.5	15.1	7.5	15.6
GEARY	32.9	30.0	30.1	31.7	26.1	30.2
GOVE	9.1	-	4.7	-	10.1	4.8
GRAHAM	9.9	20.2	5.0	10.1	5.5	10.1
GRANT	28.0	33.2	21.9	22.9	20.4	25.3
GRAY	9.9	9.6	4.7	14.1	9.4	9.5
GREELEY	-	8.1	-	16.5	9.2	6.8
GREENWOOD	29.1	13.4	13.0	15.2	10.8	16.3
HAMILTON	13.1	6.7	13.5	13.5	20.1	13.4
HARPER	21.3	13.6	5.5	16.4	11.5	13.7
HARVEY	11.2	12.6	9.6	15.3	13.6	12.5
HASKELL	10.0	13.7	20.1	23.0	16.9	16.7
HODGEMAN	-	8.1	-	-	30.1	7.6
JACKSON	10.0	16.0	7.5	8.7	7.5	9.9
JEFFERSON	11.3	11.0	17.5	17.1	9.0	13.2
JEWELL	4.9	4.8	-	4.5	9.8	4.8
JOHNSON	7.3	7.1	7.1	7.3	6.1	7.0
KEARNY	9.8	13.0	29.3	9.7	23.7	17.1
KINGMAN	17.0	22.1	10.6	14.2	3.6	13.5
KIOWA	4.4	8.8	8.8	22.3	4.8	9.8
LABETTE	14.1	9.9	14.4	17.2	16.5	14.4
LANE	7.8	8.0	8.7	7.9	18.0	10.1
LEAVENWORTH	14.9	9.9	11.2	11.1	10.8	11.6
LINCOLN	-	9.2	4.6	9.2	9.3	6.5
LINN	13.4	14.9	8.8	17.4	20.3	15.0
LOGAN	5.2	16.1	-	5.1	22.2	9.7

## Teenage Pregnancy Rates\* (10-17 years of age) By County of Residence, Kansas, 1995-1999

County of Residence	Year					5-year Rate
	1995	1996	1997	1998	1999	
LYON	17.7	10.9	19.1	14.3	20.7	16.5
MARION	9.2	6.6	9.0	11.5	6.3	8.5
MARSHALL	12.3	3.1	7.9	-	6.5	6.0
MCPHERSON	9.4	13.6	10.1	11.7	6.5	10.3
MEADE	14.8	3.6	3.5	24.9	7.2	10.8
MIAMI	11.5	9.4	13.7	11.1	9.7	11.1
MITCHELL	13.1	3.7	9.4	2.2	-	5.7
MONTGOMERY	15.1	18.3	14.9	20.6	13.4	16.5
MORRIS	5.0	5.0	4.9	5.0	10.0	6.0
MORTON	12.0	4.0	4.1	8.2	24.6	10.6
NEMAHA	7.4	6.0	5.9	6.0	6.1	6.3
NEOSHO	13.7	8.9	10.8	6.8	8.0	9.6
NESS	13.6	18.6	13.4	4.5	4.8	11.0
NORTON	9.6	9.6	-	-	3.3	4.5
OSAGE	9.9	13.5	9.0	11.4	7.9	10.3
OSBORNE	7.2	3.7	11.6	7.8	3.8	6.8
OTTAWA	8.2	8.2	-	10.6	7.8	7.0
PAWNEE	17.5	20.1	6.9	9.3	13.9	13.5
PHILLIPS	5.1	10.4	10.3	-	19.1	9.0
POTTAWATOMIE	15.0	4.3	8.6	5.1	3.2	7.2
PRATT	13.5	10.1	11.5	14.8	15.3	13.0
RAWLINS	9.8	4.9	9.8	5.0	-	5.9
RENO	13.4	19.1	16.6	13.8	11.1	14.8
REPUBLIC	9.5	3.1	6.2	6.3	9.6	6.9
RICE	20.7	17.7	10.7	7.6	6.3	12.6
RILEY	9.8	13.6	9.9	5.2	8.7	9.4
ROOKS	2.7	8.1	13.7	11.1	11.6	9.4
RUSH	10.2	5.1	5.1	5.3	16.6	8.5
RUSSELL	10.4	18.3	5.2	5.2	5.5	8.9
SALINE	18.3	16.5	13.6	15.8	17.6	16.4
SCOTT	14.8	14.9	18.0	3.0	5.7	11.3
SEDGWICK	20.5	20.2	21.3	17.0	15.8	19.0
SEWARD	35.3	32.0	25.8	22.4	29.6	29.0
SHAWNEE	23.1	21.2	14.9	16.4	13.9	17.9
SHERIDAN	-	5.4	-	-	5.8	2.2
SHERMAN	14.9	19.9	14.6	19.6	7.8	15.4
SMITH	7.5	7.6	3.8	11.8	-	6.1
STAFFORD	6.6	19.9	6.8	13.4	20.2	13.4
STANTON	5.7	11.6	23.5	-	19.1	12.0
STEVENS	26.0	28.1	7.3	17.0	31.9	22.1
SUMNER	17.0	16.2	12.5	8.6	5.9	12.0
THOMAS	6.9	5.2	8.6	5.2	-	5.2
TREGO	19.7	14.9	15.1	10.3	5.4	13.1
WABAUNSEE	9.6	9.5	11.8	9.3	19.1	11.9
WALLACE	20.0	-	9.2	9.1	-	7.7
WASHINGTON	6.5	2.2	4.5	4.6	-	3.6
WICHITA	22.9	-	10.1	19.9	27.0	16.0
WILSON	16.0	10.2	21.4	14.0	22.9	16.9
WOODSON	8.7	8.7	13.2	-	4.4	7.0
WYANDOTTE	35.2	31.0	34.4	29.7	28.4	31.7
<b>KANSAS</b>	<b>16.1</b>	<b>15.6</b>	<b>15.3</b>	<b>13.8</b>	<b>13.1</b>	<b>14.8</b>

\*Rate per 1,000 female 10-17 age-group population

Teenage pregnancies include the sum of live births, reported abortions and fetal deaths.

The 1995-1996 female 10-17 age-group county population estimates were compiled by the Kansas

Department of Health and Environment based on 1990 U.S. Census Bureau totals.

1997-1998 10-17 female age-group county population estimates were compiled by the U.S. Census Bureau  
as of 7/1/97, and 7/1/98.

County estimates were then adjusted to the 1995-1998 Census totals for the state.

1999 10-17 female age-group county population estimates were compiled by the U.S. Census  
Bureau as of 7/1/99.

Source: Kansas Department of Health and Environment



## Teenage Pregnancies for 15-17 Year Olds By County of Residence, Kansas, 1999

County of Residence	Live Births	Fetal Deaths	Abortions	Total Pregnancies	Pregnancy Rate*
ALLEN	17	-	3	20	58.5
ANDERSON	1	-	3	4	19.4
ATCHISON	9	-	3	12	27.1
BARBER	4	-	2	6	51.3
BARTON	17	-	4	21	35.1
BOURBON	14	-	3	17	46.3
BROWN	3	-	1	4	13.7
BUTLER	28	-	7	35	21.6
CHASE	2	-	-	2	32.3
CHAUTAUQUA	2	-	1	3	30.9
CHEROKEE	15	-	-	15	24.6
CHEYENNE	-	-	-	-	-
CLARK	-	-	-	-	-
CLAY	1	-	3	4	16.5
CLOUD	4	-	-	4	19.4
COFFEY	3	-	1	4	15.7
COMANCHE	1	-	-	1	22.2
COWLEY	27	-	3	30	33.5
CRAWFORD	33	-	7	40	52.5
DECATUR	-	-	-	-	-
DICKINSON	5	-	5	10	21.4
DONIPHAN	6	-	1	7	35.4
DOUGLAS	29	-	11	40	22.0
EDWARDS	1	-	-	1	15.4
ELK	-	-	1	1	13.9
ELLIS	7	-	2	9	16.2
ELLSWORTH	1	-	-	1	6.6
FINNEY	56	-	6	62	59.6
FORD	50	-	7	57	78.9
FRANKLIN	10	-	2	12	19.3
GEARY	22	1	8	31	64.6
GOVE	1	-	1	2	25.0
GRAHAM	1	-	-	1	15.6
GRANT	12	-	1	13	54.2
GRAY	3	-	1	4	26.5
GREELEY	1	-	-	1	28.6
GREENWOOD	4	-	-	4	23.0
HAMILTON	2	-	1	3	46.2
HARPER	2	-	1	3	22.2
HARVEY	25	-	3	28	36.1
HASKELL	4	-	1	5	41.0
HODGEMAN	3	-	-	3	66.7
JACKSON	4	-	2	6	20.3
JEFFERSON	6	-	3	9	21.0
JEWELL	-	-	1	1	12.2
JOHNSON	71	-	81	152	15.1
KEARNY	5	-	2	7	65.4
KINGMAN	1	-	-	1	4.1
KIOWA	-	-	1	1	12.7
LABETTE	18	-	5	23	40.5
LANE	1	-	1	2	58.8
LEAVENWORTH	35	-	13	48	27.1
LINCOLN	2	-	-	2	26.3
LINN	6	-	5	11	48.5
LOGAN	1	-	3	4	58.8

## Teenage Pregnancies for 15-17 Year Olds By County of Residence, Kansas, 1999

County of Residence	Live Births	Fetal Deaths	Abortions	Total Pregnancies	Pregnancy Rate*
LYON	33	-	7	40	53.6
MARION	5	-	-	5	15.7
MARSHALL	3	-	1	4	20.1
MCPHERSON	7	-	3	10	16.2
MEADE	2	-	-	2	18.3
MIAMI	11	-	5	16	23.0
MITCHELL	-	-	-	-	-
MONTGOMERY	25	-	4	29	35.1
MORRIS	2	-	1	3	18.1
MORTON	6	-	-	6	70.6
NEMAHA	3	-	1	4	15.4
NEOSHO	5	-	2	7	18.2
NESS	1	-	-	1	16.4
NORTON	-	-	1	1	7.8
OSAGE	8	-	1	9	20.8
OSBORNE	1	-	-	1	10.0
OTTAWA	3	-	-	3	19.2
PAWNEE	3	-	3	6	34.9
PHILLIPS	5	1	1	7	49.3
POTTAWATOMIE	2	-	-	2	4.0
PRATT	6	-	3	9	37.8
RAWLINS	-	-	-	-	-
RENO	30	-	10	40	27.5
REPUBLIC	1	-	2	3	25.2
RICE	2	-	2	4	15.7
RILEY	13	-	10	23	23.0
ROOKS	4	-	-	4	34.5
RUSH	3	-	-	3	44.8
RUSSELL	2	-	-	2	16.1
SALINE	41	-	9	50	41.9
SCOTT	2	-	-	2	13.7
SEDGWICK	310	3	92	405	38.7
SEWARD	34	-	3	37	75.5
SHAWNEE	95	1	32	128	32.5
SHERIDAN	-	-	1	1	16.7
SHERMAN	3	-	-	3	19.0
SMITH	-	-	-	-	-
STAFFORD	5	-	1	6	62.5
STANTON	3	-	-	3	55.6
STEVENS	11	-	2	13	83.3
SUMNER	9	-	2	11	14.4
THOMAS	-	-	-	-	-
TREGO	-	-	1	1	14.3
WABAUNSEE	8	-	-	8	44.7
WALLACE	-	-	-	-	-
WASHINGTON	-	-	-	-	-
WICHITA	3	-	1	4	66.7
WILSON	10	-	6	16	56.3
WOODSON	1	-	-	1	12.2
WYANDOTTE	195	3	57	255	66.5
UNKNOWN	-	-	4	4	n/a
KANSAS	1,492	9	478	1,979	32.0

\*Rates per 1,000 female age-group population. 1999 10-17 female age-group county population estimates were compiled by the U.S. Census Bureau as of 7/1/99.

n/a-Not applicable

Source: Kansas Department of Health and Environment

**Teenage Pregnancies\* (15-17 years of age)  
By County of Residence, Kansas, 1995-1999**

County of Residence	Year					Teenage Pregnancies 1995-1999
	1995	1996	1997	1998	1999	
ALLEN	8	18	16	9	20	71
ANDERSON	3	4	4	8	4	23
ATCHISON	9	15	10	8	12	54
BARBER	4	1	2	5	6	18
BARTON	27	26	30	16	21	120
BOURBON	11	17	10	13	17	68
BROWN	8	7	2	9	4	30
BUTLER	37	43	30	48	35	193
CHASE	6	4	2	4	2	18
CHAUTAQUA	5	-	4	5	3	17
CHEROKEE	19	14	18	13	15	79
CHEYENNE	1	2	2	-	-	5
CLARK	4	-	-	2	-	6
CLAY	5	5	10	3	4	27
CLOUD	3	3	3	6	4	19
COFFEY	6	6	5	4	4	25
COMANCHE	-	3	-	1	1	5
COWLEY	31	33	41	26	30	161
CRAWFORD	28	24	33	23	40	148
DECATUR	1	3	1	1	-	6
DICKINSON	20	21	22	8	10	81
DONIPHAN	2	8	8	4	7	29
DOUGLAS	35	51	53	50	40	229
EDWARDS	3	3	2	1	1	10
ELK	4	-	2	1	1	8
ELLIS	13	9	11	14	9	56
ELLSWORTH	7	-	2	2	1	12
FINNEY	65	77	77	65	62	346
FORD	46	49	48	44	57	244
FRANKLIN	20	23	34	21	12	110
GEARY	52	40	40	40	31	203
GOVE	2	-	1	-	2	5
GRAHAM	2	4	1	2	1	10
GRANT	18	20	13	15	13	79
GRAY	4	3	2	6	4	19
GREELEY	-	1	-	2	1	4
GREENWOOD	11	6	5	7	4	33
HAMILTON	2	1	2	2	3	10
HARPER	8	5	2	6	3	24
HARVEY	21	22	19	31	28	121
HASKELL	2	4	6	6	5	23
HODGEMAN	-	1	-	-	3	4
JACKSON	7	13	6	7	6	39
JEFFERSON	12	11	18	18	9	68
JEWELL	1	1	-	1	1	4
JOHNSON	166	167	169	178	152	832
KEARNY	2	4	9	3	7	25
KINGMAN	10	12	6	8	1	37
KIOWA	1	2	2	4	1	10
LABETTE	20	14	20	22	23	99
LANE	1	1	1	1	2	6
LEAVENWORTH	62	41	48	48	48	247
LINCOLN	-	2	1	2	2	7
LINN	7	8	5	10	11	41
LOGAN	1	2	-	1	4	8

**Teenage Pregnancies\* (15-17 years of age)  
By County of Residence, Kansas, 1995-1999**

County of Residence	Year					Teenage Pregnancies 1995-1999
	1995	1996	1997	1998	1999	
LYON	35	20	37	28	40	160
MARION	6	5	7	8	5	31
MARSHALL	7	2	5	-	4	18
MCPHERSON	15	20	15	20	10	80
MEADE	4	1	1	7	2	15
MIAMI	17	16	22	19	16	90
MITCHELL	6	2	4	1	-	13
MONTGOMERY	32	38	31	43	29	173
MORRIS	2	2	2	2	3	11
MORTON	3	1	1	2	6	13
NEMAHA	5	4	4	4	4	21
NEOSHO	14	9	10	7	7	47
NESS	3	4	3	1	1	12
NORTON	3	3	-	-	1	7
OSAGE	10	13	9	12	9	53
OSBORNE	1	1	3	2	1	8
OTTAWA	3	2	-	4	3	12
PAWNEE	8	8	3	4	6	29
PHILLIPS	2	4	4	-	7	17
POTTAWATOMIE	15	5	9	6	2	37
PRATT	8	5	7	9	9	38
RAWLINS	2	1	2	1	-	6
RENO	46	70	58	49	40	263
REPUBLIC	3	1	2	2	3	11
RICE	13	11	7	4	4	39
RILEY	26	36	25	14	23	124
ROOKS	1	3	5	4	4	17
RUSH	2	1	-	1	3	7
RUSSELL	4	7	2	2	2	17
SALINE	54	49	42	47	50	242
SCOTT	4	5	4	1	2	16
SEDGWICK	484	486	526	434	405	2,335
SEWARD	45	42	33	29	37	186
SHAWNEE	212	189	138	154	128	821
SHERIDAN	-	1	-	-	1	2
SHERMAN	5	8	4	7	3	27
SMITH	2	2	1	3	-	8
STAFFORD	2	6	2	4	6	20
STANTON	1	2	4	-	3	10
STEVENS	10	11	3	6	13	43
SUMNER	29	28	23	15	11	106
THOMAS	4	3	5	3	-	15
TREGO	4	3	3	2	1	13
WABAUNSEE	4	4	5	4	8	25
WALLACE	2	-	1	1	-	4
WASHINGTON	3	1	2	1	-	7
WICHITA	5	-	2	4	4	15
WILSON	11	7	12	10	16	56
WOODSON	2	2	2	-	1	7
WYANDOTTE	309	274	308	271	255	1,417
UNKNOWN	1	4	4	1	4	14
KANSAS	2,332	2,276	2,260	2,087	1,979	10,934

\*Teenage pregnancies include the sum of live births, reported abortions and fetal deaths

Residence data

Source: Kansas Department of Health and Environment

**Teenage Pregnancy Rates\* (15-17 years of age)  
By County of Residence, Kansas, 1995-1999**

County of Residence	Year					5-year Rate
	1995	1996	1997	1998	1999	
ALLEN	24.3	53.4	46.8	26.0	58.5	41.8
ANDERSON	15.9	20.2	19.3	38.8	19.4	22.7
ATCHISON	22.1	35.5	22.9	18.2	27.1	25.2
BARBER	34.5	8.5	16.3	41.0	51.3	30.3
BARTON	46.6	43.7	49.1	26.4	35.1	40.2
BOURBON	32.0	47.0	26.9	34.4	46.3	37.3
BROWN	29.6	25.2	6.9	30.6	13.7	21.2
BUTLER	26.1	28.8	19.2	29.9	21.6	25.1
CHASE	103.4	66.7	32.3	62.5	32.3	59.4
CHAUTAUQUA	54.9	-	41.2	50.5	30.9	35.5
CHEROKEE	33.3	23.7	29.4	21.2	24.6	26.4
CHEYENNE	14.5	27.0	26.0	-	-	13.5
CLARK	80.0	-	-	37.0	-	23.4
CLAY	21.5	20.7	40.8	12.1	16.5	22.3
CLOUD	14.7	14.6	14.2	28.6	19.4	18.3
COFFEY	25.4	24.6	19.9	16.1	15.7	20.3
COMANCHE	-	63.8	-	21.7	22.2	21.5
COWLEY	36.2	37.3	45.6	28.9	33.5	36.3
CRAWFORD	38.8	32.2	43.2	30.1	52.5	39.4
DECATUR	17.9	51.7	16.9	16.7	-	20.6
DICKINSON	45.4	45.8	46.6	17.2	21.4	35.3
DONIPHAN	10.9	42.6	41.0	20.2	35.4	30.0
DOUGLAS	21.9	30.3	30.0	27.8	22.0	26.4
EDWARDS	44.8	45.5	29.4	14.9	15.4	30.0
ELK	61.5	-	27.8	13.7	13.9	23.4
ELLIS	24.7	16.6	19.6	24.8	16.2	20.4
ELLSWORTH	47.9	-	13.1	12.9	6.6	16.1
FINNEY	69.7	79.1	76.5	62.7	59.6	69.5
FORD	68.5	70.1	67.2	60.7	78.9	69.1
FRANKLIN	36.6	39.7	56.2	34.0	19.3	37.2
GEARY	93.5	81.1	82.0	81.6	64.6	80.6
GOVE	25.6	-	12.2	-	25.0	12.6
GRAHAM	30.3	59.7	14.7	30.3	15.6	30.1
GRANT	80.0	87.0	54.6	61.0	54.2	67.4
GRAY	29.4	21.0	13.5	39.7	26.5	26.0
GREELEY	-	27.0	-	55.6	28.6	22.2
GREENWOOD	67.9	35.3	28.6	39.5	23.0	38.9
HAMILTON	34.5	17.5	32.3	32.3	46.2	32.6
HARPER	63.5	39.1	14.5	44.1	22.2	36.7
HARVEY	29.8	29.4	24.8	40.0	36.1	32.0
HASKELL	17.2	34.5	49.6	50.4	41.0	38.5
HODGEMAN	-	24.4	-	-	66.7	18.2
JACKSON	25.6	45.9	20.6	23.6	20.3	27.2
JEFFERSON	31.2	27.2	42.4	41.7	21.0	32.7
JEWELL	12.2	11.8	-	11.8	12.2	9.6
JOHNSON	19.3	18.4	17.7	18.0	15.1	17.7
KEARNY	19.8	38.1	83.3	28.6	65.4	47.0
KINGMAN	44.8	52.2	25.2	33.5	4.1	32.0
KIOWA	12.7	25.0	24.7	49.4	12.7	24.9
LABETTE	37.0	25.3	35.1	38.6	40.5	35.3
LANE	30.3	28.6	28.6	27.0	58.8	34.7
LEAVENWORTH	38.4	24.5	27.7	27.2	27.1	29.0
LINCOLN	-	26.3	13.0	26.0	26.3	18.3
LINN	35.5	37.9	22.8	44.6	48.5	37.9
LOGAN	14.5	29.0	-	14.5	58.8	23.4

## Teenage Pregnancy Rates\* (15-17 years of age) By County of Residence, Kansas, 1995-1999

County of Residence	Year					5-year Rate
	1995	1996	1997	1998	1999	
LYON	48.5	27.1	49.4	37.3	53.6	43.2
MARION	19.6	15.9	21.5	25.0	15.7	19.5
MARSHALL	37.0	10.1	25.0	-	20.1	18.4
MCPHERSON	26.3	33.8	24.7	32.6	16.2	26.7
MEADE	39.2	9.5	9.3	64.2	18.3	28.1
MIAMI	27.9	24.9	32.8	27.9	23.0	27.3
MITCHELL	25.3	8.2	16.1	4.0	-	10.7
MONTGOMERY	40.1	46.5	36.9	51.4	35.1	42.0
MORRIS	12.4	12.0	11.8	12.0	18.1	13.3
MORTON	38.5	12.2	11.9	23.5	70.6	31.3
NEMAHA	20.2	15.7	15.5	15.4	15.4	16.4
NEOSHO	38.1	23.9	25.7	18.0	18.2	24.8
NESS	50.0	67.8	50.0	15.9	16.4	40.0
NORTON	24.0	23.3	-	-	7.8	11.0
OSAGE	25.4	31.9	21.1	27.8	20.8	25.4
OSBORNE	10.3	9.9	29.7	19.6	10.0	15.9
OTTAWA	21.0	13.5	-	25.8	19.2	15.9
PAWNEE	47.6	47.6	17.3	23.0	34.9	34.1
PHILLIPS	14.1	27.8	27.4	-	49.3	23.7
POTTAWATOMIE	34.9	11.0	18.9	12.2	4.0	16.2
PRATT	35.6	21.5	29.2	36.9	37.8	32.2
RAWLINS	29.4	14.3	29.0	14.5	-	17.4
RENO	34.0	50.1	40.2	33.6	27.5	37.1
REPUBLIC	26.1	8.3	16.3	16.3	25.2	18.4
RICE	52.8	43.0	26.9	15.3	15.7	30.7
RILEY	24.8	35.1	24.4	13.8	23.0	24.2
ROOKS	8.9	25.6	42.0	33.6	34.5	28.9
RUSH	31.3	15.4	-	15.4	44.8	21.4
RUSSELL	33.6	56.9	15.9	16.1	16.1	27.7
SALINE	47.8	41.8	35.1	39.1	41.9	41.1
SCOTT	29.4	35.5	27.4	6.8	13.7	22.6
SEDGWICK	51.9	50.0	51.7	41.6	38.7	46.8
SEWARD	100.4	89.2	67.3	58.9	75.5	78.3
SHAWNEE	57.6	49.7	35.2	39.0	32.5	42.8
SHERIDAN	-	17.5	-	-	16.7	6.8
SHERMAN	32.7	50.3	24.7	43.5	19.0	34.0
SMITH	20.2	20.0	10.0	30.0	-	16.0
STAFFORD	21.3	61.9	20.6	41.2	62.5	41.5
STANTON	18.5	35.7	71.4	-	55.6	36.2
STEVENS	70.4	74.3	19.5	39.2	83.3	57.3
SUMNER	41.5	38.5	30.5	19.6	14.4	28.9
THOMAS	19.9	14.4	23.8	14.5	-	14.5
TREGO	57.1	41.7	41.7	27.8	14.3	36.5
WABAUNSEE	23.8	23.1	27.8	22.2	44.7	28.3
WALLACE	42.6	-	20.0	19.6	-	16.4
WASHINGTON	17.4	5.7	11.2	5.6	-	8.0
WICHITA	82.0	-	31.3	64.5	66.7	48.9
WILSON	41.2	25.2	42.1	35.2	56.3	40.0
WOODSON	26.0	25.3	24.7	-	12.2	17.6
WYANDOTTE	83.4	72.2	79.0	69.8	66.5	74.2
KANSAS	41.1	38.7	37.1	33.8	32.0	36.5

\*Rate per 1,000 female 15-17 age-group population

Teenage pregnancies include the sum of live births, reported abortions and fetal deaths.

1995-1999 15-17 female age-group county population estimates were compiled by the U.S. Census Bureau as of July 1, of each year.

Source: Kansas Department of Health and Environment

**Teenage Pregnancies for 10-19 Year Olds by Component  
By County of Residence, Kansas, 1999**

County of Residence	Live Births		Fetal Deaths		Abortions*		Total Pregnancies		Teenage** Pregnancy Rate		Teenage** Preg. Rate
	Age-Group		Age-Group		Age-Group		Age-Group		Age-Group		Age-Group
	10-14	15-19	10-14	15-19	10-14	15-19	10-14	15-19	10-14	15-19	10-19
ALLEN	-	52	-	-	1	6	1	58	1.7	102.1	51.3
ANDERSON	-	17	-	1	-	4	-	22	-	71.4	36.1
ATCHISON	1	33	-	-	-	8	1	41	1.6	54.2	30.3
BARBER	-	10	-	-	-	3	-	13	-	77.8	34.4
BARTON	-	49	-	-	-	13	-	62	-	61.9	30.7
BOURBON	2	37	-	-	-	8	2	45	3.8	70.2	40.0
BROWN	-	23	-	-	1	6	1	29	2.3	66.8	34.4
BUTLER	2	98	-	-	-	20	2	118	0.8	47.6	23.5
CHASE	-	5	-	-	-	-	-	5	-	54.3	28.2
CHAUTAUQUA	-	11	-	-	-	1	-	12	-	83.9	44.3
CHEROKEE	-	46	-	-	-	3	-	49	-	51.0	26.6
CHEYENNE	-	1	-	-	-	-	-	1	-	11.0	4.6
CLARK	-	2	-	-	-	-	-	2	-	25.3	12.4
CLAY	-	15	-	-	-	5	-	20	-	62.5	29.2
CLOUD	-	12	-	-	-	1	-	13	-	28.8	17.6
COFFEY	-	13	-	-	-	2	-	15	-	42.1	21.4
COMANCHE	-	1	-	-	-	-	-	1	-	16.4	7.9
COWLEY	-	95	-	1	-	17	-	113	-	75.5	39.1
CRAWFORD	-	80	-	-	-	16	-	96	-	63.1	35.2
DECATUR	-	-	-	-	-	-	-	-	-	-	-
DICKINSON	1	30	-	-	-	9	1	39	1.3	55.6	27.6
DONIPHAN	-	15	-	-	-	3	-	18	-	43.7	26.1
DOUGLAS	-	101	-	-	1	79	1	180	0.4	30.7	21.3
EDWARDS	-	5	-	-	-	1	-	6	-	63.2	26.5
ELK	-	1	-	-	1	1	1	2	10.2	20.6	15.4
ELLIS	-	31	-	-	1	8	1	39	1.0	31.5	18.1
ELLSWORTH	-	6	-	-	-	2	-	8	-	38.1	19.2
FINNEY	2	152	-	1	3	12	5	165	3.2	95.0	51.2
FORD	-	123	-	-	1	15	1	138	0.9	108.8	58.5
FRANKLIN	-	49	-	-	-	11	-	60	-	60.2	30.5
GEARY	1	90	-	2	2	28	3	120	3.7	121.2	67.9
GOVE	-	1	-	-	-	1	-	2	-	19.2	9.0
GRAHAM	-	3	-	-	-	-	-	3	-	31.9	14.1
GRANT	-	32	-	-	-	1	-	33	-	92.2	43.7
GRAY	-	6	-	-	-	2	-	8	-	37.2	16.4
GREELEY	-	4	-	-	-	1	-	5	-	113.6	42.4
GREENWOOD	1	15	-	-	-	-	1	15	3.4	55.8	28.6
HAMILTON	-	5	-	-	-	1	-	6	-	65.9	34.3
HARPER	-	10	-	-	1	3	1	13	4.7	66.0	34.1
HARVEY	-	66	-	2	-	10	-	78	-	58.5	29.7
HASKELL	-	13	-	-	-	2	-	15	-	88.8	43.7
HODGEMAN	-	4	-	-	1	-	1	4	11.4	64.5	33.3
JACKSON	-	10	-	-	-	6	-	16	-	34.3	16.4
JEFFERSON	-	27	-	-	1	8	1	35	1.5	55.9	27.6
JEWELL	-	-	-	-	1	2	1	2	8.1	18.2	12.9
JOHNSON	3	296	-	1	3	210	6	507	0.4	32.9	16.4
KEARNY	-	14	-	-	-	2	-	16	-	103.9	46.8
KINGMAN	1	10	-	-	-	-	1	10	3.1	30.2	16.8
KIOWA	-	2	-	-	-	2	-	4	-	32.8	16.0
LABETTE	-	58	-	1	-	9	-	68	-	70.3	37.8
LANE	-	1	-	-	-	2	-	3	-	65.2	24.4
LEAVENWORTH	1	100	-	1	-	42	1	143	0.4	53.1	26.5
LINCOLN	-	2	-	-	-	-	-	2	-	19.4	8.2
LINN	-	18	-	-	1	5	1	23	2.7	70.8	34.8
LOGAN	-	4	-	-	-	4	-	8	-	84.2	38.6

**Teenage Pregnancies for 10-19 Year Olds by Component  
By County of Residence, Kansas, 1999**

County of Residence	Live Births		Fetal Deaths		Abortions*		Total Pregnancies		Teenage** Pregnancy Rate		Teenage** Preg. Rate
	Age-Group		Age-Group		Age-Group		Age-Group		Age-Group		Age-Group
	10-14	15-19	10-14	15-19	10-14	15-19	10-14	15-19	10-14	15-19	10-19
LYON	1	71	-	-	-	20	1	91	0.8	53.7	31.4
MARION	-	15	-	-	-	1	-	16	-	31.3	16.3
MARSHALL	-	13	-	-	-	3	-	16	-	53.9	22.5
MCPHERSON	-	37	-	-	1	8	1	45	0.9	40.7	21.2
MEADE	-	7	-	-	-	1	-	8	-	54.8	25.6
MIAMI	1	46	-	1	-	9	1	56	0.9	52.1	26.7
MITCHELL	-	4	-	-	-	1	-	5	-	15.0	8.4
MONTGOMERY	-	88	-	-	-	10	-	98	-	68.6	35.4
MORRIS	-	10	-	-	1	2	1	12	4.3	53.3	28.4
MORTON	-	14	-	-	-	-	-	14	-	112.9	49.5
NEMAHA	-	8	-	-	-	1	-	9	-	24.1	11.7
NEOSHO	-	30	-	-	1	11	1	41	1.6	64.6	33.5
NESS	-	1	-	-	-	1	-	2	-	25.0	8.7
NORTON	-	4	-	-	-	1	-	5	-	26.7	13.8
OSAGE	-	25	-	-	-	4	-	29	-	45.5	21.5
OSBORNE	-	3	-	-	-	-	-	3	-	21.6	9.9
OTTAWA	-	12	-	-	-	2	-	14	-	68.0	32.2
PAWNEE	-	17	-	-	-	3	-	20	-	84.0	40.2
PHILLIPS	-	7	-	1	-	3	-	11	-	57.0	26.3
POTTAWATOMIE	1	17	-	-	1	3	2	20	2.7	25.9	14.5
PRATT	-	13	-	-	-	3	-	16	-	44.2	22.5
RAWLINS	-	1	-	-	-	-	-	1	-	10.2	4.8
RENO	1	120	-	-	-	36	1	156	0.4	63.5	33.4
REPUBLIC	-	4	-	-	-	2	-	6	-	37.5	17.0
RICE	-	14	-	-	-	3	-	17	-	43.4	21.9
RILEY	-	82	-	-	-	39	-	121	-	34.9	23.7
ROOKS	-	10	-	-	-	-	-	10	-	57.8	24.9
RUSH	-	4	-	-	-	1	-	5	-	53.2	24.0
RUSSELL	-	8	-	-	-	1	-	9	-	45.7	20.7
SALINE	1	125	-	-	3	27	4	152	2.1	77.9	40.7
SCOTT	-	9	-	-	-	-	-	9	-	43.3	21.7
SEDGWICK	17	1,022	-	6	8	276	25	1304	1.5	77.2	39.5
SEWARD	1	102	2	-	-	11	3	113	3.5	135.2	68.4
SHAWNEE	3	306	-	5	7	86	10	397	1.7	63.0	33.0
SHERIDAN	-	1	-	-	-	1	-	2	-	26.3	10.6
SHERMAN	-	13	-	-	-	-	-	13	-	50.4	26.7
SMITH	-	4	-	-	-	1	-	5	-	36.8	17.6
STAFFORD	-	6	-	-	-	2	-	8	-	55.6	23.2
STANTON	-	9	-	-	-	1	-	10	-	116.3	52.9
STEVENS	-	23	-	-	-	5	-	28	-	130.2	60.0
SUMNER	-	51	-	-	-	12	-	63	-	59.9	29.3
THOMAS	-	13	-	-	-	1	-	14	-	35.4	19.0
TREGO	-	3	-	-	-	2	-	5	-	59.5	25.1
WABAUNSEE	-	11	-	-	-	-	-	11	-	42.5	22.0
WALLACE	-	2	-	-	-	-	-	2	-	26.7	15.2
WASHINGTON	-	3	-	-	-	1	-	4	-	16.8	8.1
WICHITA	1	5	-	-	-	1	1	6	8.0	65.2	32.3
WILSON	-	23	-	-	-	8	-	31	-	75.4	37.5
WOODSON	-	6	-	-	-	-	-	6	-	55.6	23.6
WYANDOTTE	8	580	1	6	9	156	18	742	3.1	120.3	63.5
<b>KANSAS</b>	<b>50</b>	<b>4,906</b>	<b>3</b>	<b>29</b>	<b>50</b>	<b>1,364</b>	<b>103</b>	<b>6,299</b>	<b>1.1</b>	<b>60.7</b>	<b>31.9</b>

\*County of residence for nine abortions unknown.

\*\*Rate per 1,000 female age-group population. 1999 female age-group county population estimates were compiled by the U.S. Census Bureau as of 7/1/99.

Source: Kansas Department of Health and Environment



**Teen Pregnancy Rates\* (10-14, 15-19 years of age)  
By County of Residence, Kansas 1995-1999**

County of Residence	Year										5-year Rate	
	1995		1996		1997		1998		1999			
	Age-Group		Age-Group		Age-Group		Age-Group		Age-Group		Age-Group	
	10-14	15-19	10-14	15-19	10-14	15-19	10-14	15-19	10-14	15-19	10-14	15-19
ALLEN	1.6	74.0	-	91.9	-	81.9	-	69.7	1.7	102.1	0.7	83.9
ANDERSON	-	37.7	6.8	29.3	-	23.7	6.8	69.1	-	71.4	2.7	46.2
ATCHISON	3.1	59.9	3.1	73.6	1.6	55.8	1.5	53.9	1.6	54.2	2.2	59.5
BARBER	-	57.0	-	24.5	-	52.9	-	62.1	-	77.8	-	54.9
BARTON	0.9	73.2	1.8	71.9	-	73.6	2.9	71.9	-	61.9	1.1	70.5
BOURBON	-	60.0	-	80.3	-	52.0	-	60.7	3.8	70.2	0.8	64.6
BROWN	-	77.7	-	80.5	-	34.1	-	48.7	2.3	66.8	0.5	61.6
BUTLER	0.8	57.4	-	63.3	0.4	49.3	0.4	57.2	0.8	47.6	0.5	55.0
CHASE	-	87.5	-	73.2	-	90.9	-	97.8	-	54.3	-	80.7
CHAUTAUQUA	-	86.6	-	22.9	-	50.4	-	91.5	-	83.9	-	67.1
CHEROKEE	4.5	69.6	-	59.3	1.1	65.6	-	51.9	-	51.0	1.1	59.5
CHEYENNE	-	37.0	-	59.5	-	22.2	-	10.6	-	11.0	-	28.1
CLARK	-	84.5	-	27.4	-	50.6	12.2	73.2	-	25.3	2.4	52.2
CLAY	5.2	51.9	5.3	60.4	-	56.4	2.7	33.5	-	62.5	2.6	52.9
CLOUD	-	44.3	-	36.1	-	42.9	3.4	42.1	-	28.8	0.7	38.8
COFFEY	2.9	59.2	2.9	63.7	-	41.7	-	34.3	-	42.1	1.2	48.2
COMANCHE	-	49.2	-	79.4	-	46.2	-	63.5	-	16.4	-	50.9
COWLEY	1.4	69.1	0.7	67.7	2.1	84.0	-	62.4	-	75.5	0.8	71.7
CRAWFORD	1.6	64.6	1.6	61.1	2.5	61.0	1.7	74.5	-	63.1	1.5	64.9
DECATUR	-	43.5	-	56.3	-	13.3	-	25.3	-	-	-	27.7
DICKINSON	-	82.6	-	78.5	-	78.7	-	42.6	1.3	55.6	0.3	67.6
DONIPHAN	-	38.7	-	77.8	-	66.7	-	54.6	-	43.7	-	56.3
DOUGLAS	2.4	31.8	0.8	33.5	0.4	34.8	0.4	34.8	0.4	30.7	0.9	33.1
EDWARDS	-	54.9	6.8	63.8	-	61.2	7.2	69.3	-	63.2	2.8	62.5
ELK	-	50.0	-	36.1	-	75.3	10.8	63.2	10.2	20.6	4.2	49.0
ELLIS	1.0	40.5	-	30.7	-	54.9	1.0	41.5	1.0	31.5	0.6	39.8
ELLSWORTH	-	65.3	4.4	38.8	-	14.2	-	13.9	-	38.1	0.9	34.1
FINNEY	3.8	108.1	3.9	125.0	4.5	117.9	1.3	118.0	3.2	95.0	3.3	112.8
FORD	0.9	105.8	2.7	96.7	3.6	101.1	-	99.9	0.9	108.8	1.6	102.5
FRANKLIN	-	73.4	1.1	78.2	4.4	73.2	2.2	73.5	-	60.2	1.5	71.7
GEARY	0.9	139.5	2.7	108.0	3.3	143.4	4.6	127.3	3.7	121.2	3.0	127.9
GOVE	-	60.0	-	29.1	-	9.1	-	9.0	-	19.2	-	25.3
GRAHAM	-	41.7	-	60.6	-	40.0	-	38.8	-	31.9	-	42.6
GRANT	-	108.6	2.5	142.0	2.5	94.8	-	90.7	-	92.2	1.0	105.7
GRAY	-	59.8	3.7	52.6	-	48.3	-	70.4	-	37.2	0.7	53.7
GREELEY	-	21.7	-	63.8	-	40.8	-	80.0	-	113.6	-	64.0
GREENWOOD	6.8	93.6	-	49.6	3.5	57.5	-	82.4	3.4	55.8	2.7	67.8
HAMILTON	-	50.6	-	49.4	-	68.2	-	98.9	-	65.9	-	66.6
HARPER	-	90.4	-	77.3	-	55.0	-	72.8	4.7	66.0	0.9	72.3
HARVEY	0.8	53.7	2.4	50.4	-	63.9	-	72.3	-	58.5	0.6	59.8
HASKELL	5.3	45.8	-	88.6	-	59.5	5.5	63.6	-	88.8	2.2	69.3
HODGEMAN	-	36.4	-	17.5	-	0.0	-	16.4	11.4	64.5	2.3	27.0
JACKSON	2.0	47.7	-	85.4	-	48.9	-	51.7	-	34.3	0.4	53.6
JEFFERSON	-	47.6	1.5	44.3	1.5	72.1	1.5	57.5	1.5	55.9	1.2	55.5
JEWELL	-	38.5	-	28.0	-	25.4	-	49.6	8.1	18.2	1.6	31.9
JOHNSON	0.7	38.2	0.4	37.3	0.4	34.5	0.5	32.9	0.4	32.9	0.5	35.2
KEARNY	5.0	57.1	0.0	82.8	-	89.7	-	49.7	-	103.9	1.0	76.6
KINGMAN	-	64.2	3.1	55.7	-	36.8	-	51.7	3.1	30.2	1.2	47.7
KIOWA	-	41.7	-	40.3	-	30.3	7.3	73.5	-	32.8	1.5	43.7
LABETTE	-	71.8	-	47.5	-	63.0	2.4	68.8	-	70.3	0.5	64.3
LANE	11.4	66.7	-	65.2	-	42.6	-	50.0	-	65.2	2.3	57.9
LEAVENWORTH	0.7	67.5	0.7	47.9	0.7	53.9	0.7	54.4	0.4	53.1	0.6	55.4
LINCOLN	-	21.5	-	52.1	-	9.8	-	48.1	-	19.4	-	30.2
LINN	-	45.6	-	88.6	-	36.3	-	60.3	2.7	70.8	0.5	60.3
LOGAN	-	87.0	7.9	63.2	-	9.9	-	48.1	-	84.2	1.6	58.5

**Teen Pregnancy Rates\* (10-14, 15-19 years of age)  
By County of Residence, Kansas 1995-1999**

County of Residence	Year										5-year Rate	
	1995		1996		1997		1998		1999			
	Age-Group		Age-Group		Age-Group		Age-Group		Age-Group		Age-Group	
	10-14	15-19	10-14	15-19	10-14	15-19	10-14	15-19	10-14	15-19	10-14	15-19
LYON	0.8	62.3	1.5	55.2	1.6	56.6	0.8	50.2	0.8	53.7	1.1	55.6
MARION	2.1	33.3	-	28.0	-	34.8	2.1	42.9	-	31.3	0.8	34.1
MARSHALL	2.3	55.1	-	42.7	-	60.6	-	33.3	-	53.9	0.5	49.1
MCPHERSON	-	48.5	1.9	40.2	1.9	55.1	-	63.0	0.9	40.7	0.9	49.5
MEADE	-	71.4	-	38.5	-	55.6	-	61.6	-	54.8	-	56.4
MIAMI	2.0	55.2	-	60.1	1.0	47.7	-	48.4	0.9	52.1	0.8	52.7
MITCHELL	3.6	41.5	-	18.5	3.6	26.3	-	41.5	-	15.0	1.4	28.6
MONTGOMERY	1.4	76.5	2.1	74.1	1.4	66.0	2.2	76.8	-	68.6	1.4	72.4
MORRIS	-	73.9	-	42.9	-	35.6	-	25.9	4.3	53.3	0.9	46.3
MORTON	-	72.1	-	69.6	-	82.6	-	47.6	-	112.9	-	77.0
NEMAHA	-	20.5	-	51.0	-	45.2	-	39.4	-	24.1	-	36.0
NEOSHO	-	63.0	-	54.5	1.6	64.2	-	41.5	1.6	64.6	0.6	57.6
NESS	-	51.9	-	101.3	-	36.6	-	24.1	-	25.0	-	47.8
NORTON	-	80.5	-	50.0	-	10.6	-	19.1	-	26.7	-	37.4
OSAGE	1.4	76.8	2.9	58.1	1.4	54.6	1.4	48.7	-	45.5	1.4	56.7
OSBORNE	5.9	39.7	-	23.1	-	37.3	-	58.4	-	21.6	1.2	36.0
OTTAWA	-	64.7	4.5	39.8	-	30.6	-	44.1	-	68.0	0.9	49.4
PAWNEE	-	62.8	3.5	82.6	-	56.3	-	64.4	-	84.0	0.7	70.0
PHILLIPS	-	37.4	-	51.8	-	35.2	-	14.9	-	57.0	-	39.3
POTTAWATOMIE	2.9	50.6	-	38.3	1.4	25.5	-	21.7	2.7	25.9	1.4	32.4
PRATT	-	85.4	2.7	59.0	-	52.1	-	53.3	-	44.2	0.5	58.8
RAWLINS	-	29.7	-	28.8	-	72.7	-	18.0	-	10.2	-	31.9
RENO	2.6	75.7	0.9	75.4	1.8	77.9	1.3	61.9	0.4	63.5	1.4	70.9
REPUBLIC	-	54.8	-	53.0	-	43.2	-	61.7	-	37.5	-	50.0
RICE	-	84.8	-	62.3	-	83.3	2.5	52.0	-	43.4	0.5	65.2
RILEY	1.1	41.3	-	40.5	1.2	29.7	-	29.7	-	34.9	0.5	35.2
ROOKS	-	30.1	-	35.1	-	50.8	-	61.5	-	57.8	-	47.1
RUSH	-	44.4	-	21.5	8.0	20.4	-	30.3	-	53.2	1.6	34.0
RUSSELL	-	71.0	-	68.8	-	35.2	-	48.5	-	45.7	-	53.8
SALINE	1.5	85.3	1.0	72.8	0.5	74.6	1.5	68.9	2.1	77.9	1.3	75.9
SCOTT	4.8	54.6	-	58.2	10.2	46.6	-	35.0	-	43.3	3.0	47.5
SEDGWICK	1.9	90.3	1.6	89.3	1.3	87.5	1.4	79.1	1.5	77.2	1.5	84.7
SEWARD	2.3	142.1	2.4	141.5	2.3	94.0	2.3	127.5	3.5	135.2	2.6	128.1
SHAWNEE	2.0	83.5	2.6	81.7	1.3	71.3	1.3	68.5	1.7	63.0	1.8	73.6
SHERIDAN	-	13.7	-	40.0	-	-	-	25.3	-	26.3	-	21.1
SHERMAN	3.9	65.6	-	51.6	8.2	61.1	4.1	71.4	-	50.4	3.2	60.0
SMITH	-	38.8	-	30.1	-	21.4	-	69.9	-	36.8	-	39.4
STAFFORD	-	84.0	-	74.1	-	100.7	-	130.1	-	55.6	-	88.9
STANTON	-	86.4	-	95.2	-	157.3	-	10.8	-	116.3	-	93.2
STEVENS	-	125.0	-	94.7	-	75.8	3.9	59.4	-	130.2	0.8	97.0
SUMNER	1.8	68.1	1.8	77.6	-	54.0	0.9	52.2	-	59.9	0.9	62.4
THOMAS	-	61.2	-	69.6	-	44.1	-	32.9	-	35.4	-	48.6
TREGO	-	100.0	-	108.4	-	101.1	-	56.8	-	59.5	-	85.2
WABAUNSEE	-	47.6	-	41.8	-	35.2	-	37.9	-	42.5	-	41.0
WALLACE	-	59.7	-	28.6	-	13.5	-	52.6	-	26.7	-	36.2
WASHINGTON	-	45.5	-	26.4	-	24.9	3.8	29.2	-	16.8	0.8	28.6
WICHITA	-	76.9	-	42.6	-	63.8	-	110.0	8.0	65.2	1.6	71.7
WILSON	-	62.8	-	74.1	7.2	69.3	-	81.7	-	75.4	1.4	72.7
WOODSON	-	72.9	-	70.7	6.8	38.1	-	63.6	-	55.6	1.4	60.2
WYANDOTTE	5.7	126.6	4.3	118.5	4.5	121.8	3.4	114.9	3.1	120.3	4.2	120.4
KANSAS	1.6	69.5	1.4	67.0	1.3	64.7	1.1	62.0	1.1	60.7	1.3	64.8

\*Rate per 1,000 female age-group population

Teenage pregnancies include the sum of live births, reported abortions and fetal deaths.

The 1995-1996 female age-group county population estimates were compiled by the Kansas Department of Health and Environment based on 1990 U.S. Census Bureau totals.

1997-1998 female age-group county population estimates were compiled by the U.S. Census Bureau as of 7/1/97, and 7/1/98.

County estimates were then adjusted to the 1995-1998 Census totals for the state.

1999 female age-group county population estimates were compiled by the U.S. Census Bureau as of 7/1/99.

**Teenage Pregnancy Rates\* (10-19 years of age)  
By County of Residence, Kansas, 1995-1999**

County of Residence	Year					5-year Rate
	1995	1996	1997	1998	1999	
ALLEN	34.7	43.1	39.6	34.3	51.3	40.6
ANDERSON	17.7	17.6	11.8	38.4	36.1	24.3
ATCHISON	32.3	40.1	28.8	27.2	30.3	31.7
BARBER	22.8	10.1	22.8	27.4	34.4	23.5
BARTON	34.4	35.1	35.7	37.0	30.7	34.6
BOURBON	30.6	42.0	28.1	33.3	40.0	34.8
BROWN	35.3	37.4	16.6	24.2	34.4	29.6
BUTLER	26.2	29.1	23.7	28.1	23.5	26.1
CHASE	41.7	35.5	46.5	51.1	28.2	40.6
CHAUTAUQUA	42.1	11.4	25.9	48.0	44.3	34.3
CHEROKEE	35.9	29.3	34.1	27.0	26.6	30.6
CHEYENNE	14.0	23.3	9.2	4.5	4.6	11.1
CLARK	39.0	12.9	25.3	42.7	12.4	26.5
CLAY	25.3	29.5	26.0	17.1	29.2	25.4
CLOUD	25.6	21.2	25.7	26.8	17.6	23.4
COFFEY	29.3	32.1	20.7	17.4	21.4	24.2
COMANCHE	21.7	36.0	22.2	30.3	7.9	23.6
COWLEY	33.8	33.5	43.0	31.7	39.1	36.2
CRAWFORD	34.3	33.2	34.5	42.2	35.2	35.9
DECATUR	14.1	18.8	4.7	9.3	-	9.4
DICKINSON	37.2	36.3	37.5	20.5	27.6	31.8
DONIPHAN	21.1	43.3	37.6	31.1	26.1	31.8
DOUGLAS	22.8	23.7	23.7	23.9	21.3	23.1
EDWARDS	20.9	29.2	25.2	33.3	26.5	27.0
ELK	23.0	17.0	37.8	37.2	15.4	26.1
ELLIS	21.6	16.4	30.0	23.3	18.1	21.9
ELLSWORTH	30.4	20.9	7.0	7.0	19.2	16.9
FINNEY	54.4	64.0	62.8	61.7	51.2	58.8
FORD	54.5	51.9	54.3	52.7	58.5	54.4
FRANKLIN	34.5	38.2	38.0	37.5	30.5	35.7
GEARY	72.0	58.0	78.7	71.7	67.9	69.7
GOVE	25.8	12.8	4.2	4.2	9.0	11.2
GRAHAM	16.9	25.3	17.4	17.3	14.1	18.2
GRANT	47.0	64.6	45.6	42.7	43.7	48.7
GRAY	23.9	23.8	20.7	30.7	16.4	23.1
GREELEY	7.5	22.6	15.4	30.3	42.4	23.6
GREENWOOD	45.5	22.6	29.1	39.7	28.6	33.1
HAMILTON	24.1	24.0	34.5	50.8	34.3	33.5
HARPER	39.7	34.8	25.8	34.6	34.1	33.8
HARVEY	26.1	25.9	29.9	34.8	29.7	29.3
HASKELL	23.5	40.8	28.9	33.9	43.7	34.2
HODGEMAN	13.7	6.8	-	6.6	33.3	12.1
JACKSON	22.1	38.5	22.9	24.6	16.4	24.9
JEFFERSON	21.1	20.9	34.8	28.2	27.6	26.5
JEWELL	16.5	12.3	11.8	23.5	12.9	15.4
JOHNSON	17.8	17.7	16.9	16.4	16.4	17.0
KEARNY	26.5	35.1	39.7	22.4	46.8	34.1
KINGMAN	30.3	28.5	18.4	26.0	16.8	24.0
KIOWA	18.7	18.5	14.6	40.3	16.0	21.6
LABETTE	36.0	24.4	33.4	38.2	37.8	34.0
LANE	30.1	22.6	15.7	21.4	24.4	22.8
LEAVENWORTH	31.2	22.9	26.4	27.0	26.5	26.8
LINCOLN	8.2	20.5	4.1	20.4	8.2	12.3
LINN	19.8	39.4	16.8	28.4	34.8	27.8
LOGAN	36.4	31.7	4.4	22.3	38.6	26.7

## Teenage Pregnancy Rates\* (10-19 years of age) By County of Residence, Kansas, 1995-1999

County of Residence	Year					5-year Rate
	1995	1996	1997	1998	1999	
LYON	35.4	32.3	32.8	29.4	31.4	32.3
MARION	17.3	14.0	16.7	21.9	16.3	17.2
MARSHALL	22.4	16.7	24.7	13.8	22.5	20.0
MCPHERSON	23.4	20.8	26.0	29.0	21.2	24.1
MEADE	30.3	16.7	25.2	28.4	25.6	25.2
MIAMI	27.1	29.0	24.2	24.5	26.7	26.3
MITCHELL	23.6	10.0	16.2	20.5	8.4	15.7
MONTGOMERY	37.5	37.5	34.0	40.5	35.4	37.0
MORRIS	33.3	19.8	17.2	12.9	28.4	22.3
MORTON	29.1	28.9	36.1	21.1	49.5	32.9
NEMAHA	9.2	23.4	21.6	19.0	11.7	17.0
NEOSHO	29.6	26.2	33.4	21.3	33.5	28.8
NESS	16.1	32.3	12.4	8.3	8.7	15.6
NORTON	38.6	24.6	5.4	10.2	13.8	18.5
OSAGE	34.0	27.4	26.1	23.7	21.5	26.5
OSBORNE	20.3	10.1	16.9	27.0	9.9	16.8
OTTAWA	28.0	20.2	14.2	20.9	32.2	23.1
PAWNEE	27.2	38.6	25.9	30.4	40.2	32.5
PHILLIPS	15.9	22.6	16.0	6.9	26.3	17.5
POTTAWATOMIE	25.5	18.6	13.5	11.0	14.5	16.6
PRATT	40.1	29.8	26.0	27.0	22.5	29.1
RAWLINS	12.6	12.6	33.3	8.4	4.8	14.3
RENO	38.5	38.4	41.1	33.0	33.4	36.9
REPUBLIC	22.9	22.8	19.4	28.1	17.0	22.0
RICE	38.7	29.1	38.1	25.6	21.9	30.7
RILEY	28.0	27.6	20.2	20.0	23.7	23.9
ROOKS	11.9	14.2	21.4	26.3	24.9	19.7
RUSH	18.3	9.1	13.5	13.7	24.0	15.7
RUSSELL	29.2	29.1	15.5	21.8	20.7	23.3
SALINE	41.1	35.8	37.3	35.5	40.7	38.1
SCOTT	28.1	27.9	28.3	17.8	21.7	24.8
SEDGWICK	43.1	43.5	43.8	40.3	39.5	42.0
SEWARD	66.5	68.0	46.9	63.6	68.4	62.7
SHAWNEE	40.8	41.3	36.6	35.7	33.0	37.5
SHERIDAN	4.9	14.8	-	9.9	10.6	8.0
SHERMAN	33.9	25.7	35.5	39.4	26.7	32.2
SMITH	17.2	13.7	10.1	33.8	17.6	18.5
STAFFORD	32.3	29.2	41.1	54.8	23.2	36.1
STANTON	35.9	40.8	69.7	4.8	52.9	40.8
STEVENS	53.0	41.2	34.4	29.6	60.0	43.6
SUMNER	31.6	36.7	25.9	25.9	29.3	29.9
THOMAS	30.5	35.5	23.3	17.3	19.0	25.1
TREGO	38.1	42.7	42.3	23.9	25.1	34.4
WABAUNSEE	22.7	20.4	17.9	19.5	22.0	20.5
WALLACE	30.8	15.2	7.5	29.6	15.2	19.7
WASHINGTON	20.1	12.0	11.8	16.0	8.1	13.6
WICHITA	29.4	16.7	26.3	46.8	32.3	30.3
WILSON	29.0	35.0	37.7	40.5	37.5	35.9
WOODSON	28.0	27.9	19.8	27.2	23.6	25.3
WYANDOTTE	64.1	60.8	64.7	61.3	63.5	62.9
KANSAS	34.5	33.9	33.3	32.4	31.9	33.2

\*Rate per 1,000 female age-group population

Teenage pregnancies include the sum of live births, reported abortions and fetal deaths.

The 1995-1996 female 10-19 age-group county population estimates were compiled by the Kansas

Department of Health and Environment based on 1990 U.S. Census Bureau totals.

1997-1998 female 10-19 age-group county population estimates were compiled by the U.S. Census Bureau as of 7/1/97, and 7/1/98.

County estimates were then adjusted to the 1995-1998 Census totals for the state.

1999 female 10-19 age-group county population estimates were compiled by the U.S. Census

Bureau as of 7/1/99.

## Technical Notes

Abortion (induced termination of pregnancy): The purposeful interruption of pregnancy with the intention other than to produce a live-born infant or to remove a dead fetus and which does not result in a live birth.

Fetal Death: Any complete expulsion or extraction from its mother of a product of human conception, the weight of which is in excess of 350 grams, irrespective of the duration of pregnancy, resulting in other than a live birth, and which is not an induced termination of pregnancy.

Live Birth: The complete expulsion or extraction of a product of human conception from its mother, irrespective of the duration of pregnancy, that, after such expulsion or extraction, shows any evidence of life such as breathing, heartbeat, pulsation of the umbilical cord, or voluntary muscle movement, whether or not the umbilical cord has been cut or the placenta attached.

### Population:

U.S. Census Bureau population estimates were obtained on the Internet at:

<http://www.census.gov/population/www/estimates/>

1995-1996 female 10-17 and 10-19 age-group county population estimates were compiled by the Kansas Department of Health and Environment based on 1990 U.S. Census Bureau totals.

1997-1998 female 10-17 and 10-19 age-group county population estimates were compiled by the U.S. Census Bureau as of 7/1/97 and 7/1/98.

County estimates were then adjusted to the 1995-1998 Census totals for the state.

1999 state and county female 10-17 and 10-19 age-group population estimates were compiled by the U.S. Census Bureau as of 7/1/99 (Internet release date: 8/30/00).

1995-1999 state and county female 15-17 age-group population estimates were compiled by the U.S. Census Bureau as of July 1 of each year (Internet release date: 8/30/00).

### Rate Reliability:

Vital statistics are easily influenced by random variation, and single-year rates can fluctuate from year to year. A multiple-year rate, such as a 5- or 10- year average of single-year rates, would be more accurate in formulating conclusions on vital events. For example, between 1995 and 1999, the teenage pregnancy rate for Kansas varied from 31.9 to 34.5 teenage pregnancies per 1,000 10-19 female population. The 1995-1999 5-year teenage pregnancy rate was 33.2. The 5-year rate smooths some of the variation in single-year rates and would be a more reliable indicator of teenage pregnancy rates in Kansas.

Rates based on a small or large number of events in a sparsely populated area can vary widely. To exemplify the variation that may occur with a small change in the number of events, in 1999, Greeley County had the lowest 10-19 female population in Kansas at 118 and Sedgwick County had the highest at 33,624. With 5 teenage pregnancies occurring in Greeley County in 1999, the 10-19 teenage pregnancy rate was 42.4; whereas 1,329 teenage pregnancies occurring in Sedgwick County resulted in a teen pregnancy rate of 39.5 per 1,000 10-19 female population. If 5 more teenage

pregnancies had occurred in each county, Greeley County's teenage pregnancy rate would have increased to 84.7, while Sedgwick County's rate would have increased only slightly, to 39.6 teenage pregnancies per 1,000 10-19 female population. Therefore, one must use caution when comparing rates of vital events between counties of significantly different population sizes to avoid misleading conclusions.

**Residence Data:** Residence data is information compiled according to the usual residence regardless of where the event occurred (including events occurring out-of-state).

**Teenage Pregnancy:** A live birth, fetal death or abortion occurring to a female under 20 years of age.

**Teenage Pregnancy Rate:** live births, fetal deaths,  
abortions for females  
in a specific age-group x 1,000  
female population in a specific age-group

This Research Summary Was Prepared By:

Kansas Department of Health and Environment  
Clyde D. Graeber, Secretary

Center for Health and Environmental Statistics  
Lorne A. Phillips, Ph.D., Director and State Registrar

Office of Health Care Information  
Elizabeth W. Saadi, Ph.D., Director

Prepared by: Joy Crevoiserat, B.A.  
Karen Sommer, M.A.

Edited by: Greg Crawford, B.A.

Data for this report were collected by:

Office of Vital Statistics  
Gabriel Faimon, M.P.A., Director

This summary was prepared in consultation with the:

Bureau For Children, Youth and Families