


HIV/AIDS in Kansas

Annual Report

December 2009



The HIV/AIDS Program works to promote public health and enhance the quality of life for Kansas residents by the prevention, intervention, and treatment of HIV and AIDS.

**HIV/AIDS Surveillance Program
HIV/AIDS Section
Bureau of Disease Control and Prevention
Kansas Department of Health and Environment**

Sources of information for this report:
Kansas HIV/AIDS Surveillance System (eHARS)

For further information: Contact Arrie Morris, MPH at 785-296-8701 or e-mail amorris@kdheks.gov



Incident, Prevalent, and Cumulative AIDS Cases in Kansas as of December 31, 2009, by Date of Report

	Incident AIDS Cases in Kansas as of December 31 st , 2009		Prevalent AIDS Cases in Kansas as of December 31 st , 2009		Cumulative AIDS Cases in Kansas as of December 31 st , 2009	
	N	%	N	%	N	%
ADULT/ADOLESCENT	119	99.2	1434	99.5	2224	99.6
PEDIATRIC (<13 YEARS OLD)	1	0.8	7	0.5	10	0.4
TOTAL	120	100.0	1441	100.0	2234	100.0
AGE						
< 13 Years	1	0.8	7	0.5	10	0.4
13 TO 14 Years	.	.	2	0.1	2	0.1
15 TO 24 Years	14	11.7	107	7.4	137	6.1
25 TO 34 Years	32	26.7	485	33.7	778	34.8
35 TO 44 Years	44	36.7	548	38.0	841	37.6
45 TO 54 Years	19	15.8	231	16.0	348	15.6
55 TO 64 Years	8	6.7	49	3.4	94	4.2
65 Years or Older	2	1.7	12	0.8	24	1.1
RACE/ETHNICITY						
Hispanic	29	24.2	207	14.4	266	11.9
American-Indian Non-Hispanic	2	1.7	11	0.8	22	1.0
Asian / Pacific Islander Non-Hispanic	1	0.8	11	0.8	15	0.7
Black Non-Hispanic	29	24.2	332	23.0	486	21.8
White Non-Hispanic	52	43.3	856	59.4	1409	63.1
Multi-Race Non-Hispanic	7	5.8	23	1.6	35	1.6
Unknown	.	.	1	0.1	1	0.0
GENDER						
Male	98	81.7	1192	82.7	1904	85.2
Female	22	18.3	249	17.3	330	14.8
EXPOSURE CATEGORY						
Men who have sex with men (MSM)	64	53.3	792	55.0	1267	56.7
Injection Drug User (IDU)	7	5.8	125	8.7	219	9.8
MSM and IDU	7	5.8	128	8.9	203	9.1
Hemophilia/Coagulation Disorder or Transfusion/Transplant	.	.	12	0.8	31	1.4
High Risk Heterosexual Contact	31	25.8	250	17.3	320	14.3
No Identified Risk (NIR) or Other	10	8.3	128	8.8	185	8.3
Pediatric (All Risk Combined)	1	0.8	6	0.4	9	0.4
TOTAL	120	100.0	1441	100.0	2234	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2009 and December 31, 2009

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2009

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31, 2009

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

Incident, Prevalent, and Cumulative HIV Cases in Kansas as of December 31, 2009, by Date of Report

	Incident HIV Cases in Kansas as of December 31 st , 2009		Prevalent HIV Cases in Kansas as of December 31 st , 2009		Cumulative HIV Cases in Kansas as of December 31 st , 2009	
	N	%	N	%	N	%
ADULT/ADOLESCENT	104	99.0	1311	99.0	1376	99.0
PEDIATRIC (<13 YEARS OLD)	1	1.0	14	1.0	14	1.0
TOTAL	105	100.0	1325	100.0	1390	100.0
AGE						
< 13 Years	1	1.0	14	1.0	14	1.0
13 TO 14 Years	.	.	1	0.1	1	0.1
15 TO 24 Years	27	25.7	299	22.6	304	21.9
25 TO 34 Years	34	32.4	515	38.9	527	38.0
35 TO 44 Years	21	20.0	317	23.9	345	24.8
45 TO 54 Years	15	14.3	135	10.2	145	10.4
55 TO 64 Years	6	5.7	38	2.9	45	3.2
65 Years or Older	1	0.9	6	0.4	9	0.6
RACE/ETHNICITY						
Hispanic	12	11.4	156	11.8	161	11.6
American-Indian Non-Hispanic	1	1.0	13	1.0	13	0.9
Asian / Pacific Islander Non-Hispanic	3	2.9	12	1.0	13	0.9
Black Non-Hispanic	37	35.2	370	27.9	383	27.6
White Non-Hispanic	49	46.7	738	55.7	782	56.2
Multi-Race Non-Hispanic	3	2.9	29	2.2	31	2.2
Unknown	.	.	7	0.5	7	0.5
GENDER						
Male	82	78.1	1055	79.6	1103	79.4
Female	23	21.9	270	20.4	287	20.6
EXPOSURE CATEGORY						
Men who have sex with men (MSM)	64	61.0	690	52.1	713	51.3
Injection Drug User (IDU)	6	5.7	132	10.0	139	10.0
MSM and IDU	3	2.9	69	5.2	76	5.5
Hemophilia/Coagulation Disorder or Transfusion/Transplant	.	.	4	0.3	6	0.4
High Risk Heterosexual Contact	15	14.3	192	14.5	202	14.5
No Identified Risk (NIR) or Other	16	15.2	227	17.1	240	17.3
Pediatric (All Risk Combined)	1	1.0	11	0.8	14	1.0
TOTAL	105	100.0	1325	100.0	1390	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2009 and December 31, 2009

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2009

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31, 2009

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

Prevalent Adult / Adolescent AIDS Cases by Exposure Category and Gender in Kansas as of December 31, 2009 by Date of Report

Adult/Adolescent Exposure Category	GENDER				TOTAL	
	Male		Female			
	N	%	N	%	N	%
Men who have sex with men (MSM)	792	66.8	.	.	792	55.2
Injection Drug User (IDU)	79	6.7	46	18.9	125	8.7
MSM and IDU	128	10.8	.	.	128	8.9
Hemophilia/Coagulation Disorder/Transfusion	9	0.8	2	0.8	11	0.8
High Risk Heterosexual Contact	84	7.1	166	68.0	250	17.4
Sex with IDU	14	1.2	30	12.3	44	3.1
Sex with HIV infected partner	69	5.8	123	50.4	192	13.4
Sex with other high risk partner	1	0.1	13	5.3	14	0.9
No Identified Risk (NIR)	98	8.3	30	12.3	128	8.9

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2009

Data Source: Kansas HIV/AIDS Reporting System (eHARS) - 2009

Percentages may not add to 100 due to rounding

Prevalent Adult / Adolescent HIV Cases by Exposure Category and Gender in Kansas as of December 31, 2009 by Date of Report

Adult/Adolescent Exposure Category	GENDER				TOTAL	
	Male		Female			
	N	%	N	%	N	%
Men who have sex with men (MSM)	690	65.7	.	.	690	52.6
Injection Drug User (IDU)	85	8.1	47	18.0	132	10.1
MSM and IDU	69	6.6	.	.	69	5.3
Hemophilia/Coagulation Disorder/Transfusion	4	0.4	.	.	4	0.3
High Risk Heterosexual Contact	48	4.6	144	55.2	192	14.6
Sex with IDU	10	1.0	20	7.7	30	2.3
Sex with HIV infected partner	37	3.5	108	41.4	145	11.1
Sex with other high risk partner	1	0.1	16	6.1	17	1.3
No Identified Risk (NIR)	154	14.7	70	26.8	224	17.1


Prevalent HIV cases are individuals with HIV (no AIDS) who are presumed to be alive as of December 31, 2009

Data Source: Kansas HIV/AIDS Reporting System (eHARS) - 2009

Percentages may not add to 100 due to rounding

Incident, Prevalent, and Cumulative HIV Cases and AIDS Cases as of December 31, 2009, Among Regions in Kansas by Date of Report

HIV/AIDS Community Planning Regions



Published by:
 Kansas Department of Health and Environment
 Bureau of Epidemiology and Disease Prevention
 Information Systems, Geographic Data Services
 Date of Publication: December 2004



Data Source:
 Kansas Cartographic Dataset
 Kansas HIV/STD Surveillance Program

Disclaimer: The purpose of this publication is to illustrate the status of the HIV/AIDS epidemic in the state of Kansas.
 This map product is provided without representation or implied or expressed warranty of accuracy for any uses beyond those expressed. The originating agencies are not responsible for publication or use of this product for purposes other than those expressed. This product may be corrected or updated as necessary without prior notification.

	Incident AIDS Cases in Kansas as of December 31 st , 2009	Incident HIV Cases in Kansas as of December 31 st , 2009	Prevalent AIDS Cases in Kansas as of December 31 st , 2009	Prevalent HIV Cases in Kansas as of December 31 st , 2009	Cumulative AIDS Cases in Kansas as of December 31 st , 2009	Cumulative HIV Cases in Kansas as of December 31 st , 2009
	N	N	N	N	N	N
Region						
1	26	22	304	294	448	305
2	27	16	293	265	403	275
3	3	6	60	55	89	56
4	7	4	126	129	197	140
5	9	4	42	42	97	43
6	2	8	38	56	61	57
7	3	5	65	51	103	56
8	38	39	467	386	762	404
9	5	1	46	47	74	54
TOTAL	120	105	1441	1325	2234	1390

Incident AIDS cases are individuals with AIDS reported between January 1, 2009 and December 31, 2009
 Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2009
 Cumulative AIDS cases are those individuals ever reported in Kansas to have AIDS through December 31, 2009
 Incident HIV cases are individuals with HIV reported between January 1, 2008 and December 31, 2009
 Prevalent HIV cases are individuals with HIV who are presumed to be alive as of December 31, 2009
 Cumulative HIV cases are those individuals ever reported in Kansas to have HIV through December 31, 2009
 Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 1, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31 st , 2009		Incident HIV Cases in Kansas as of December 31 st , 2009		Prevalent AIDS Cases in Kansas as of December 31 st , 2009		Prevalent HIV Cases in Kansas as of December 31 st , 2009		Cumulative AIDS Cases in Kansas as of December 31 st , 2009		Cumulative HIV Cases in Kansas as of December 31 st , 2009	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	23	88.5	17	77.3	261	85.9	236	80.3	396	88.4	244	80.0
Female	3	11.5	5	22.7	43	14.1	58	19.7	52	11.6	61	20.0
RACE/ETHNICITY												
Hispanic	9	34.6	3	13.6	60	19.7	45	15.3	69	15.4	47	15.4
American-Indian Non-Hispanic	1	0.3	.	.	2	0.4	.	.
Asian / Pacific Islander Non-Hispanic	.	.	1	4.5	2	0.7	1	0.3	2	0.4	1	0.3
Black Non-Hispanic	9	34.6	8	36.4	109	35.9	118	40.1	167	37.3	124	40.7
White Non-Hispanic	8	30.8	9	40.9	128	42.1	115	39.1	203	45.3	118	38.7
Multi-Race Non-Hispanic	.	.	1	4.5	4	1.3	14	4.8	5	1.1	14	4.6
Unknown	1	0.3	.	.	1	0.3
AGE												
< 13 Years	1	0.3	2	0.7	1	0.2	2	0.7
13 TO 14 Years	1	0.3	.	.	1	0.3
15 TO 24 Years	5	19.2	4	18.2	24	7.9	66	22.4	32	7.1	67	22.0
25 TO 34 Years	9	34.6	10	45.5	111	36.5	117	39.8	167	37.3	120	39.3
35 TO 44 Years	9	34.6	5	22.7	114	37.5	71	24.1	159	35.5	74	24.3
45 TO 54 Years	2	7.7	2	9.1	44	14.5	24	8.2	65	14.5	26	8.5
55 TO 64 Years	1	3.8	.	.	7	2.3	10	3.4	20	4.5	12	3.9
65 Years or Older	.	.	1	4.5	3	1.0	3	1.0	4	0.9	3	1.0
RISK BEHAVIOR												
Men who have sex with men (MSM)	13	50.0	14	63.6	157	51.6	149	50.7	238	53.1	153	50.2
Injection Drug User (IDU)	2	7.7	3	13.6	31	10.2	25	8.5	46	10.3	26	8.5
MSM and IDU	20	6.6	9	3.1	36	8.0	10	3.3
Hemophilia/Coagulation Disorder or Transfusion/Transplant	4	1.3	.	.	8	1.8	.	.
High Risk Heterosexual Contact	7	26.9	3	13.6	60	19.7	40	13.6	74	16.5	43	14.0
No Identified Risk (NIR) or Other	4	15.4	2	9.1	31	10.2	69	23.5	45	10.0	70	23.0
Pediatric (All Risk Combined)	1	0.3	2	0.6	1	0.2	3	1.0
TOTAL CASES	26	100.0	22	100.0	304	100.0	294	100.0	448	100.0	305	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2009 and December 31, 2009

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2009

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31, 2009

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 2, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31 st , 2009		Incident HIV Cases in Kansas as of December 31 st , 2009		Prevalent AIDS Cases in Kansas as of December 31 st , 2009		Prevalent HIV Cases in Kansas as of December 31 st , 2009		Cumulative AIDS Cases in Kansas as of December 31 st , 2009		Cumulative HIV Cases in Kansas as of December 31 st , 2009	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	22	81.5	14	87.5	242	82.6	218	82.3	344	85.4	224	81.5
Female	5	18.5	2	12.5	51	17.4	47	17.7	59	14.6	51	18.5
RACE/ETHNICITY												
Hispanic	3	11.1	2	12.5	29	10.0	26	9.8	37	9.2	26	9.5
American-Indian Non-Hispanic	1	3.7	.	.	1	0.3	.	.	2	0.5	.	.
Asian / Pacific Islander Non-Hispanic	.	.	1	6.2	3	1.0	8	3.0	5	1.2	8	2.9
Black Non-Hispanic	5	18.5	4	25.0	64	21.8	53	20.0	74	18.4	53	19.3
White Non-Hispanic	14	51.9	9	56.2	190	64.8	173	65.3	278	69.0	182	66.2
Multi-Race Non-Hispanic	4	14.8	.	.	6	2.0	3	1.1	7	1.7	4	1.5
Unknown	2	0.8	.	.	2	0.7
AGE												
< 13 Years	1	3.7	.	.	2	0.7	3	1.1	2	0.5	3	1.1
13 TO 14 Years
15 TO 24 Years	2	7.4	2	12.5	21	7.2	52	19.6	24	5.9	54	19.6
25 TO 34 Years	7	26.0	6	37.5	102	34.8	109	41.1	141	35.0	111	40.4
35 TO 44 Years	8	29.6	2	12.5	105	35.8	60	22.6	145	36.0	62	22.5
45 TO 54 Years	7	26.0	3	18.7	42	14.3	31	11.7	62	15.4	32	11.6
55 TO 64 Years	2	7.4	3	18.7	17	5.8	10	3.8	25	6.2	12	4.4
65 Years or Older	4	1.4	.	.	4	1.0	1	0.4
RISK BEHAVIOR												
Men who have sex with men (MSM)	18	66.7	12	75.0	174	59.4	148	55.8	247	61.3	152	55.3
Injection Drug User (IDU)	1	3.7	1	6.2	14	4.8	11	4.2	24	6.0	11	4
MSM and IDU	15	5.1	16	6.0	19	4.7	17	6.2
Hemophilia/Coagulation Disorder or Transfusion/Transplant	3	1.0	1	0.4	8	2.0	2	0.7
High Risk Heterosexual Contact	5	18.5	2	12.5	52	17.7	40	15.1	58	14.4	41	14.9
No Identified Risk (NIR) or Other	2	7.4	1	6.2	33	11.3	46	17.4	45	11.2	49	17.8
Pediatric (All Risk Combined)	1	3.7	.	.	2	0.7	3	1.1	2	0.5	3	1.1
TOTAL CASES	27	100.0	16	100.0	293	100.0	265	100.0	403	100.0	275	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2009 and December 31, 2009

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2009

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31, 2009

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 3, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31 st , 2009		Incident HIV Cases in Kansas as of December 31 st , 2009		Prevalent AIDS Cases in Kansas as of December 31 st , 2009		Prevalent HIV Cases in Kansas as of December 31 st , 2009		Cumulative AIDS Cases in Kansas as of December 31 st , 2009		Cumulative HIV Cases in Kansas as of December 31 st , 2009	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	3	100.0	5	83.3	49	81.7	51	92.7	77	86.5	52	92.9
Female	.	.	1	16.7	11	18.3	4	7.3	12	13.5	4	7.1
RACE/ETHNICITY												
Hispanic	1	33.3	2	33.3	6	10.0	5	9.1	9	10.1	5	9.0
American-Indian Non-Hispanic	.	.	1	16.7	3	5.0	4	7.3	4	4.5	4	7.1
Asian / Pacific Islander Non-Hispanic	.	.	1	16.7	.	.	1	1.8	.	.	1	1.8
Black Non-Hispanic	6	10.0	7	12.7	8	9.0	7	12.5
White Non-Hispanic	2	66.7	1	16.7	44	73.3	36	65.5	67	75.3	37	66.0
Multi-Race Non-Hispanic	.	.	1	16.7	.	.	2	3.6	.	.	2	3.6
Unknown	1	1.7	.	.	1	1.1	.	.
AGE												
< 13 Years	2	3.3	1	1.8	2	2.2	1	1.8
13 TO 14 Years
15 TO 24 Years	1	33.3	2	33.3	9	15.0	14	25.5	11	12.4	14	25.0
25 TO 34 Years	14	23.3	19	34.5	27	30.3	19	33.9
35 TO 44 Years	2	66.7	3	50.0	18	30.0	16	29.1	27	30.3	17	30.3
45 TO 54 Years	.	.	1	16.7	15	25.0	5	9.1	17	19.1	5	9.0
55 TO 64 Years	2	3.3	.	.	3	3.4	.	.
65 Years or Older	2	2.2	.	.
RISK BEHAVIOR												
Men who have sex with men (MSM)	.	.	5	83.3	34	56.7	42	76.4	54	60.7	42	75.0
Injection Drug User (IDU)	5	8.3	1	1.8	9	10.1	1	1.8
MSM and IDU	1	33.3	.	.	7	11.6	3	5.5	10	11.2	4	7.1
Hemophilia/Coagulation Disorder or Transfusion/Transplant
High Risk Heterosexual Contact	2	66.7	.	.	9	15.0	5	9.1	9	10.1	5	9.0
No Identified Risk (NIR) or Other	3	5.0	3	5.5	5	5.6	3	5.3
Pediatric (All Risk Combined)	.	.	1	16.7	2	3.3	1	1.8	2	2.2	1	1.8
TOTAL CASES	3	100.0	6	100.0	60	100.0	55	100.0	89	100.0	56	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2009 and December 31, 2009

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2009

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31, 2009

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 4, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31 st , 2009		Incident HIV Cases in Kansas as of December 31 st , 2009		Prevalent AIDS Cases in Kansas as of December 31 st , 2009		Prevalent HIV Cases in Kansas as of December 31 st , 2009		Cumulative AIDS Cases in Kansas as of December 31 st , 2009		Cumulative HIV Cases in Kansas as of December 31 st , 2009	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	5	71.4	4	100.0	105	83.3	99	76.7	167	84.8	108	77.1
Female	2	28.6	.	.	21	16.7	30	23.3	30	15.2	32	22.9
RACE/ETHNICITY												
Hispanic	2	28.6	.	.	11	8.7	3	2.3	17	8.6	3	2.1
American-Indian Non-Hispanic	2	1.6	2	1.5	3	1.5	2	1.4
Asian / Pacific Islander Non-Hispanic	1	0.8	1	0.5	2	1.4
Black Non-Hispanic	2	28.6	3	75.0	31	24.6	36	27.9	42	21.3	38	27.1
White Non-Hispanic	2	28.6	1	25.0	81	64.3	86	66.7	129	65.5	94	67.1
Multi-Race Non-Hispanic	1	14.2	.	.	1	0.8	.	.	5	2.5	.	.
Unknown	1	0.8	.	.	1	0.7
AGE												
< 13 Years	1	0.8	.	.	1	0.7
13 TO 14 Years
15 TO 24 Years	1	14.2	.	.	6	4.8	26	20.1	6	3.0	26	18.6
25 TO 34 Years	2	28.6	1	25.0	37	29.4	52	40.3	58	29.4	52	37.1
35 TO 44 Years	3	43.0	.	.	58	46.0	34	26.3	89	45.2	41	29.3
45 TO 54 Years	1	14.2	2	50.0	21	16.7	13	10.1	34	17.2	15	10.7
55 TO 64 Years	.	.	1	25.0	3	2.4	3	2.3	7	3.6	4	2.9
65 Years or Older	1	0.8	.	.	3	1.5	1	0.7
RISK BEHAVIOR												
Men who have sex with men (MSM)	5	71.4	3	75.0	67	53.2	62	48.1	113	57.4	65	46.4
Injection Drug User (IDU)	1	14.3	.	.	12	9.5	19	14.7	20	10.1	20	14.3
MSM and IDU	10	8.0	7	5.4	17	8.6	11	7.8
Hemophilia/Coagulation Disorder or Transfusion/Transplant	2	1.6	.	.	2	1.0	.	.
High Risk Heterosexual Contact	1	14.3	.	.	24	19.0	19	14.7	32	16.2	20	14.3
No Identified Risk (NIR) or Other	.	.	1	25.0	11	8.7	21	16.3	13	6.6	23	16.4
Pediatric (All Risk Combined)	1	0.8	.	.	1	0.7
TOTAL CASES	7	100.0	4	100.0	126	100.0	129	100.0	197	100.0	140	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2009 and December 31, 2009

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2009

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31, 2009

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 5, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31 st , 2009		Incident HIV Cases in Kansas as of December 31 st , 2009		Prevalent AIDS Cases in Kansas as of December 31 st , 2009		Prevalent HIV Cases in Kansas as of December 31 st , 2009		Cumulative AIDS Cases in Kansas as of December 31 st , 2009		Cumulative HIV Cases in Kansas as of December 31 st , 2009	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	8	88.9	2	50.0	30	71.4	28	66.7	77	79.4	29	67.4
Female	1	11.1	2	50.0	12	28.6	14	33.3	20	20.6	14	32.6
RACE/ETHNICITY												
Hispanic	1	11.1	2	50.0	2	4.8	3	7.1	6	6.2	3	7.0
American-Indian Non-Hispanic	1	11.1	.	.	1	2.4	.	.	2	2.1	.	.
Asian / Pacific Islander Non-Hispanic
Black Non-Hispanic	1	11.1	.	.	3	7.1	4	9.5	7	7.2	4	9.3
White Non-Hispanic	6	66.7	2	50.0	35	83.3	33	78.6	81	83.5	34	79.1
Multi-Race Non-Hispanic	1	2.4	2	4.8	1	1.0	2	4.6
Unknown
AGE												
< 13 Years
13 TO 14 Years
15 TO 24 Years	1	2.4	9	21.4	1	1.0	9	20.9
25 TO 34 Years	4	44.4	.	.	19	45.2	13	30.9	37	38.1	13	30.2
35 TO 44 Years	3	33.3	2	50.0	14	33.3	10	23.8	41	42.3	11	25.6
45 TO 54 Years	1	11.1	2	50.0	6	14.3	8	19.0	13	13.4	8	18.6
55 TO 64 Years	1	11.1	.	.	2	4.8	2	4.8	4	4.1	2	4.6
65 Years or Older	1	1.0	.	.
RISK BEHAVIOR												
Men who have sex with men (MSM)	5	55.6	2	50.0	21	50.0	15	35.7	50	51.5	16	37.2
Injection Drug User (IDU)	4	9.5	8	19.0	10	10.3	8	18.6
MSM and IDU	1	11.1	.	.	4	9.5	3	7.1	9	9.3	3	7.0
Hemophilia/Coagulation Disorder or Transfusion/Transplant	3	3.1	.	.
High Risk Heterosexual Contact	3	33.3	2	50.0	10	23.8	11	26.2	17	17.5	11	25.6
No Identified Risk (NIR) or Other	3	7.1	5	11.9	8	8.2	5	11.6
Pediatric (All Risk Combined)
TOTAL CASES	9	100.0	4	100.0	42	100.0	42	100.0	97	100.0	43	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2009 and December 31, 2009

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2009

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31, 2009

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 6, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31 st , 2009		Incident HIV Cases in Kansas as of December 31 st , 2009		Prevalent AIDS Cases in Kansas as of December 31 st , 2009		Prevalent HIV Cases in Kansas as of December 31 st , 2009		Cumulative AIDS Cases in Kansas as of December 31 st , 2009		Cumulative HIV Cases in Kansas as of December 31 st , 2009	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	2	100.0	8	100.0	28	73.7	43	76.8	44	72.1	43	75.4
Female	10	26.3	13	23.2	17	27.9	14	24.6
RACE/ETHNICITY												
Hispanic	3	7.9	3	5.3	5	8.2	3	5.3
American-Indian Non-Hispanic
Asian / Pacific Islander Non-Hispanic	1	50.0	.	.	1	2.6	.	.	1	1.6	.	.
Black Non-Hispanic	.	.	6	75.0	12	31.6	29	51.8	20	32.8	30	52.6
White Non-Hispanic	1	50.0	2	25.0	22	57.9	23	41.1	35	57.4	23	40.3
Multi-Race Non-Hispanic
Unknown	1	1.8	.	.	1	1.7
AGE												
< 13 Years	1	2.6	1	1.8	2	3.3	1	1.7
13 TO 14 Years
15 TO 24 Years	.	.	5	62.5	5	13.1	16	28.6	6	9.8	16	28.1
25 TO 34 Years	1	50.0	2	25.0	8	21.0	22	39.3	17	27.9	22	38.6
35 TO 44 Years	1	50.0	1	12.5	18	47.4	10	17.8	28	45.9	10	17.5
45 TO 54 Years	6	15.8	4	7.1	7	11.5	5	8.8
55 TO 64 Years	3	5.3	1	1.6	3	5.3
65 Years or Older
RISK BEHAVIOR												
Men who have sex with men (MSM)	2	100.0	4	50.0	19	50.0	25	44.6	29	47.5	25	43.8
Injection Drug User (IDU)	3	7.9	3	5.3	10	16.4	3	5.3
MSM and IDU	.	.	1	12.5	6	15.8	2	3.6	7	11.5	2	3.5
Hemophilia/Coagulation Disorder or Transfusion/Transplant
High Risk Heterosexual Contact	7	18.4	8	14.3	10	16.4	8	14.0
No Identified Risk (NIR) or Other	.	.	3	37.5	2	5.3	17	30.3	3	4.9	18	31.6
Pediatric (All Risk Combined)	1	2.6	1	1.8	2	3.3	1	1.7
TOTAL CASES	2	100.0	8	100.0	38	100.0	56	100.0	61	100.0	57	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2009 and December 31, 2009

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2009

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31, 2009

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 7, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31 st , 2009		Incident HIV Cases in Kansas as of December 31 st , 2009		Prevalent AIDS Cases in Kansas as of December 31 st , 2009		Prevalent HIV Cases in Kansas as of December 31 st , 2009		Cumulative AIDS Cases in Kansas as of December 31 st , 2009		Cumulative HIV Cases in Kansas as of December 31 st , 2009	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	3	100.0	5	100.0	51	78.5	39	76.5	79	76.7	43	76.8
Female	14	21.5	12	23.5	24	23.3	13	23.2
RACE/ETHNICITY												
Hispanic	9	13.8	5	9.8	11	10.7	5	8.9
American-Indian Non-Hispanic
Asian / Pacific Islander Non-Hispanic	1	1.5	.	.	2	1.9	.	.
Black Non-Hispanic	1	33.3	3	60.0	11	16.9	17	33.3	17	16.5	18	32.1
White Non-Hispanic	2	66.7	2	40.0	43	66.2	28	54.9	72	69.9	32	57.1
Multi-Race Non-Hispanic	1	1.5	.	.	1	1.0	.	.
Unknown	1	2.0	.	.	1	1.8
AGE												
< 13 Years	1	1.5	1	2.0	2	1.9	1	1.8
13 TO 14 Years
15 TO 24 Years	1	33.3	2	40.0	3	4.6	10	19.6	6	5.8	11	19.6
25 TO 34 Years	.	.	2	40.0	18	27.7	18	35.3	32	31.1	19	33.9
35 TO 44 Years	1	33.3	.	.	27	41.5	12	23.5	40	38.8	15	26.8
45 TO 54 Years	1	33.3	.	.	14	21.5	6	11.8	20	19.4	6	10.7
55 TO 64 Years	.	.	1	20.0	2	3.1	4	7.8	2	1.9	4	7.1
65 Years or Older	1	1.0	.	.
RISK BEHAVIOR												
Men who have sex with men (MSM)	2	66.7	5	100.0	34	52.3	21	41.2	46	44.7	24	42.8
Injection Drug User (IDU)	14	21.5	14	27.4	23	22.3	15	26.8
MSM and IDU	1	33.3	.	.	6	9.2	2	3.9	11	10.7	2	3.6
Hemophilia/Coagulation Disorder or Transfusion/Transplant	1	2.0	3	2.9	2	3.6
High Risk Heterosexual Contact	6	9.2	7	13.7	11	10.7	7	12.5
No Identified Risk (NIR) or Other	4	6.2	5	9.8	7	6.8	5	8.9
Pediatric (All Risk Combined)	1	1.5	1	2.0	2	1.9	1	1.8
TOTAL CASES	3	100.0	5	100.0	65	100.0	51	100.0	103	100.0	56	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2009 and December 31, 2009

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2009

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31, 2009

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 8, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31 st , 2009		Incident HIV Cases in Kansas as of December 31 st , 2009		Prevalent AIDS Cases in Kansas as of December 31 st , 2009		Prevalent HIV Cases in Kansas as of December 31 st , 2009		Cumulative AIDS Cases in Kansas as of December 31 st , 2009		Cumulative HIV Cases in Kansas as of December 31 st , 2009	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	27	71.1	26	66.7	389	83.3	308	79.8	660	86.6	320	79.2
Female	11	28.9	13	33.3	78	16.7	78	20.2	102	13.4	84	20.8
RACE/ETHNICITY												
Hispanic	8	21.1	3	7.7	59	12.6	45	11.6	78	10.2	45	11.1
American-Indian Non-Hispanic	3	0.6	6	1.5	9	1.2	6	1.5
Asian / Pacific Islander Non-Hispanic	4	0.9	1	0.3	4	0.5	1	0.2
Black Non-Hispanic	11	28.9	13	33.3	94	20.1	100	25.9	147	19.3	103	25.5
White Non-Hispanic	17	44.7	22	56.4	297	63.6	225	58.3	508	66.7	239	59.2
Multi-Race Non-Hispanic	2	5.3	1	2.6	10	2.1	8	2.1	16	2.1	9	2.2
Unknown Non-Hispanic	1	0.3	.	.	1	0.2
AGE												
< 13 Years	.	.	1	2.6	.	.	5	1.3	.	.	5	1.2
13 TO 14 Years	1	0.2	.	.	1	0.1	.	.
15 TO 24 Years	4	10.5	12	30.8	35	7.5	95	24.6	45	5.9	96	23.8
25 TO 34 Years	7	18.4	13	33.3	155	33.2	144	37.3	271	35.6	148	36.6
35 TO 44 Years	14	36.8	7	17.9	181	38.6	94	24.3	286	37.5	101	25.0
45 TO 54 Years	7	18.4	5	12.8	75	16.1	39	10.1	119	15.6	42	10.4
55 TO 64 Years	4	10.5	1	2.6	16	3.4	6	1.6	31	4.1	8	2.0
65 Years or Older	2	5.3	.	.	4	0.9	3	0.8	9	1.2	4	1.0
RISK BEHAVIOR												
Men who have sex with men (MSM)	14	36.8	18	46.2	264	56.5	209	54.1	453	59.4	216	53.5
Injection Drug User (IDU)	3	7.9	2	5.1	37	7.9	38	9.8	67	8.8	41	10.1
MSM and IDU	3	7.9	2	5.1	57	12.2	25	6.5	88	11.5	25	6.2
Hemophilia/Coagulation Disorder or Transfusion/Transplant	2	0.4	2	0.5	3	0.4	2	0.5
High Risk Heterosexual Contact	12	31.6	8	20.5	73	15.6	53	13.7	99	13.0	56	13.9
No Identified Risk (NIR) or Other	6	15.8	8	20.5	34	7.3	54	14.0	52	6.8	59	14.6
Pediatric (All Risk Combined)	.	.	1	2.6	.	.	5	1.3	.	.	5	1.2
TOTAL CASES	38	100.0	39	100.0	467	100.0	386	100.0	762	100.0	404	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2009 and December 31, 2009

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2009

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31, 2009

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 9, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31 st , 2009		Incident HIV Cases in Kansas as of December 31 st , 2009		Prevalent AIDS Cases in Kansas as of December 31 st , 2009		Prevalent HIV Cases in Kansas as of December 31 st , 2009		Cumulative AIDS Cases in Kansas as of December 31 st , 2009		Cumulative HIV Cases in Kansas as of December 31 st , 2009	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	5	100.0	1	100.0	37	80.4	33	70.2	60	81.1	40	74.1
Female	9	19.6	14	29.8	14	18.9	14	25.9
RACE/ETHNICITY												
Hispanic	5	100.0	.	.	28	60.9	21	44.7	34	45.9	24	44.4
American-Indian Non-Hispanic	1	2.1	.	.	1	1.8
Asian / Pacific Islander Non-Hispanic
Black Non-Hispanic	2	4.3	6	12.8	4	5.4	6	11.1
White Non-Hispanic	.	.	1	100.0	16	34.8	19	40.4	36	48.6	23	42.6
Multi-Race Non-Hispanic
Unknown Non-Hispanic
AGE												
< 13 Years	1	1.4	.	.
13 TO 14 Years	1	2.2	.	.	1	1.4	.	.
15 TO 24 Years	3	6.5	11	23.4	6	8.1	11	20.4
25 TO 34 Years	2	40.0	.	.	21	45.6	21	44.7	28	37.8	23	42.6
35 TO 44 Years	3	60.0	1	100.0	13	28.3	10	21.3	26	35.1	14	25.9
45 TO 54 Years	8	17.4	5	10.6	11	14.8	6	11.1
55 TO 64 Years	1	1.4	.	.
65 Years or Older
RISK BEHAVIOR												
Men who have sex with men (MSM)	4	80.0	1	100.0	22	47.8	18	38.3	36	48.6	19	35.2
Injection Drug User (IDU)	5	10.9	13	27.6	10	13.5	14	25.9
MSM and IDU	2	4.3	2	4.3	5	6.7	2	3.7
Hemophilia/Coagulation Disorder or Transfusion/Transplant	3	4.0	.	.
High Risk Heterosexual Contact	1	20.0	.	.	9	19.6	8	17.0	10	13.5	10	18.5
No Identified Risk (NIR) or Other	8	17.4	6	12.8	9	12.2	9	16.7
Pediatric (All Risk Combined)	1	1.4	.	.
TOTAL CASES	5	100.0	1	100.0	46	100.0	47	100.0	74	100.0	54	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2009 and December 31, 2009

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2009


Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31, 2009

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)



Prevalent Cases of HIV / AIDS by county for the State of Kansas as of December 31, 2009



Prevalent cases are those people presumed living with HIV / AIDS. County of residence is based on county of residence at diagnosis. Cases that do not have a documented county of residence at diagnosis are not reflected in this map.

Data Sources: Kansas Cartographic Dataset
Kansas Hiv / Aids Reporting System (HARS)

Disclaimer: The purpose of this publication is to illustrate health conditions in the state of Kansas. This product may be corrected or updated as necessary without prior notification. This map product is provided without representation or implied or expressed warranty of accuracy for any uses beyond those expressed. The originating agencies are not responsible for publication or use of this product for purposes other than those expressed. Except for the limited purposes allowed in K.S.A. 21-3914, knowingly selling, giving, or receiving any list of names, addresses or maps contained in or derived from public records is a crime.