


HIV/AIDS in Kansas

Annual Report

December 2011



The HIV/AIDS Program works to promote public health and enhance the quality of life for Kansas residents by the prevention, intervention, and treatment of HIV and AIDS.

**HIV/AIDS Surveillance Program
HIV/AIDS Section
Bureau of Disease Control and Prevention
Kansas Department of Health and Environment**

Sources of information for this report:
Kansas HIV/AIDS Surveillance System (eHARS)

For further information: Contact Arrie Morris, MPH at 785-296-8701 or e-mail amorris@kdheks.gov
Disclaimer: There may be a difference from previously reported data, due to data cleaning efforts.



Incident, Prevalent, and Cumulative AIDS Cases in Kansas as of December 31, 2011, by Date of Report

	Incident AIDS Cases in Kansas as of December 31, 2011		Prevalent AIDS Cases in Kansas as of December 31, 2011		Cumulative AIDS Cases in Kansas as of December 31, 2011	
	N	%	N	%	N	%
ADULT/ADOLESCENT	76	100.0	1259	99.5	2402	99.6
PEDIATRIC (<13 YEARS OLD)	.	.	6	0.5	10	0.4
TOTAL	76	100.0	1265	100.0	2412	100.0
AGE						
< 13 Years	.	.	6	0.5	10	0.4
13 TO 14 Years	.	.	2	0.2	2	0.1
15 TO 24 Years	12	15.8	101	8.0	162	6.7
25 TO 34 Years	24	31.6	408	32.2	824	34.2
35 TO 44 Years	15	19.7	465	36.7	881	36.5
45 TO 54 Years	20	26.3	221	17.5	395	16.4
55 TO 64 Years	2	2.6	46	3.6	108	4.5
65 Years or Older	3	3.9	16	1.3	30	1.2
RACE/ETHNICITY						
Hispanic	13	17.1	210	16.6	305	12.6
American-Indian Non-Hispanic	.	.	8	0.6	14	0.6
Asian / Pacific Islander Non-Hispanic	1	1.3	11	0.9	15	0.6
Black Non-Hispanic	22	28.9	294	23.2	532	22.1
White Non-Hispanic	33	43.4	708	56.0	1471	61.0
Multi-Race	7	9.2	33	2.6	73	3.0
Unknown	.	.	1	0.1	2	0.1
GENDER						
Male	68	89.4	1051	83.1	2060	85.4
Female	8	10.5	214	16.9	352	14.6
EXPOSURE CATEGORY						
Men who have sex with men (MSM)	47	61.8	694	54.9	1381	57.3
Injection Drug User (IDU)	6	7.9	99	7.8	229	9.5
MSM and IDU	4	5.3	125	9.9	237	9.8
Hemophilia/Coagulation Disorder or Transfusion/Transplant	.	.	9	0.7	30	1.2
High Risk Heterosexual Contact	5	6.6	248	19.6	376	15.6
No Identified Risk (NIR) or Other	14	18.4	78	6.2	141	5.8
Pediatric (All Risks Combined)	.	.	12	0.9	18	0.7
TOTAL	76	100.0	1265	100.0	2412	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2011 and December 31, 2011

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2011

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31, 2011

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

Incident, Prevalent, and Cumulative HIV Cases in Kansas as of December 31, 2011, by Date of Report

	Incident HIV Cases in Kansas as of December 31, 2011		Prevalent HIV Cases in Kansas as of December 31, 2011		Cumulative HIV Cases in Kansas as of December 31, 2011	
	N	%	N	%	N	%
ADULT/ADOLESCENT	94	97.9	1055	98.6	1331	98.9
PEDIATRIC (<13 YEARS OLD)	2	2.1	15	1.4	15	1.1
TOTAL	96	100.0	1070	100.0	1346	100.0
AGE						
< 13 Years	2	2.1	15	1.4	15	1.1
13 TO 14 Years
15 TO 24 Years	28	29.2	244	22.8	295	21.9
25 TO 34 Years	28	29.2	386	36.1	491	36.5
35 TO 44 Years	21	21.8	273	25.5	347	25.8
45 TO 54 Years	15	15.6	118	11.0	147	10.9
55 TO 64 Years	2	2.1	29	2.7	43	3.2
65 Years or Older	.	.	5	0.5	8	0.6
RACE/ETHNICITY						
Hispanic	11	11.4	151	14.1	174	12.9
American-Indian Non-Hispanic	.	.	7	0.6	8	0.6
Asian / Pacific Islander Non-Hispanic	3	3.2	16	1.5	16	1.2
Black Non-Hispanic	35	36.4	308	28.8	362	26.9
White Non-Hispanic	38	39.6	538	50.3	722	53.6
Multi-Race	5	5.2	31	2.9	44	3.3
Unknown	4	4.2	19	1.8	20	1.5
GENDER						
Male	78	81.2	821	76.7	1042	77.4
Female	18	18.8	249	23.3	304	22.6
EXPOSURE CATEGORY						
Men who have sex with men (MSM)	49	51.0	543	50.7	703	52.2
Injection Drug User (IDU)	1	1.0	78	7.3	109	8.1
MSM and IDU	3	3.1	59	5.5	76	5.6
Hemophilia/Coagulation Disorder or Transfusion/Transplant	.	.	2	0.2	5	0.4
High Risk Heterosexual Contact	12	12.5	210	19.6	247	18.4
No Identified Risk (NIR) or Other	29	30.2	163	15.2	191	14.2
Pediatric (All Risks Combined)	2	2.1	15	1.4	15	1.1
TOTAL	96	100.0	1070	100.0	1346	100.0

Incident HIV cases are individuals with HIV reported between January 1, 2011 and December 31, 2011

Prevalent HIV cases are individuals with HIV who are presumed to be alive as of December 31, 2011

Cumulative HIV cases are those individuals ever reported in Kansas to have HIV through December 31, 2011

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

Prevalent Adult / Adolescent AIDS Cases by Exposure Category and Gender in Kansas as of December 31, 2011 by Date of Report

Adult/Adolescent Exposure Category	GENDER				TOTAL	
	Male		Female			
	N	%	N	%	N	%
Men who have sex with men (MSM)	694	66.0	.	.	694	54.9
Injection Drug User (IDU)	59	5.6	40	18.7	99	7.8
MSM and IDU	125	11.9	.	.	125	9.9
Hemophilia/Coagulation Disorder/Transfusion	8	0.8	1	0.5	9	0.7
High Risk Heterosexual Contact	91	8.6	157	73.4	248	19.6
Sex with IDU	14	1.3	27	12.6	41	3.2
Sex with HIV infected partner	77	7.3	118	55.1	195	15.4
Sex with other high risk partner	.	.	12	5.6	12	0.9
Perinatal Exposure, HIV diagnosed \geq 13 yrs old	7	0.7	5	2.3	12	0.9
No Identified Risk (NIR)	67	6.4	11	5.1	78	6.2

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2011

Data Source: Kansas HIV/AIDS Reporting System (eHARS) - 2012

Percentages may not add to 100 due to rounding

Prevalent Adult / Adolescent HIV Cases by Exposure Category and Gender in Kansas as of December 31, 2011 by Date of Report

Adult/Adolescent Exposure Category	GENDER				TOTAL	
	Male		Female			
	N	%	N	%	N	%
Men who have sex with men (MSM)	543	66.1	.	.	543	50.7
Injection Drug User (IDU)	45	5.5	33	13.3	78	7.3
MSM and IDU	59	7.2	.	.	59	5.5
Hemophilia/Coagulation Disorder/Transfusion	2	0.2	.	.	2	0.2
High Risk Heterosexual Contact	48	5.8	162	65.0	210	19.6
Sex with IDU	8	1.0	18	7.2	26	2.4
Sex with HIV infected partner	40	4.8	131	52.6	171	16.0
Sex with other high risk partner	.	.	13	5.2	13	1.2
Perinatal Exposure, HIV diagnosed \geq 13 yrs old	5	0.6	10	4.0	15	1.4
No Identified Risk (NIR)	119	14.5	44	17.7	163	15.2


Prevalent HIV cases are individuals with HIV (no AIDS) who are presumed to be alive as of December 31, 2011

Data Source: Kansas HIV/AIDS Reporting System (eHARS) - 2012

Percentages may not add to 100 due to rounding

Incident, Prevalent, and Cumulative HIV Cases and AIDS Cases as of December 31, 2011, Among Regions in Kansas by Date of Report

HIV/AIDS Community Planning Regions



Published by:
 Kansas Department of Health and Environment
 Bureau of Epidemiology and Disease Prevention
 Information Systems, Geographic Data Services
 Date of Publication: December 2004



Data Source:
 Kansas Cartographic Dataset
 Kansas HIV/STD Surveillance Program

Disclaimer: The purpose of this publication is to illustrate the status of the HIV/AIDS epidemic in the state of Kansas. This map product is provided without representation or implied or expressed warranty of accuracy for any uses beyond those expressed. The originating agencies are not responsible for publication or use of this product for purposes other than those expressed. This product may be corrected or updated as necessary without prior notification.

Region	Incident AIDS Cases in Kansas as of December 31, 2011	Incident HIV Cases in Kansas as of December 31, 2011	Prevalent AIDS Cases in Kansas as of December 31, 2011	Prevalent HIV Cases in Kansas as of December 31, 2011	Cumulative AIDS Cases in Kansas as of December 31, 2011	Cumulative HIV Cases in Kansas as of December 31, 2011
	N	N	N	N	N	N
1	7	16	248	207	480	279
2	23	26	253	235	456	291
3	4	4	57	39	99	56
4	9	5	118	94	210	114
5	4	1	43	32	105	40
6	.	6	26	40	61	55
7	4	6	56	41	113	51
8	24	31	425	345	812	413
9	1	1	39	37	76	47
TOTAL	76	96	1265	1070	2412	1346

Incident AIDS cases are individuals with AIDS reported between January 1, 2011 and December 31, 2011
 Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2011
 Cumulative AIDS cases are those individuals ever reported in Kansas to have AIDS through December 31, 2011
 Incident HIV cases are individuals with HIV reported between January 1, 2011 and December 31, 2011
 Prevalent HIV cases are individuals with HIV who are presumed to be alive as of December 31, 2011
 Cumulative HIV cases are those individuals ever reported in Kansas to have HIV through December 31, 2011
 Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 1, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31, 2011		Incident HIV Cases in Kansas as of December 31, 2011		Prevalent AIDS Cases in Kansas as of December 31, 2011		Prevalent HIV Cases in Kansas as of December 31, 2011		Cumulative AIDS Cases in Kansas as of December 31, 2011		Cumulative HIV Cases in Kansas as of December 31, 2011	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	6	85.7	12	75.0	208	83.9	161	77.8	422	87.9	219	78.5
Female	1	14.3	4	25.0	40	16.1	46	22.2	58	12.1	60	21.5
RACE/ETHNICITY												
Hispanic	2	28.6	2	12.5	57	23.0	37	17.9	74	15.4	47	17.0
American-Indian Non-Hispanic	1	0.4	.	.	1	0.2	.	.
Asian / Pacific Islander Non-Hispanic	.	.	1	6.2	2	0.8	2	0.9	2	0.4	2	0.7
Black Non-Hispanic	3	42.8	8	50.0	93	37.5	86	41.5	183	38.1	112	40.1
White Non-Hispanic	2	28.6	4	25.0	91	36.7	73	35.3	211	44.0	105	37.6
Multi-Race	.	.	1	6.2	4	1.6	8	3.9	9	1.9	11	3.9
Unknown	1	0.5	.	.	2	0.7
AGE												
< 13 Years	1	0.4	2	0.9	1	0.2	2	0.7
13 TO 14 Years
15 TO 24 Years	1	14.3	3	18.8	26	10.5	42	20.3	38	7.9	58	20.8
25 TO 34 Years	3	42.8	6	37.5	93	37.5	80	38.6	178	37.1	112	40.1
35 TO 44 Years	3	42.8	5	31.3	82	33.1	59	28.5	168	35.0	72	25.8
45 TO 54 Years	.	.	1	6.2	37	14.9	16	7.7	69	14.4	25	9.0
55 TO 64 Years	.	.	1	6.2	7	2.8	7	3.4	22	4.6	9	3.2
65 Years or Older	2	0.8	1	0.5	4	0.8	1	0.4
RISK BEHAVIOR												
Men who have sex with men (MSM)	3	42.8	4	25.0	122	49.2	99	47.8	256	53.3	143	51.3
Injection Drug User (IDU)	25	10.1	11	5.3	50	10.4	18	6.5
MSM and IDU	.	.	1	6.2	17	6.8	7	3.4	42	8.8	11	3.9
Hemophilia/Coagulation Disorder or Transfusion/Transplant	4	1.6	.	.	8	1.7	.	.
High Risk Heterosexual Contact	1	14.3	2	12.5	59	23.8	38	18.4	82	17.1	45	16.1
No Identified Risk (NIR) or Other	3	42.8	9	56.3	20	8.1	50	24.2	40	8.3	60	21.5
Pediatric (All Risks Combined)	1	0.4	2	0.9	2	0.4	2	0.7
TOTAL CASES	7	100.0	16	100.0	248	100.0	207	100.0	480	100.0	279	100.0

Incident HIV/AIDS cases are individuals with HIV/AIDS reported between January 1, 2011 and December 31, 2011

Prevalent HIV/AIDS cases are individuals with HIV/AIDS who are presumed to be alive as of December 31, 2011

Cumulative cases are those individuals ever reported in Kansas to have HIV/AIDS through December 31, 2011

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 2, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31, 2011		Incident HIV Cases in Kansas as of December 31, 2011		Prevalent AIDS Cases in Kansas as of December 31, 2011		Prevalent HIV Cases in Kansas as of December 31, 2011		Cumulative AIDS Cases in Kansas as of December 31, 2011		Cumulative HIV Cases in Kansas as of December 31, 2011	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	23	100.0	20	76.9	211	83.4	186	79.1	392	86.0	234	80.4
Female	.	.	6	23.1	42	16.6	49	20.9	64	14.0	57	19.6
RACE/ETHNICITY												
Hispanic	3	13.0	3	11.5	25	9.9	25	10.6	43	9.4	28	9.6
American-Indian Non-Hispanic	1	0.4	.	.	2	0.4	.	.
Asian / Pacific Islander Non-Hispanic	1	4.4	.	.	4	1.6	8	3.4	6	1.3	8	2.7
Black Non-Hispanic	6	26.1	9	34.6	51	20.2	57	24.3	84	18.4	59	20.3
White Non-Hispanic	10	43.5	14	53.8	162	64.0	136	57.9	306	67.1	184	63.2
Multi-Race	3	13.0	.	.	10	3.9	5	2.1	15	3.3	8	2.7
Unknown	4	1.7	.	.	4	1.4
AGE												
< 13 Years	.	.	1	3.8	2	0.8	5	2.1	2	0.4	5	1.7
13 TO 14 Years
15 TO 24 Years	4	17.4	5	19.2	20	7.9	50	21.3	31	6.8	56	19.2
25 TO 34 Years	9	39.1	8	30.8	85	33.6	89	37.9	155	34.0	114	39.2
35 TO 44 Years	3	13.0	7	26.9	84	33.2	54	23.0	155	34.0	67	23.0
45 TO 54 Years	5	21.7	5	19.2	43	17.0	29	12.3	76	16.7	35	12.0
55 TO 64 Years	14	5.5	8	3.4	31	6.8	13	4.5
65 Years or Older	2	8.7	.	.	5	2.0	.	.	6	1.3	1	0.3
RISK BEHAVIOR												
Men who have sex with men (MSM)	16	69.6	16	61.5	154	60.9	130	55.3	287	62.9	168	57.7
Injection Drug User (IDU)	2	8.7	.	.	14	5.5	8	3.4	26	5.7	12	4.1
MSM and IDU	10	3.9	12	5.1	25	5.5	16	5.5
Hemophilia/Coagulation Disorder or Transfusion/Transplant	3	1.2	1	0.4	8	1.8	2	0.7
High Risk Heterosexual Contact	.	.	3	11.5	49	19.4	46	19.6	73	16.0	50	17.2
No Identified Risk (NIR) or Other	5	21.7	6	23.1	21	8.3	33	14.0	35	7.7	38	13.1
Pediatric (All Risks Combined)	.	.	1	3.8	2	0.8	5	2.1	2	0.4	5	1.7
TOTAL CASES	23	100.0	26	100.0	253	100.0	235	100.0	456	100.0	291	100.0

Incident HIV/AIDS cases are individuals with HIV/AIDS reported between January 1, 2011 and December 31, 2011

Prevalent HIV/AIDS cases are individuals with HIV/AIDS who are presumed to be alive as of December 31, 2011

Cumulative cases are those individuals ever reported in Kansas to have HIV/AIDS through December 31, 2011

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 3, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31, 2011		Incident HIV Cases in Kansas as of December 31, 2011		Prevalent AIDS Cases in Kansas as of December 31, 2011		Prevalent HIV Cases in Kansas as of December 31, 2011		Cumulative AIDS Cases in Kansas as of December 31, 2011		Cumulative HIV Cases in Kansas as of December 31, 2011	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	4	100.0	4	100.0	47	82.5	35	89.7	86	86.9	50	89.3
Female	10	17.5	4	10.3	13	13.1	6	10.7
RACE/ETHNICITY												
Hispanic	7	12.3	2	5.1	12	12.1	4	7.1
American-Indian Non-Hispanic	3	5.3	3	7.7	3	3.0	3	5.3
Asian/Pacific Islander Non-Hispanic	2	5.1	.	.	2	3.6
Black Non-Hispanic	.	.	2	50.0	6	10.5	7	17.9	9	9.1	9	16.1
White Non-Hispanic	3	75.0	2	50.0	40	70.2	25	64.1	72	72.7	36	64.3
Multi-Race	1	25.0	.	.	1	1.7	.	.	2	2.0	2	3.6
Unknown	1	1.0	.	.
AGE												
< 13 Years	2	3.5	.	.	2	2.0	.	.
13 TO 14 Years
15 TO 24 Years	1	25.0	2	50.0	9	15.8	8	20.5	14	14.1	16	28.6
25 TO 34 Years	1	25.0	.	.	13	22.8	12	30.8	30	30.3	18	32.1
35 TO 44 Years	.	.	2	50.0	15	26.3	16	41.0	28	28.3	17	30.4
45 TO 54 Years	1	25.0	.	.	16	28.1	3	7.7	19	19.2	5	8.9
55 TO 64 Years	1	25.0	.	.	2	3.5	.	.	4	4.0	.	.
65 Years or Older	2	2.0	.	.
RISK BEHAVIOR												
Men who have sex with men (MSM)	3	75.0	3	75.0	31	54.4	26	66.7	60	60.6	39	69.6
Injection Drug User (IDU)	3	5.3	2	5.1	9	9.1	2	3.6
MSM and IDU	1	25.0	.	.	9	15.8	3	7.7	12	12.1	4	7.1
Hemophilia/Coagulation Disorder or Transfusion/Transplant
High Risk Heterosexual Contact	9	15.8	4	10.2	10	10.1	7	12.5
No Identified Risk (NIR) or Other	.	.	1	25.0	1	1.7	4	10.2	4	4.0	4	7.1
Pediatric (All Risks Combined)	4	7.0	.	.	4	4.0	.	.
TOTAL CASES	4	100.0	4	100.0	57	100.0	39	100.0	99	100.0	56	100.0

Incident HIV/AIDS cases are individuals with HIV/AIDS reported between January 1, 2011 and December 31, 2011

Prevalent HIV/AIDS cases are individuals with HIV/AIDS who are presumed to be alive as of December 31, 2011

Cumulative cases are those individuals ever reported in Kansas to have HIV/AIDS through December 31, 2011

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 4, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31, 2011		Incident HIV Cases in Kansas as of December 31, 2011		Prevalent AIDS Cases in Kansas as of December 31, 2011		Prevalent HIV Cases in Kansas as of December 31, 2011		Cumulative AIDS Cases in Kansas as of December 31, 2011		Cumulative HIV Cases in Kansas as of December 31, 2011	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	6	66.7	5	100.0	96	81.4	69	73.4	175	83.3	84	73.7
Female	3	33.3	.	.	22	18.6	25	26.6	35	16.7	30	26.3
RACE/ETHNICITY												
Hispanic	3	33.3	.	.	15	12.7	4	4.2	23	10.9	4	3.5
American-Indian Non-Hispanic	1	0.8	1	1.1	2	1.0	2	1.7
Asian Non-Hispanic	1	1.1	.	.	1	0.9
Black Non-Hispanic	3	33.3	3	60.0	27	22.9	29	30.8	46	21.9	32	28.1
White Non-Hispanic	3	33.3	2	40.0	74	62.7	58	61.7	131	62.4	72	63.2
Multi-Race	1	0.8	.	.	8	3.8	2	1.7
Unknown	1	1.1	.	.	1	0.9
AGE												
< 13 Years	1	1.1	.	.	1	0.9
13 TO 14 Years
15 TO 24 Years	1	11.1	2	40.0	6	5.1	21	22.3	7	3.3	21	18.4
25 TO 34 Years	3	33.3	1	20.0	34	28.8	32	34.0	62	29.5	35	30.7
35 TO 44 Years	2	22.2	2	40.0	53	44.9	29	30.9	91	43.3	41	36.0
45 TO 54 Years	3	33.3	.	.	22	18.6	8	8.5	39	18.6	11	9.6
55 TO 64 Years	1	0.8	3	3.2	7	3.3	4	3.5
65 Years or Older	2	1.7	.	.	4	1.9	1	0.9
RISK BEHAVIOR												
Men who have sex with men (MSM)	5	55.6	4	80.0	68	57.6	43	45.7	120	57.1	50	43.9
Injection Drug User (IDU)	1	11.1	.	.	8	6.8	13	13.8	21	10.0	17	14.9
MSM and IDU	1	11.1	.	.	12	10.2	4	4.3	22	10.5	9	7.9
Hemophilia/Coagulation Disorder or Transfusion/Transplant	1	0.8	.	.	2	1.0	.	.
High Risk Heterosexual Contact	1	11.1	.	.	23	19.5	17	18.1	36	17.1	20	17.5
No Identified Risk (NIR) or Other	1	11.1	1	20.0	6	5.1	16	17.0	9	4.3	17	14.9
Pediatric (All Risks Combined)	1	1.1	.	.	1	0.9
TOTAL CASES	9	100.0	5	100.0	118	100.0	94	100.0	210	100.0	114	100.0

Incident HIV/AIDS cases are individuals with HIV/AIDS reported between January 1, 2011 and December 31, 2011

Prevalent HIV/AIDS cases are individuals with HIV/AIDS who are presumed to be alive as of December 31, 2011

Cumulative cases are those individuals ever reported in Kansas to have HIV/AIDS through December 31, 2011

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 5, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31, 2011		Incident HIV Cases in Kansas as of December 31, 2011		Prevalent AIDS Cases in Kansas as of December 31, 2011		Prevalent HIV Cases in Kansas as of December 31, 2011		Cumulative AIDS Cases in Kansas as of December 31, 2011		Cumulative HIV Cases in Kansas as of December 31, 2011	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	3	75.0	.	.	32	74.4	20	62.5	84	80.0	24	60.0
Female	1	25.0	1	100.0	11	25.6	12	37.5	21	20.0	16	40.0
RACE/ETHNICITY												
Hispanic	3	7.0	4	12.5	7	6.7	4	10.0
American-Indian Non-Hispanic	1	2.3	.	.	2	1.9	.	.
Asian/Pacific Islander Non-Hispanic
Black Non-Hispanic	.	.	1	100.0	2	4.7	4	12.5	7	6.7	6	15.0
White Non-Hispanic	3	75.0	.	.	33	76.7	22	68.8	85	80.9	28	70.0
Multi-Race	1	25.0	.	.	4	9.3	1	3.1	4	3.8	1	2.5
Unknown	1	3.1	.	.	1	2.5
AGE												
< 13 Years
13 TO 14 Years
15 TO 24 Years	2	4.7	5	15.6	2	1.9	7	17.5
25 TO 34 Years	1	25.0	1	100.0	17	39.5	14	43.8	38	36.2	16	40.0
35 TO 44 Years	1	25.0	.	.	13	30.2	9	28.1	43	40.9	12	30.0
45 TO 54 Years	1	25.0	.	.	8	18.6	3	9.4	16	15.2	4	10.0
55 TO 64 Years	1	25.0	.	.	3	7.0	1	3.1	5	4.8	1	2.5
65 Years or Older	1	1.0	.	.
RISK BEHAVIOR												
Men who have sex with men (MSM)	3	75.0	.	.	22	51.2	10	31.3	56	53.3	14	35.0
Injection Drug User (IDU)	1	25.0	.	.	3	7.0	6	18.7	11	10.5	6	15.0
MSM and IDU	6	14.0	1	3.1	11	10.5	1	2.5
Hemophilia/Coagulation Disorder or Transfusion/Transplant	3	2.8	.	.
High Risk Heterosexual Contact	10	23.2	10	31.3	18	17.1	14	35.0
No Identified Risk (NIR) or Other	.	.	1	100.0	1	2.3	5	15.6	5	4.8	5	12.5
Pediatric (All Risks Combined)	1	2.3	.	.	1	1.0	.	.
TOTAL CASES	4	100.0	1	100.0	43	100.0	32	100.0	105	100.0	40	100.0

Incident HIV/AIDS cases are individuals with HIV/AIDS reported between January 1, 2011 and December 31, 2011

Prevalent HIV/AIDS cases are individuals with HIV/AIDS who are presumed to be alive as of December 31, 2011

Cumulative cases are those individuals ever reported in Kansas to have HIV/AIDS through December 31, 2011

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 6, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31, 2011		Incident HIV Cases in Kansas as of December 31, 2011		Prevalent AIDS Cases in Kansas as of December 31, 2011		Prevalent HIV Cases in Kansas as of December 31, 2011		Cumulative AIDS Cases in Kansas as of December 31, 2011		Cumulative HIV Cases in Kansas as of December 31, 2011	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	.	.	6	100.0	22	84.6	30	75.0	46	75.4	41	74.5
Female	4	15.4	10	25.0	15	24.6	14	25.5
RACE/ETHNICITY												
Hispanic	4	15.4	1	2.5	6	9.8	2	3.6
American-Indian Non-Hispanic
Asian/Pacific Islander Non-Hispanic	1	3.8	.	.	1	1.6	.	.
Black Non-Hispanic	.	.	2	33.3	8	30.8	20	50.0	19	31.1	26	47.3
White Non-Hispanic	.	.	1	16.7	13	50.0	14	35.0	35	57.4	22	40.0
Multi-Race	.	.	1	16.7	.	.	1	2.5	.	.	1	1.8
Unknown	.	.	2	33.3	.	.	4	10.0	.	.	4	7.3
AGE												
<13	1	2.5	2	3.3	1	1.8
13 TO 14 Years
15 TO 24 Years	.	.	4	66.6	2	7.7	15	37.5	6	9.8	17	30.9
25 TO 34 Years	5	19.2	10	25.0	18	29.5	17	30.9
35 TO 44 Years	.	.	1	16.7	14	53.8	8	20.0	27	44.3	11	20.0
45 TO 54 Years	.	.	1	16.7	5	19.2	4	10.0	7	11.5	6	10.9
55 TO 64 Years	2	5.0	1	1.6	3	5.5
65 Years or Older
RISK BEHAVIOR												
Men who have sex with men (MSM)	.	.	1	16.7	14	53.8	19	47.5	30	49.2	26	47.3
Injection Drug User (IDU)	2	7.7	1	2.5	8	13.1	3	5.4
MSM and IDU	6	23.1	.	.	8	13.1	.	.
Hemophilia/Coagulation Disorder or Transfusion/Transplant
High Risk Heterosexual Contact	.	.	2	33.3	2	7.7	9	22.5	11	18.0	11	20.0
No Identified Risk (NIR) or Other	.	.	3	50.0	2	7.7	10	25.0	2	3.3	14	25.5
Pediatric (All Risks Combined)	1	2.5	2	3.3	1	1.8
TOTAL CASES	.	.	6	100.0	26	100.0	40	100.0	61	100.0	55	100.0

Incident HIV/AIDS cases are individuals with HIV/AIDS reported between January 1, 2011 and December 31, 2011

Prevalent HIV/AIDS cases are individuals with HIV/AIDS who are presumed to be alive as of December 31, 2011

Cumulative cases are those individuals ever reported in Kansas to have HIV/AIDS through December 31, 2011

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (HARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 7, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31, 2011		Incident HIV Cases in Kansas as of December 31, 2011		Prevalent AIDS Cases in Kansas as of December 31, 2011		Prevalent HIV Cases in Kansas as of December 31, 2011		Cumulative AIDS Cases in Kansas as of December 31, 2011		Cumulative HIV Cases in Kansas as of December 31, 2011	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	4	100.0	4	66.7	45	80.4	29	70.7	87	77.0	37	72.5
Female	.	.	2	33.3	11	19.6	12	29.3	26	23.0	14	27.5
RACE/ETHNICITY												
Hispanic	.	.	2	33.3	7	12.5	6	14.6	11	9.7	7	13.7
American Indian
Asian / Pacific Islander Non-Hispanic	1	1.8	.	.	2	1.8	.	.
Black Non-Hispanic	2	50.0	.	.	11	19.6	10	24.4	21	18.6	12	23.5
White Non-Hispanic	2	50.0	3	50.0	35	62.5	22	53.7	75	66.4	29	56.9
Multi-Race	1	1.8	.	.	3	2.6	.	.
Unknown	.	.	1	16.7	1	1.8	3	7.3	1	0.9	3	5.9
AGE												
< 13 Years	1	1.8	1	2.4	2	1.8	1	2.0
13 TO 14 Years
15 TO 24 Years	2	50.0	1	16.7	5	8.9	7	17.1	9	8.0	9	17.6
25 TO 34 Years	.	.	4	66.6	10	17.9	13	31.7	32	28.3	17	33.3
35 TO 44 Years	25	44.6	10	24.4	43	38.1	13	25.5
45 TO 54 Years	2	50.0	1	16.7	12	21.4	7	17.1	23	20.3	7	13.7
55 TO 64 Years	3	5.4	3	7.3	3	2.6	4	7.8
65 Years or Older	1	0.9	.	.
RISK BEHAVIOR												
Men who have sex with men (MSM)	4	100.0	1	16.7	31	55.4	17	41.5	51	45.1	22	43.1
Injection Drug User (IDU)	10	17.8	7	17.1	25	22.1	10	19.6
MSM and IDU	6	10.7	2	4.9	14	12.4	2	3.9
Hemophilia/Coagulation Disorder or Transfusion/Transplant	3	2.7	1	2.0
High Risk Heterosexual Contact	.	.	2	33.3	5	8.9	6	14.6	12	10.6	7	13.7
No Identified Risk (NIR) or Other	.	.	3	50.0	3	5.4	8	19.5	5	4.4	8	15.7
Pediatric (All Risks Combined)	1	1.8	1	2.4	3	2.7	1	2.0
TOTAL CASES	4	100.0	6	100.0	56	100.0	41	100.0	113	100.0	51	100.0

Incident HIV/AIDS cases are individuals with HIV/AIDS reported between January 1, 2011 and December 31, 2011

Prevalent HIV/AIDS cases are individuals with HIV/AIDS who are presumed to be alive as of December 31, 2011

Cumulative cases are those individuals ever reported in Kansas to have HIV/AIDS through December 31, 2011

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (HARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 8, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31, 2011		Incident HIV Cases in Kansas as of December 31, 2011		Prevalent AIDS Cases in Kansas as of December 31, 2011		Prevalent HIV Cases in Kansas as of December 31, 2011		Cumulative AIDS Cases in Kansas as of December 31, 2011		Cumulative HIV Cases in Kansas as of December 31, 2011	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	21	87.5	26	83.9	358	84.2	269	78.0	706	86.9	321	77.7
Female	3	12.5	5	16.1	67	15.8	76	22.0	106	13.1	92	22.3
RACE/ETHNICITY												
Hispanic	4	16.7	3	9.6	65	15.3	52	15.1	94	11.6	55	13.3
American-Indian Non-Hispanic	1	0.2	2	0.5	4	0.5	2	0.5
Asian / Pacific Islander Non-Hispanic	.	.	2	6.5	3	0.7	3	0.9	4	0.5	3	0.7
Black Non-Hispanic	8	33.3	10	32.3	94	22.1	92	26.7	159	19.6	103	25.0
White Non-Hispanic	10	41.7	12	38.7	250	58.8	177	51.3	519	63.9	228	55.2
Multi-Race	2	8.3	3	9.7	12	2.8	16	4.6	32	3.9	19	4.6
Unknown	.	.	1	3.2	.	.	3	0.9	.	.	3	0.7
AGE												
< 13 Years	.	.	1	3.2	1	0.2	5	1.4	.	.	5	1.2
13 TO 14 Years	1	0.1	.	.
15 TO 24 Years	3	12.5	10	32.3	28	6.6	86	24.9	49	6.0	101	24.5
25 TO 34 Years	6	25.0	8	25.8	136	32.0	122	35.4	282	34.7	144	34.8
35 TO 44 Years	6	25.0	4	12.9	167	39.3	80	23.2	299	36.8	101	24.5
45 TO 54 Years	8	33.3	7	22.6	70	16.5	43	12.5	135	16.6	48	11.6
55 TO 64 Years	.	.	1	3.2	16	3.8	5	1.4	34	4.2	9	2.2
65 Years or Older	1	4.2	.	.	7	1.6	4	1.2	12	1.5	5	1.2
RISK BEHAVIOR												
Men who have sex with men (MSM)	12	50.0	18	58.1	233	54.8	186	53.9	481	59.2	224	54.2
Injection Drug User (IDU)	2	8.3	1	3.2	31	7.3	23	6.7	69	8.5	33	8.0
MSM and IDU	2	8.3	2	6.5	57	13.4	28	8.1	98	12.1	31	7.5
Hemophilia/Coagulation Disorder or Transfusion/Transplant	1	0.2	1	0.3	3	0.4	2	0.5
High Risk Heterosexual Contact	3	12.5	5	16.1	83	19.5	70	20.3	125	15.4	81	19.6
No Identified Risk (NIR) or Other	5	20.8	4	12.9	18	4.2	32	9.3	34	4.2	37	9.0
Pediatric (All Risks Combined)	.	.	1	3.2	2	0.5	5	1.4	2	0.2	5	1.2
TOTAL CASES	24	100.0	31	100.0	425	100.0	345	100.0	812	100.0	413	100.0

Incident HIV/AIDS cases are individuals with HIV/AIDS reported between January 1, 2011 and December 31, 2011

Prevalent HIV/AIDS cases are individuals with HIV/AIDS who are presumed to be alive as of December 31, 2011

Cumulative cases are those individuals ever reported in Kansas to have HIV/AIDS through December 31, 2011

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 9, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31, 2011		Incident HIV Cases in Kansas as of December 31, 2011		Prevalent AIDS Cases in Kansas as of December 31, 2011		Prevalent HIV Cases in Kansas as of December 31, 2011		Cumulative AIDS Cases in Kansas as of December 31, 2011		Cumulative HIV Cases in Kansas as of December 31, 2011	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	1	100.0	1	100.0	32	82.1	22	59.5	62	81.6	32	68.1
Female	7	17.9	15	40.5	14	18.4	15	31.9
RACE/ETHNICITY												
Hispanic	1	100.0	1	100.0	27	69.2	20	54.1	35	46.0	23	48.9
American-Indian Non-Hispanic	1	2.7	.	.	1	2.1
Asian / Pacific Islander Non-Hispanic
Black Non-Hispanic	2	5.1	3	8.1	4	5.3	3	6.4
White Non-Hispanic	10	25.6	11	29.7	37	48.7	18	38.3
Multi-Race	2	5.4
Unknown	2	4.3
AGE												
< 13 Years	1	1.3	.	.
13 TO 14 Years	1	2.6	.	.	1	1.3	.	.
15 TO 24 Years	.	.	1	100.0	3	7.6	10	27.0	6	7.9	10	21.3
25 TO 34 Years	1	100.0	.	.	15	38.5	14	37.8	29	38.2	18	38.3
35 TO 44 Years	12	30.8	8	21.6	27	35.5	13	27.6
45 TO 54 Years	8	20.5	5	13.5	11	14.5	6	12.8
55 TO 64 Years	1	1.3	.	.
65 Years or Older
RISK BEHAVIOR												
Men who have sex with men (MSM)	1	100.0	.	.	19	48.7	13	35.1	40	52.6	17	36.2
Injection Drug User (IDU)	3	7.7	7	18.9	10	13.2	8	17.0
MSM and IDU	2	5.1	2	5.4	5	6.6	2	4.3
Hemophilia/Coagulation Disorder or Transfusion/Transplant	3	3.9	.	.
High Risk Heterosexual Contact	8	20.5	10	27.0	9	11.8	12	25.5
No Identified Risk (NIR) or Other	.	.	1	100.0	6	15.4	5	13.5	7	9.2	8	17.0
Pediatric (All Risks Combined)	1	2.6	.	.	2	2.6	.	.
TOTAL CASES	1	100.0	1	100.0	39	100.0	37	100.0	76	100.0	47	100.0

Incident HIV/AIDS cases are individuals with HIV/AIDS reported between January 1, 2011 and December 31, 2011


Prevalent HIV/AIDS cases are individuals with HIV/AIDS who are presumed to be alive as of December 31, 2011

Cumulative cases are those individuals ever reported in Kansas to have HIV/AIDS through December 31, 2011

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

Prevalent Cases of HIV / AIDS by County for the State of Kansas as of December 31, 2011



Prevalent cases are those people presumed living with HIV / AIDS. County of residence is based on county of residence at diagnosis. Cases that do not have a documented county of residence at diagnosis are not reflected in this map.

Data Sources: Kansas Cartographic Dataset
Kansas HIV/AIDS Reporting System (eHARS)

Disclaimer: The purpose of this publication is to illustrate health conditions in the State of Kansas. This product may be corrected or updated as necessary without prior notification. This map product is provided without representation or implied or expressed warranty of accuracy for any uses beyond those expressed. The originating agencies are not responsible for publication or use of this product for purposes other than those expressed. Except for the limited purposes allowed in K.S.A. 21-3914, knowingly selling, giving, or receiving any list of names, addresses or maps contained in or derived from public records is a crime.