

HIV in Kansas

Bi-Annual Report for January – June 2017



**STI/HIV Surveillance Program
STI/HIV Section
Bureau of Disease Control and Prevention
Kansas Department of Health and Environment**

Sources of information for this report:
Kansas HIV Surveillance System (eHARS)

For further information please contact the STI/HIV Surveillance Program at 785-296-6174 or email HIV_Request@kdheks.gov

Disclaimer: There may be differences from previously reported data due to data cleaning efforts.

The STI/HIV Section works to stop the spread of STIs & HIV in Kansas

Notes:

- Incident Cases: Individuals with HIV or Stage 3 (previously defined as AIDS) who are newly diagnosed in Kansas between January 1– June 30, 2017.
- Prevalent Cases: Individuals with HIV or Stage 3 (previously defined as AIDS) who are presumed to be alive as of June 30, 2017.
- Data is presented as person-based rather than case-based, i.e. those categorized as Stage 3 are not included in the HIV incidence or prevalence count. They are exclusively present in the Stage 3 incidence or prevalence count.

Disclaimer: The purpose of this publication is to illustrate health conditions in the State of Kansas. This product may be corrected or updated as necessary without prior notification. The included map product is provided without representation or implied or expressed warranty of accuracy for any uses beyond those expressed. The originating agencies are not responsible for publication or use of this product for purposes other than those expressed. Except for the limited purposes allowed in K.S.A. 21-3914, knowingly selling, giving, or receiving any list of names, addresses or maps contained in or derived from public records is a crime.

Incident HIV & Stage 3 Cases in Kansas as of June 2017


Incident HIV and Stage 3 Cases in Kansas as of July 1, 2017 by Date of Report	HIV		Stage 3	
	N	%	N	%
Total	67	100.0%	26	100.0%
Adult/Adolescent	67	100.0%	26	100.0%
Pediatric	0	0.0%	0	0.0%
Age at Diagnosis	67	100.0%	26	100.0%
<13 Years	0	0.0%	0	0.0%
13-24 Years	26	38.8%	3	11.5%
25-44 Years	28	41.8%	18	69.2%
45-64 Years	12	17.9%	5	19.2%
65 & Over	1	1.5%	0	0.0%
Race/Ethnicity	67	100.0%	26	100.0%
American-Indian Non-Hispanic	0	0.0%	0	0.0%
Asian / Pacific Islander Non-Hispanic	2	3.0%	0	0.0%
Black Non-Hispanic	20	29.9%	12	46.2%
Hispanic	15	22.4%	3	11.5%
Multi-Race	3	4.5%	2	7.7%
Unknown	0	0.0%	0	0.0%
White Non-Hispanic	27	40.3%	9	34.6%
Gender	67	100.0%	26	100.0%
Female	14	20.9%	6	23.1%
Transgender FTM	1	1.5%	0	0.0%
Male	51	76.1%	20	76.9%
Transgender MTF	1	1.5%	0	0.0%
Exposure Category	67	100.0%	26	100.0%
High Risk Heterosexual Contact	5	7.5%	4	15.4%
Injection Drug User (IDU)	3	4.5%	2	7.7%
MSM & IDU	3	4.5%	2	7.7%
Men who have sex with men (MSM)	37	55.2%	10	38.5%
No Identified Risk (NIR) or Other	18	26.9%	8	30.8%
Pediatric (All Risks Combined)	1	1.5%	0	0.0%
Total	67	100.0%	26	100.0%

Prevalent HIV & Stage 3 Cases in Kansas as of June 2017

Prevalent HIV and Stage 3 Cases in Kansas as of July 01, 2017 by Date of Report	HIV		Stage 3	
	N	%	N	%
Total	1,575	100.0%	1,650	100.0%
Adult/Adolescent	1,546	98.2%	1,632	98.9%
Pediatric	29	1.8%	18	1.1%
Age at Diagnosis	1,575	100.0%	1,650	100.0%
<13 Years	29	1.8%	18	1.1%
13-24 Years	378	24.0%	272	16.5%
25-44 Years	930	59.0%	1,090	66.1%
45-64 Years	231	14.7%	257	15.6%
65 & Over	7	0.4%	13	0.8%
Race/Ethnicity	1,575	100.0%	1,650	100.0%
American-Indian Non-Hispanic	7	0.4%	3	0.2%
Asian / Pacific Islander Non-Hispanic	28	1.8%	18	1.1%
Black Non-Hispanic	441	28.0%	411	24.9%
Hispanic	243	15.4%	289	17.5%
Multi-Race	63	4.0%	74	4.5%
Unknown	3	0.2%	0	0.0%
White Non-Hispanic	790	50.2%	855	51.8%
Gender	1,575	100.0%	1,650	100.0%
Female	310	19.7%	293	17.8%
Transgender FTM	3	0.2%	0	0.0%
Male	1,253	79.6%	1,350	81.8%
Transgender MTF	9	0.6%	7	0.4%
Exposure Category	1,575	100.0%	1,650	100.0%
High Risk Heterosexual Contact	211	13.4%	259	15.7%
Injection Drug User (IDU)	95	6.0%	135	8.2%
MSM & IDU	97	6.2%	170	10.3%
Men who have sex with men (MSM)	908	57.7%	879	53.3%
No Identified Risk (NIR) or Other	234	14.9%	189	11.5%
Pediatric (All Risks Combined)	30	1.9%	18	1.1%
Total	1,575	100.0%	1,650	100.0%
Total Kansas Residents Living with HIV / Stage 3			3,225	

Incident and Prevalent HIV & Stage 3 cases as of June 2017 by Kansas Region

HIV/AIDS Community Planning Regions



Incident HIV & AIDS Cases and Prevalent HIV & Stage 3 by Planning Region

Region	Incident HIV Cases in Kansas as of June 30, 2017	Incident Stage 3 Cases in Kansas as of June 30, 2017	Prevalent HIV Cases in Kansas as of June 30, 2017	Prevalent Stage 3 Cases in Kansas as of June 30, 2017
1	7	8	278	329
2	16	3	378	341
3	2	0	50	65
4	8	3	139	144
5	4	0	49	56
6	4	0	48	27
7	3	2	76	95
8	20	8	508	541
9	3	2	49	52
Total	67	26	1,575	1,650
			3,225	

Incident and Prevalent HIV & Stage 3 Cases as of

June 30, 2017 – Region 1

Kansas City – Leavenworth & Wyandotte Counties

Incident and Prevalent HIV / Stage 3 Cases in Kansas as of June 30, 2017 by Date of Report	Incident HIV Cases in Kansas as of June 30, 2017		Incident Stage 3 Cases in Kansas as of June 30, 2017		Prevalent HIV Cases in Kansas as of June 30, 2017		Prevalent Stage 3 Cases in Kansas as of June 30, 2017	
	N	%	N	%	N	%	N	%
Region 1								
Total	7	100.0%	8	100.0%	278	100.0%	329	100.0%
Adult/Adolescent	7	100.0%	8	100.0%	277	99.6%	329	100.0%
Pediatric	0	0.0%	0	0.0%	1	0.4%	0	0.0%
Age at Diagnosis	7	100.0%	8	100.0%	278	100.0%	329	100.0%
<13 Years	0	0.0%	0	0.0%	1	0.4%	0	0.0%
13-24 Years	4	57.1%	1	12.5%	73	26.3%	63	19.1%
25-44 Years	3	42.9%	5	62.5%	176	63.3%	224	68.1%
45-64 Years	0	0.0%	2	25.0%	28	10.1%	40	12.2%
65 & Over	0	0.0%	0	0.0%	0	0.0%	2	0.6%
Race/Ethnicity	7	100.0%	8	100.0%	278	100.0%	329	100.0%
American-Indian Non-Hispanic	0	0.0%	0	0.0%	1	0.4%	0	0.0%
Asian / Pacific Islander Non-Hispanic	0	0.0%	0	0.0%	5	1.8%	3	0.9%
Black Non-Hispanic	4	57.1%	3	37.5%	96	34.5%	113	34.3%
Hispanic	1	14.3%	1	12.5%	62	22.3%	88	26.7%
Multi-Race	2	28.6%	1	12.5%	15	5.4%	14	4.3%
Unknown	0	0.0%	0	0.0%	1	0.4%	0	0.0%
White Non-Hispanic	0	0.0%	3	37.5%	98	35.3%	111	33.7%
Gender	7	100.0%	8	100.0%	278	100.0%	329	100.0%
Female	3	42.9%	1	12.5%	52	18.7%	44	13.4%
Transgender FTM	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Male	4	57.1%	7	87.5%	226	81.3%	281	85.4%
Transgender MTF	0	0.0%	0	0.0%	0	0.0%	4	1.2%
Exposure Category	7	100.0%	8	100.0%	278	100.0%	329	100.0%
High Risk Heterosexual Contact	1	14.3%	1	12.5%	38	13.7%	54	16.4%
Injection Drug User (IDU)	1	14.3%	0	0.0%	10	3.6%	31	9.4%
MSM & IDU	0	0.0%	2	25.0%	13	4.7%	28	8.5%
Men who have sex with men (MSM)	3	42.9%	4	50.0%	164	59.0%	175	53.2%
No Identified Risk (NIR) or Other	2	28.6%	1	12.5%	52	18.7%	41	12.5%
Pediatric (All Risks Combined)	0	0.0%	0	0.0%	1	0.4%	0	0.0%
Total	7	100.0%	8	100.0%	278	100.0%	329	100.0%

*Incident and Prevalent HIV & Stage 3 Cases as of
June 30, 2017 – Region 2*

Kansas City – Johnson & Miami Counties

Incident and Prevalent HIV / Stage 3 Cases in Kansas as of June 30, 2017 by Date of Report	Incident HIV Cases in Kansas as of June 30, 2017		Incident Stage 3 Cases in Kansas as of June 30, 2017		Prevalent HIV Cases in Kansas as of June 30, 2017		Prevalent Stage 3 Cases in Kansas as of June 30, 2017	
	N	%	N	%	N	%	N	%
Region 2								
Total	16	100.0%	3	100.0%	378	100.0%	341	100.0%
Adult/Adolescent	16	100.0%	3	100.0%	370	97.9%	334	97.9%
Pediatric	0	0.0%	0	0.0%	8	2.1%	7	2.1%
Age at Diagnosis	16	100.0%	3	100.0%	378	100.0%	341	100.0%
<13 Years	0	0.0%	0	0.0%	8	2.1%	7	2.1%
13-24 Years	4	25.0%	0	0.0%	74	19.6%	52	15.2%
25-44 Years	8	50.0%	2	66.7%	234	61.9%	217	63.6%
45-64 Years	3	18.8%	1	33.3%	59	15.6%	58	17.0%
65 & Over	1	6.3%	0	0.0%	3	0.8%	7	2.1%
Race/Ethnicity	16	100.0%	3	100.0%	378	100.0%	341	100.0%
American-Indian Non-Hispanic	0	0.0%	0	0.0%	0	0.0%	1	0.3%
Asian / Pacific Islander Non-Hispanic	0	0.0%	0	0.0%	12	3.2%	5	1.5%
Black Non-Hispanic	4	25.0%	2	66.7%	88	23.3%	88	25.8%
Hispanic	3	18.8%	1	33.3%	43	11.4%	48	14.1%
Multi-Race	1	6.3%	0	0.0%	10	2.6%	15	4.4%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%
White Non-Hispanic	8	50.0%	0	0.0%	225	59.5%	184	54.0%
Gender	16	100.0%	3	100.0%	378	100.0%	341	100.0%
Female	3	18.8%	0	0.0%	67	17.7%	70	20.5%
Transgender FTM	1	6.3%	0	0.0%	1	0.3%	0	0.0%
Male	12	75.0%	3	100.0%	309	81.7%	270	79.2%
Transgender MTF	0	0.0%	0	0.0%	1	0.3%	1	0.3%
Exposure Category	16	100.0%	3	100.0%	378	100.0%	341	100.0%
High Risk Heterosexual Contact	2	12.5%	0	0.0%	55	14.6%	57	16.7%
Injection Drug User (IDU)	0	0.0%	0	0.0%	12	3.2%	19	5.6%
MSM & IDU	1	6.3%	0	0.0%	18	4.8%	16	4.7%
Men who have sex with men (MSM)	8	50.0%	1	33.3%	226	59.8%	192	56.3%
No Identified Risk (NIR) or Other	5	31.3%	2	66.7%	59	15.6%	50	14.7%
Pediatric (All Risks Combined)	0	0.0%	0	0.0%	8	2.1%	7	2.1%
Total	16	100.0%	3	100.0%	378	100.0%	341	100.0%

Incident and Prevalent HIV & Stage 3 Cases as of

June 30, 2017 – Region 3

Lawrence – Douglas, Jefferson, & Franklin Counties

Incident and Prevalent HIV / Stage 3 Cases in Kansas as of June 30, 2017 by Date of Report	Incident HIV Cases in Kansas as of June 30, 2017		Incident Stage 3 Cases in Kansas as of June 30, 2017		Prevalent HIV Cases in Kansas as of June 30, 2017		Prevalent Stage 3 Cases in Kansas as of June 30, 2017	
	N	%	N	%	N	%	N	%
Region 3	N	%	N	%	N	%	N	%
Total	2	100.0%	0	0.0%	50	100.0%	65	100.0%
Adult/Adolescent	2	100.0%	0	N/A	46	92.0%	62	95.4%
Pediatric	0	0.0%	0	N/A	4	8.0%	3	4.6%
Age at Diagnosis	2	100.0%	0	0.0%	50	100.0%	65	100.0%
<13 Years	0	0.0%	0	N/A	4	8.0%	3	4.6%
13-24 Years	0	0.0%	0	N/A	11	22.0%	12	18.5%
25-44 Years	1	50.0%	0	N/A	26	52.0%	39	60.0%
45-64 Years	1	50.0%	0	N/A	9	18.0%	11	16.9%
65 & Over	0	0.0%	0	N/A	0	0.0%	0	0.0%
Race/Ethnicity	2	100.0%	0	0.0%	50	100.0%	65	100.0%
American-Indian Non-Hispanic	0	0.0%	0	N/A	1	2.0%	1	1.5%
Asian / Pacific Islander Non-Hispanic	0	0.0%	0	N/A	0	0.0%	0	0.0%
Black Non-Hispanic	1	50.0%	0	N/A	9	18.0%	11	16.9%
Hispanic	0	0.0%	0	N/A	2	4.0%	8	12.3%
Multi-Race	0	0.0%	0	N/A	4	8.0%	5	7.7%
Unknown	0	0.0%	0	N/A	0	0.0%	40	61.5%
White Non-Hispanic	1	50.0%	0	N/A	34	68.0%	0	0.0%
Gender	2	100.0%	0	0.0%	50	100.0%	65	100.0%
Female	0	0.0%	0	N/A	9	18.0%	10	15.4%
Transgender FTM	0	0.0%	0	N/A	0	0.0%	0	0.0%
Male	2	100.0%	0	N/A	40	80.0%	55	84.6%
Transgender MTF	0	0.0%	0	N/A	1	2.0%	0	0.0%
Exposure Category	2	100.0%	0	0.0%	50	100.0%	65	100.0%
High Risk Heterosexual Contact	0	0.0%	0	N/A	6	12.0%	7	10.8%
Injection Drug User (IDU)	0	0.0%	0	N/A	3	6.0%	2	3.1%
MSM & IDU	1	50.0%	0	N/A	1	2.0%	10	15.4%
Men who have sex with men (MSM)	0	0.0%	0	N/A	27	54.0%	37	56.9%
No Identified Risk (NIR) or Other	1	50.0%	0	N/A	9	18.0%	6	9.2%
Pediatric (All Risks Combined)	0	0.0%	0	N/A	4	8.0%	3	4.6%
Total	2	100.0%	0	0.0%	50	100.0%	65	100.0%

Incident Prevalent HIV & Stage 3 Cases as of

June 30, 2017 – Region 4

Topeka – Northeast Counties

Incident and Prevalent HIV / Stage 3 Cases in Kansas as of June 30, 2017 by Date of Report	Incident HIV Cases in Kansas as of June 30, 2017		Incident Stage 3 Cases in Kansas as of June 30, 2017		Prevalent HIV Cases in Kansas as of June 30, 2017		Prevalent Stage 3 Cases in Kansas as of June 30, 2017	
	N	%	N	%	N	%	N	%
Region 4								
Total	8	100.0%	3	100.0%	139	100.0%	144	100.0%
Adult/Adolescent	8	100.0%	3	100.0%	138	99.3%	142	98.6%
Pediatric	0	0.0%	0	0.0%	1	0.7%	2	1.4%
Age at Diagnosis	8	100.0%	3	100.0%	139	100.0%	144	100.0%
<13 Years	0	0.0%	0	0.0%	1	0.7%	2	1.4%
13-24 Years	3	37.5%	1	33.3%	33	23.7%	22	15.3%
25-44 Years	4	50.0%	2	66.7%	88	63.3%	99	68.8%
45-64 Years	1	12.5%	0	0.0%	17	12.2%	21	14.6%
65 & Over	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Race/Ethnicity	8	100.0%	3	100.0%	139	100.0%	144	100.0%
American-Indian Non-Hispanic	0	0.0%	0	0.0%	2	1.4%	1	0.7%
Asian / Pacific Islander Non-Hispanic	1	12.5%	0	0.0%	2	1.4%	0	0.0%
Black Non-Hispanic	1	12.5%	1	33.3%	46	33.1%	35	24.3%
Hispanic	2	25.0%	0	0.0%	21	15.1%	17	11.8%
Multi-Race	0	0.0%	1	33.3%	3	2.2%	6	4.2%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%
White Non-Hispanic	4	50.0%	1	33.3%	65	46.8%	85	59.0%
Gender	8	100.0%	3	100.0%	139	100.0%	144	100.0%
Female	2	25.0%	1	33.3%	33	23.7%	28	19.4%
Transgender FTM	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Male	5	62.5%	2	66.7%	103	74.1%	116	80.6%
Transgender MTF	1	12.5%	0	0.0%	3	2.2%	0	0.0%
Exposure Category	8	100.0%	3	100.0%	139	100.0%	144	100.0%
High Risk Heterosexual Contact	0	0.0%	1	33.3%	19	13.7%	25	17.4%
Injection Drug User (IDU)	0	0.0%	0	0.0%	10	7.2%	12	8.3%
MSM & IDU	0	0.0%	0	0.0%	10	7.2%	18	12.5%
Men who have sex with men (MSM)	5	62.5%	2	66.7%	78	56.1%	75	52.1%
No Identified Risk (NIR) or Other	3	37.5%	0	0.0%	21	15.1%	12	8.3%
Pediatric (All Risks Combined)	0	0.0%	0	0.0%	1	0.7%	2	1.4%
Total	8	100.0%	3	100.0%	139	100.0%	144	100.0%

Incident and Prevalent HIV & Stage 3 Cases as of

June 30, 2017 – Region 5

Pittsburg – Southeast Counties

Incident and Prevalent HIV / Stage 3 Cases in Kansas as of June 30, 2017 by Date of Report	Incident HIV Cases in Kansas as of June 30, 2017		Incident Stage 3 Cases in Kansas as of June 30, 2017		Prevalent HIV Cases in Kansas as of June 30, 2017		Prevalent Stage 3 Cases in Kansas as of June 30, 2017	
	N	%	N	%	N	%	N	%
Region 5	N	%	N	%	N	%	N	%
Total	4	100.0%	0	0.0%	49	100.0%	56	100.0%
Adult/Adolescent	4	100.0%	0	N/A	48	98.0%	55	98.2%
Pediatric	0	0.0%	0	N/A	1	2.0%	1	1.8%
Age at Diagnosis	4	100.0%	0	0.0%	49	100.0%	56	100.0%
<13 Years	0	0.0%	0	N/A	1	2.0%	1	1.8%
13-24 Years	1	25.0%	0	N/A	14	28.6%	7	12.5%
25-44 Years	2	50.0%	0	N/A	29	59.2%	37	66.1%
45-64 Years	1	25.0%	0	N/A	5	10.2%	10	17.9%
65 & Over	0	0.0%	0	N/A	0	0.0%	1	1.8%
Race/Ethnicity	4	100.0%	0	0.0%	49	100.0%	56	100.0%
American-Indian Non-Hispanic	0	0.0%	0	N/A	1	2.0%	0	0.0%
Asian / Pacific Islander Non-Hispanic	0	0.0%	0	N/A	0	0.0%	0	0.0%
Black Non-Hispanic	3	75.0%	0	N/A	9	18.4%	4	7.1%
Hispanic	0	0.0%	0	N/A	5	10.2%	2	3.6%
Multi-Race	0	0.0%	0	N/A	2	4.1%	3	5.4%
Unknown	0	0.0%	0	N/A	0	0.0%	0	0.0%
White Non-Hispanic	1	25.0%	0	N/A	32	65.3%	47	83.9%
Gender	4	100.0%	0	0.0%	49	100.0%	56	100.0%
Female	1	25.0%	0	N/A	16	32.7%	13	23.2%
Transgender FTM	0	0.0%	0	N/A	0	0.0%	0	0.0%
Male	3	75.0%	0	N/A	33	67.3%	43	76.8%
Transgender MTF	0	0.0%	0	N/A	0	0.0%	0	0.0%
Exposure Category	4	100.0%	0	0.0%	49	100.0%	56	100.0%
High Risk Heterosexual Contact	0	0.0%	0	N/A	9	18.4%	8	14.3%
Injection Drug User (IDU)	0	0.0%	0	N/A	9	18.4%	6	10.7%
MSM & IDU	0	0.0%	0	N/A	8	16.3%	8	14.3%
Men who have sex with men (MSM)	1	25.0%	0	N/A	15	30.6%	27	48.2%
No Identified Risk (NIR) or Other	3	75.0%	0	N/A	7	14.3%	6	10.7%
Pediatric (All Risks Combined)	0	0.0%	0	N/A	1	2.0%	1	1.8%
Total	4	100.0%	0	0.0%	49	100.0%	56	100.0%

Incident and Prevalent HIV & Stage 3 Cases as of

June 30, 2017 – Region 6

Manhattan – North Central Counties

Incident and Prevalent HIV / Stage 3 Cases in Kansas as of June 30, 2017 by Date of Report	Incident HIV Cases in Kansas as of June 30, 2017		Incident Stage 3 Cases in Kansas as of June 30, 2017		Prevalent HIV Cases in Kansas as of June 30, 2017		Prevalent Stage 3 Cases in Kansas as of June 30, 2017	
	N	%	N	%	N	%	N	%
Region 6	N	%	N	%	N	%	N	%
Total	4	100.0%	0	0.0%	48	100.0%	27	100.0%
Adult/Adolescent	4	100.0%	0	N/A	47	97.9%	27	100.0%
Pediatric	0	0.0%	0	N/A	1	2.1%	0	0.0%
Age at Diagnosis	4	100.0%	0	0.0%	48	100.0%	27	100.0%
<13 Years	0	0.0%	0	N/A	1	2.1%	0	0.0%
13-24 Years	1	25.0%	0	N/A	19	39.6%	3	11.1%
25-44 Years	3	75.0%	0	N/A	21	43.8%	19	70.4%
45-64 Years	0	0.0%	0	N/A	7	14.6%	5	18.5%
65 & Over	0	0.0%	0	N/A	0	0.0%	0	0.0%
Race/Ethnicity	4	100.0%	0	0.0%	48	100.0%	27	100.0%
American-Indian Non-Hispanic	0	0.0%	0	N/A	0	0.0%	0	0.0%
Asian / Pacific Islander Non-Hispanic	0	0.0%	0	N/A	0	0.0%	1	3.7%
Black Non-Hispanic	1	25.0%	0	N/A	16	33.3%	1	3.7%
Hispanic	1	25.0%	0	N/A	5	10.4%	3	11.1%
Multi-Race	0	0.0%	0	N/A	1	2.1%	1	3.7%
Unknown	0	0.0%	0	N/A	0	0.0%	0	0.0%
White Non-Hispanic	2	50.0%	0	N/A	26	54.2%	21	77.8%
Gender	4	100.0%	0	0.0%	48	100.0%	27	100.0%
Female	0	0.0%	0	N/A	10	20.8%	4	14.8%
Transgender FTM	0	0.0%	0	N/A	0	0.0%	0	0.0%
Male	4	100.0%	0	N/A	37	77.1%	23	85.2%
Transgender MTF	0	0.0%	0	N/A	1	2.1%	0	0.0%
Exposure Category	4	100.0%	0	0.0%	48	100.0%	27	100.0%
High Risk Heterosexual Contact	0	0.0%	0	N/A	4	8.3%	3	11.1%
Injection Drug User (IDU)	0	0.0%	0	N/A	1	2.1%	1	3.7%
MSM & IDU	0	0.0%	0	N/A	2	4.2%	4	14.8%
Men who have sex with men (MSM)	3	75.0%	0	N/A	28	58.3%	18	66.7%
No Identified Risk (NIR) or Other	1	25.0%	0	N/A	12	25.0%	1	3.7%
Pediatric (All Risks Combined)	0	0.0%	0	N/A	1	2.1%	0	0.0%
Total	4	100.0%	0	0.0%	48	100.0%	27	100.0%

Incident and Prevalent HIV & Stage 3 Cases as of

June 30, 2017 – Region 7

Salina – Northeast & Central Counties

Incident and Prevalent HIV / Stage 3 Cases in Kansas as of June 30, 2017 by Date of Report	Incident HIV Cases in Kansas as of June 30, 2017		Incident Stage 3 Cases in Kansas as of June 30, 2017		Prevalent HIV Cases in Kansas as of June 30, 2017		Prevalent Stage 3 Cases in Kansas as of June 30, 2017	
	N	%	N	%	N	%	N	%
Region 7								
Total	3	100.0%	2	100.0%	76	100.0%	95	100.0%
Adult/Adolescent	3	100.0%	2	100.0%	74	97.4%	94	98.9%
Pediatric	0	0.0%	0	0.0%	2	2.6%	1	1.1%
Age at Diagnosis	3	100.0%	2	100.0%	76	100.0%	95	100.0%
<13 Years	0	0.0%	0	0.0%	2	2.6%	1	1.1%
13-24 Years	2	66.7%	0	0.0%	22	28.9%	13	13.7%
25-44 Years	0	0.0%	2	100.0%	39	51.3%	65	68.4%
45-64 Years	1	33.3%	0	0.0%	13	17.1%	16	16.8%
65 & Over	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Race/Ethnicity	3	100.0%	2	100.0%	76	100.0%	95	100.0%
American-Indian Non-Hispanic	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Asian / Pacific Islander Non-Hispanic	0	0.0%	0	0.0%	0	0.0%	1	1.1%
Black Non-Hispanic	1	33.3%	1	50.0%	19	25.0%	24	25.3%
Hispanic	0	0.0%	0	0.0%	10	13.2%	10	10.5%
Multi-Race	0	0.0%	0	0.0%	3	3.9%	2	2.1%
Unknown	0	0.0%	0	0.0%	1	1.3%	0	0.0%
White Non-Hispanic	2	66.7%	1	50.0%	43	56.6%	58	61.1%
Gender	3	100.0%	2	100.0%	76	100.0%	95	100.0%
Female	0	0.0%	0	0.0%	16	21.1%	24	25.3%
Transgender FTM	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Male	3	100.0%	2	100.0%	60	78.9%	71	74.7%
Transgender MTF	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Exposure Category	3	100.0%	2	100.0%	76	100.0%	95	100.0%
High Risk Heterosexual Contact	0	0.0%	0	0.0%	10	13.2%	15	15.8%
Injection Drug User (IDU)	0	0.0%	1	50.0%	8	10.5%	17	17.9%
MSM & IDU	0	0.0%	0	0.0%	5	6.6%	10	10.5%
Men who have sex with men (MSM)	2	66.7%	0	0.0%	40	52.6%	42	44.2%
No Identified Risk (NIR) or Other	0	0.0%	1	50.0%	10	13.2%	10	10.5%
Pediatric (All Risks Combined)	1	33.3%	0	0.0%	3	3.9%	1	1.1%
Total	3	100.0%	2	100.0%	76	100.0%	95	100.0%

Incident and Prevalent HIV & Stage 3 Cases as of

June 30, 2017 – Region 8

Wichita – South Central Counties

Incident and Prevalent HIV / Stage 3 Cases in Kansas as of June 30, 2017 by Date of Report	Incident HIV Cases in Kansas as of June 30, 2017		Incident Stage 3 Cases in Kansas as of June 30, 2017		Prevalent HIV Cases in Kansas as of June 30, 2017		Prevalent Stage 3 Cases in Kansas as of June 30, 2017	
	N	%	N	%	N	%	N	%
Region 8								
Total	20	100.0%	8	100.0%	508	100.0%	541	100.0%
Adult/Adolescent	20	100.0%	8	100.0%	497	97.8%	537	99.3%
Pediatric	0	0.0%	0	0.0%	11	2.2%	4	0.7%
Age at Diagnosis	20	100.0%	8	100.0%	508	100.0%	541	100.0%
<13 Years	0	0.0%	0	0.0%	11	2.2%	4	0.7%
13-24 Years	8	40.0%	0	0.0%	121	23.8%	93	17.2%
25-44 Years	7	35.0%	6	75.0%	285	56.1%	354	65.4%
45-64 Years	5	25.0%	2	25.0%	87	17.1%	87	16.1%
65 & Over	0	0.0%	0	0.0%	4	0.8%	3	0.6%
Race/Ethnicity	20	100.0%	8	100.0%	508	100.0%	541	100.0%
American-Indian Non-Hispanic	0	0.0%	0	0.0%	2	0.4%	0	0.0%
Asian / Pacific Islander Non-Hispanic	0	0.0%	0	0.0%	9	1.8%	8	1.5%
Black Non-Hispanic	6	30.0%	5	62.5%	150	29.5%	131	24.2%
Hispanic	5	25.0%	0	0.0%	77	15.2%	79	14.6%
Multi-Race	0	0.0%	0	0.0%	24	4.7%	27	5.0%
Unknown	1	5.0%	0	0.0%	2	0.4%	0	0.0%
White Non-Hispanic	8	40.0%	3	37.5%	244	48.0%	296	54.7%
Gender	20	100.0%	8	100.0%	508	100.0%	541	100.0%
Female	4	20.0%	3	37.5%	97	19.1%	89	16.5%
Transgender FTM	0	0.0%	0	0.0%	2	0.4%	0	0.0%
Male	16	80.0%	5	62.5%	406	79.9%	450	83.2%
Transgender MTF	0	0.0%	0	0.0%	3	0.6%	2	0.4%
Exposure Category	20	100.0%	8	100.0%	508	100.0%	541	100.0%
High Risk Heterosexual Contact	2	10.0%	2	25.0%	61	12.0%	81	15.0%
Injection Drug User (IDU)	0	0.0%	1	12.5%	38	7.5%	42	7.8%
MSM & IDU	1	5.0%	0	0.0%	34	6.7%	73	13.5%
Men who have sex with men (MSM)	12	60.0%	2	25.0%	303	59.6%	290	53.6%
No Identified Risk (NIR) or Other	5	25.0%	3	37.5%	61	12.0%	51	9.4%
Pediatric (All Risks Combined)	0	0.0%	0	0.0%	11	2.2%	4	0.7%
Total	20	100.0%	8	100.0%	508	100.0%	541	100.0%

Incident and Prevalent HIV & Stage 3 Cases as of

June 30, 2017– Region 9

Wichita – Southwest Counties

Incident and Prevalent HIV / Stage 3 Cases in Kansas as of June 30, 2017 by Date of Report	Incident HIV Cases in Kansas as of June 30, 2017		Incident Stage 3 Cases in Kansas as of June 30, 2017		Prevalent HIV Cases in Kansas as of June 30, 2017		Prevalent Stage 3 Cases in Kansas as of June 30, 2017	
	N	%	N	%	N	%	N	%
Region 9	N	%	N	%	N	%	N	%
Total	3	100.0%	2	100.0%	49	100.0%	52	100.0%
Adult/Adolescent	3	100.0%	2	100.0%	49	100.0%	52	100.0%
Pediatric	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Age at Diagnosis	3	100.0%	2	100.0%	49	100.0%	52	100.0%
<13 Years	0	0.0%	0	0.0%	0	0.0%	0	0.0%
13-24 Years	3	100.0%	1	50.0%	10	20.4%	6	11.5%
25-44 Years	0	0.0%	1	50.0%	33	67.3%	37	71.2%
45-64 Years	0	0.0%	0	0.0%	6	12.2%	9	17.3%
65 & Over	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Race/Ethnicity	3	100.0%	2	100.0%	49	100.0%	52	100.0%
American-Indian Non-Hispanic	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Asian / Pacific Islander Non-Hispanic	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Black Non-Hispanic	0	0.0%	0	0.0%	8	16.3%	4	7.7%
Hispanic	3	100.0%	1	50.0%	18	36.7%	35	67.3%
Multi-Race	0	0.0%	0	0.0%	0	0.0%	1	1.9%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%
White Non-Hispanic	0	0.0%	1	50.0%	23	46.9%	12	23.1%
Gender	3	100.0%	2	100.0%	49	100.0%	52	100.0%
Female	1	33.3%	1	50.0%	11	22.4%	11	21.2%
Transgender FTM	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Male	2	66.7%	1	50.0%	38	77.6%	41	78.8%
Transgender MTF	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Exposure Category	3	100.0%	2	100.0%	49	100.0%	52	100.0%
High Risk Heterosexual Contact	0	0.0%	0	0.0%	9	18.4%	9	17.3%
Injection Drug User (IDU)	0	0.0%	0	0.0%	3	6.1%	4	7.7%
MSM & IDU	0	0.0%	0	0.0%	6	12.2%	4	7.7%
Men who have sex with men (MSM)	1	33.3%	1	50.0%	24	49.0%	22	42.3%
No Identified Risk (NIR) or Other	2	66.7%	1	50.0%	7	14.3%	13	25.0%
Pediatric (All Risks Combined)	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	3	100.0%	2	100.0%	49	100.0%	52	100.0%

