

HIV in Kansas

Bi-Annual Report for January – June 2016



**STI/HIV Surveillance Program
STI/HIV Section
Bureau of Disease Control and Prevention
Kansas Department of Health and Environment**

Sources of information for this report:
Kansas HIV Surveillance System (eHARS)

For further information please contact the STI/HIV Surveillance Program at 785-296-6174 or email HIV_Request@kdheks.gov

Disclaimer: There may be differences from previously reported data due to data cleaning efforts.

The Mission of the STI/HIV Section is to stop the spread of STIs & HIV in Kansas

Notes:

- Incident Cases: Individuals with HIV or Stage 3 (previously defined as AIDS) who are newly diagnosed in Kansas between January 1– June 30, 2016.
- Prevalent Cases: Individuals with HIV or Stage 3 (previously defined as AIDS) who are presumed to be alive as of June 30, 2016.

Disclaimer: The purpose of this publication is to illustrate health conditions in the State of Kansas. This product may be corrected or updated as necessary without prior notification. The included map product is provided without representation or implied or expressed warranty of accuracy for any uses beyond those expressed. The originating agencies are not responsible for publication or use of this product for purposes other than those expressed. Except for the limited purposes allowed in K.S.A. 21-3914, knowingly selling, giving, or receiving any list of names, addresses or maps contained in or derived from public records is a crime.

Incident and Prevalent HIV Cases in Kansas as of June 2016

Incident and Prevalent HIV Cases in Kansas as of June 30, 2016 by Date of Report	Incident HIV Cases in Kansas as of June 30, 2016		Prevalent HIV Cases in Kansas as of June 30, 2016	
	N	%	N	%
Total	61	100.0%	1475	100.0%
Adult/Adolescent	61	100.0%	1442	97.8%
Pediatric	0	0.0%	33	2.2%
Age at Diagnosis	61	100.0%	1475	100.0%
<13 Years	0	0.0%	33	2.2%
13-24 Years	16	26.2%	337	22.8%
25-44 Years	35	57.4%	884	59.9%
45-64 Years	9	14.8%	214	14.5%
65 & Over	1	1.6%	7	0.5%
Race/Ethnicity	61	100.0%	1475	100.0%
American-Indian Non-Hispanic	2	3.3%	9	0.6%
Asian / Pacific Islander Non-Hispanic	4	6.6%	28	1.9%
Black Non-Hispanic	12	19.7%	401	27.2%
Hispanic	10	16.4%	227	15.4%
Multi-Race	0	0.0%	64	4.3%
White Non-Hispanic	28	45.9%	10	0.7%
Unknown	5	8.2%	736	49.9%
Gender	61	100.0%	1475	100.0%
Male	48	78.7%	1166	79.1%
Female	13	21.3%	309	20.9%
Exposure Category	61	100.0%	1475	100.0%
High Risk Heterosexual Contact	0	0.0%	204	13.8%
Injection Drug User (IDU)	2	3.3%	95	6.4%
MSM & IDU	2	3.3%	90	6.1%
Men who have sex with men (MSM)	22	36.1%	804	54.5%
No Identified Risk (NIR) or Other	35	57.4%	249	16.9%
Pediatric (All Risks Combined)	0	0.0%	33	2.2%
Total	61	100.0%	1475	100.0%

The Mission of the STI/HIV Section is to stop the spread of STIs & HIV in Kansas


Incident and Prevalent Stage 3 Cases in Kansas as of June 2016

Incident and Prevalent Stage 3 HIV Cases in Kansas as of June 30, 2016 by Date of Report	Incident Stage 3 Cases in Kansas as of June 30, 2016		Prevalent Stage 3 Cases in Kansas as of June 30, 2016	
	N	%	N	%
Total	21	100.0%	1621	100.0%
Adult/Adolescent	21	100.0%	1605	99.0%
Pediatric	0	0.0%	16	1.0%
Age at Diagnosis	21	100.0%	1621	100.0%
<13 Years	0	0.0%	16	1.0%
13-24 Years	2	9.5%	264	16.3%
25-44 Years	12	57.1%	1073	66.2%
45-64 Years	7	33.3%	255	15.7%
65 & Over	0	0.0%	13	0.8%
Race/Ethnicity	21	100.0%	1621	100.0%
American-Indian Non-Hispanic	0	0.0%	3	0.2%
Asian / Pacific Islander Non-Hispanic	1	4.8%	15	0.9%
Black Non-Hispanic	6	28.6%	393	24.2%
Hispanic	6	28.6%	291	18.0%
Multi-Race	1	4.8%	70	4.3%
White Non-Hispanic	7	33.3%	1	0.1%
Unknown	0	0.0%	848	52.3%
Gender	21	100.0%	1621	100.0%
Male	17	81.0%	1326	81.8%
Female	4	19.0%	295	18.2%
Exposure Category	21	100.0%	1621	100.0%
High Risk Heterosexual Contact	2	9.5%	261	16.1%
Injection Drug User (IDU)	1	4.8%	134	8.3%
MSM & IDU	0	0.0%	166	10.2%
Men who have sex with men (MSM)	8	38.1%	860	53.1%
No Identified Risk (NIR) or Other	10	47.6%	184	11.4%
Pediatric (All Risks Combined)	0	0.0%	16	1.0%
Total	21	100.0%	1621	100.0%

The Mission of the STI/HIV Section is to stop the spread of STIs & HIV in Kansas

Incident and Prevalent HIV and AIDS cases as of June 2016 by Kansas Region

HIV/AIDS Community Planning Regions



Incident HIV & AIDS Cases and Prevalent HIV & AIDS by Planning Region

Region	Incident HIV Cases in Kansas as of June 30, 2016	Prevalent HIV Cases in Kansas as of June 30, 2016	Incident Stage 3 Cases in Kansas as of June 30, 2016	Prevalent Stage 3 Cases in Kansas as of June 30, 2016
1	10	267	7	313
2	17	348	3	336
3	2	47	3	66
4	3	128	2	150
5	0	47	0	54
6	2	40	0	27
7	3	73	3	103
8	21	484	3	524
9	3	41	0	48
Total	61	1475	21	1621

The Mission of the STI/HIV Section is to stop the spread of STIs & HIV in Kansas

Incident and Prevalent HIV & AIDS Cases as of

June 30, 2016 – Region 1

Kansas City – Leavenworth & Wyandotte Counties

Incident and Prevalent HIV / Stage 3 Cases in Kansas as of June 30, 2016 by Date of Report Region 1	Incident HIV Cases in Kansas as of June 30, 2016		Prevalent HIV Cases in Kansas as of June 30, 2016		Incident Stage 3 Cases in Kansas as of June 30, 2016		Prevalent Stage 3 Cases in Kansas as of June 30, 2016	
	N	%	N	%	N	%	N	%
Total	10	100.0%	267	100.0%	7	100.0%	313	100.0%
Adult/Adolescent	10	100.0%	266	99.6%	7	100.0%	313	100.0%
Pediatric	0	0.0%	1	0.4%	0	0.0%	0	0.0%
Age at Diagnosis	10	100.0%	267	99.6%	7	100.0%	313	100.0%
<13 Years	0	0.0%	1	0.4%	0	0.0%	0	0.0%
13-24 Years	3	30.0%	70	26.2%	1	14.3%	58	18.5%
25-44 Years	6	60.0%	171	64.0%	5	71.4%	215	68.7%
45-64 Years	1	10.0%	25	9.4%	1	14.3%	38	12.1%
65 & Over	0	0.0%	0	0.0%	0	0.0%	2	0.6%
Race/Ethnicity	10	100.0%	267	100.0%	7	100.0%	313	100.0%
American-Indian Non-Hispanic	1	10.0%	1	0.4%	0	0.0%	0	0.0%
Asian / Pacific Islander Non-Hispanic	0	0.0%	3	1.1%	1	14.3%	3	1.0%
Black Non-Hispanic	3	30.0%	97	36.3%	2	28.6%	109	34.8%
Hispanic	4	40.0%	60	22.5%	3	42.9%	82	26.2%
Multi-Race	0	0.0%	18	6.7%	0	0.0%	11	3.5%
White Non-Hispanic	2	20.0%	0	0.0%	1	14.3%	108	34.5%
Unknown	0	0.0%	88	33.0%	0	0.0%	0	0.0%
Gender	10	100.0%	267	100.0%	7	100.0%	313	100.0%
Male	8	80.0%	212	79.4%	7	100.0%	268	85.6%
Female	2	20.0%	55	20.6%	0	0.0%	45	14.4%
Exposure Category	10	100.0%	267	100.0%	7	100.0%	313	100.0%
High Risk Heterosexual Contact	0	0.0%	41	15.4%	1	14.3%	54	17.3%
Injection Drug User (IDU)	1	10.0%	8	3.0%	1	14.3%	32	10.2%
MSM & IDU	0	0.0%	12	4.5%	0	0.0%	25	8.0%
Men who have sex with men (MSM)	3	30.0%	153	57.3%	3	42.9%	164	52.4%
No Identified Risk (NIR) or Other	6	60.0%	52	19.5%	2	28.6%	38	12.1%
Pediatric (All Risks Combined)	0	0.0%	1	0.4%	0	0.0%	0	0.0%
Total	10	100.0%	267	100.0%	7	100.0%	313	100.0%

The Mission of the STI/HIV Section is to stop the spread of STIs & HIV in Kansas

*Incident and Prevalent HIV & AIDS Cases as of
June 30, 2016 – Region 2*

Kansas City – Johnson & Miami Counties

Incident and Prevalent HIV / Stage 3 Cases in Kansas as of June 30, 2016 by Date of Report Region 2	Incident HIV Cases in Kansas as of June 30, 2016		Prevalent HIV Cases in Kansas as of June 30, 2016		Incident Stage 3 Cases in Kansas as of June 30, 2016		Prevalent Stage 3 Cases in Kansas as of June 30, 2016	
	N	%	N	%	N	%	N	%
Total	17	100.0%	348	100.0%	3	100.0%	336	100.0%
Adult/Adolescent	17	100.0%	337	96.8%	3	100.0%	330	98.2%
Pediatric	0	0.0%	11	3.2%	0	0.0%	6	1.8%
Age at Diagnosis	17	100.0%	348	100.0%	3	100.0%	336	100.0%
<13 Years	0	0.0%	11	3.2%	0	0.0%	6	1.8%
13-24 Years	3	17.6%	69	19.8%	0	0.0%	50	14.9%
25-44 Years	9	52.9%	203	58.3%	2	66.7%	214	63.7%
45-64 Years	4	23.5%	62	17.8%	1	33.3%	59	17.6%
65 & Over	1	5.9%	3	0.9%	0	0.0%	7	2.1%
Race/Ethnicity	17	105.2%	348	100.0%	3	100.0%	336	100.0%
American-Indian Non-Hispanic	0	0.0%	1	0.3%	0	0.0%	2	0.6%
Asian / Pacific Islander Non-Hispanic	3	17.6%	14	4.0%	0	0.0%	3	0.9%
Black Non-Hispanic	3	17.6%	80	23.0%	0	0.0%	80	23.8%
Hispanic	1	5.9%	39	11.2%	2	66.7%	56	16.7%
Multi-Race	0	0.0%	7	2.0%	0	0.0%	16	4.8%
White Non-Hispanic	9	52.9%	3	0.9%	1	33.3%	179	53.3%
Unknown	1	11.1%	204	58.6%	0	0.0%	0	0.0%
Gender	17	100.0%	348	100.0%	3	100.0%	336	100.0%
Male	12	70.6%	279	80.2%	2	66.7%	265	78.9%
Female	5	29.4%	69	19.8%	1	33.3%	71	21.1%
Exposure Category	17	100.0%	348	100.0%	3	100.0%	336	100.0%
High Risk Heterosexual Contact	0	0.0%	52	14.9%	0	0.0%	60	17.9%
Injection Drug User (IDU)	0	0.0%	12	3.4%	0	0.0%	17	5.1%
MSM & IDU	0	0.0%	12	3.4%	0	0.0%	17	5.1%
Men who have sex with men (MSM)	6	35.3%	198	56.9%	1	33.3%	188	56.0%
No Identified Risk (NIR) or Other	11	64.7%	63	18.1%	2	66.7%	48	14.3%
Pediatric (All Risks Combined)	0	0.0%	11	3.2%	0	0.0%	6	1.8%
Total	17	100.0%	348	100.0%	3	100.0%	336	100.0%

The Mission of the STI/HIV Section is to stop the spread of STIs & HIV in Kansas

Incident and Prevalent HIV & AIDS Cases as of

June 30, 2016 – Region 3

Lawrence – Douglas, Jefferson, & Franklin Counties

Incident and Prevalent HIV / Stage 3 Cases in Kansas as of June 30, 2016 by Date of Report Region 3	Incident HIV Cases in Kansas as of June 30, 2016		Prevalent HIV Cases in Kansas as of June 30, 2016		Incident Stage 3 Cases in Kansas as of June 30, 2016		Prevalent Stage 3 Cases in Kansas as of June 30, 2016	
	N	%	N	%	N	%	N	%
Total	2	100.0%	47	100.0%	3	100.0%	66	100.0%
Adult/Adolescent	2	100.0%	42	89.4%	3	100.0%	63	95.5%
Pediatric	0	0.0%	5	10.6%	0	0.0%	3	4.5%
Age at Diagnosis	2	100.0%	47	100.0%	3	100.0%	66	100.0%
<13 Years	0	0.0%	5	10.6%	0	0.0%	3	4.5%
13-24 Years	0	0.0%	10	21.3%	0	0.0%	11	16.7%
25-44 Years	2	100.0%	25	53.2%	2	66.7%	41	62.1%
45-64 Years	0	0.0%	7	14.9%	1	33.3%	11	16.7%
65 & Over	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Race/Ethnicity	2	100.0%	47	100.0%	3	100.0%	66	100.0%
American-Indian Non-Hispanic	0	0.0%	2	4.3%	0	0.0%	1	1.5%
Asian / Pacific Islander Non-Hispanic	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Black Non-Hispanic	1	50.0%	6	12.8%	2	66.7%	11	16.7%
Hispanic	0	0.0%	1	2.1%	0	0.0%	9	13.6%
Multi-Race	0	0.0%	3	6.4%	1	33.3%	3	4.5%
White Non-Hispanic	1	50.0%	0	0.0%	0	0.0%	0	0.0%
Unknown	0	0.0%	35	74.5%	0	0.0%	42	63.6%
Gender	2	100.0%	47	100.0%	3	100.0%	66	100.0%
Male	2	100.0%	41	87.2%	2	66.7%	57	86.4%
Female	0	0.0%	6	12.8%	1	33.3%	9	13.6%
Exposure Category	2	100.0%	47	100.0%	3	100.0%	66	100.0%
High Risk Heterosexual Contact	0	0.0%	3	6.4%	0	0.0%	7	10.6%
Injection Drug User (IDU)	0	0.0%	2	4.3%	0	0.0%	1	1.5%
MSM & IDU	0	0.0%	1	2.1%	0	0.0%	7	10.6%
Men who have sex with men (MSM)	0	0.0%	24	51.1%	1	33.3%	41	62.1%
No Identified Risk (NIR) or Other	2	100.0%	12	25.5%	2	66.7%	7	10.6%
Pediatric (All Risks Combined)	0	0.0%	5	10.6%	0	0.0%	3	4.5%
Total	2	100.0%	47	100.0%	3	100.0%	66	100.0%

The Mission of the STI/HIV Section is to stop the spread of STIs & HIV in Kansas

Incident Prevalent HIV & AIDS Cases as of

June 30, 2016 – Region 4

Topeka – Northeast Counties

Incident and Prevalent HIV / Stage 3 Cases in Kansas as of June 30, 2016 by Date of Report 4	Incident HIV Cases in Kansas as of June 30, 2016		Prevalent HIV Cases in Kansas as of June 30, 2016		Incident Stage 3 Cases in Kansas as of June 30, 2016		Prevalent Stage 3 Cases in Kansas as of June 30, 2016	
	N	%	N	%	N	%	N	%
Total	3	100.0%	128	100.0%	2	100.0%	150	100.0%
Adult/Adolescent	3	100.0%	127	99.2%	2	100.0%	148	98.7%
Pediatric	0	0.0%	1	0.8%	0	0.0%	2	1.3%
Age at Diagnosis	3	100.0%	128	100.0%	2	100.0%	150	100.0%
<13 Years	0	0.0%	1	0.8%	0	0.0%	2	1.3%
13-24 Years	1	33.3%	28	21.9%	1	50.0%	26	17.3%
25-44 Years	2	66.7%	85	66.4%	1	50.0%	99	66.0%
45-64 Years	0	0.0%	14	10.9%	0	0.0%	23	15.3%
65 & Over	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Race/Ethnicity	3	100.0%	128	100.0%	2	100.0%	150	100.0%
American-Indian Non-Hispanic	1	33.3%	3	2.3%	0	0.0%	0	0.0%
Asian / Pacific Islander Non-Hispanic	0	0.0%	2	1.6%	0	0.0%	0	0.0%
Black Non-Hispanic	0	0.0%	43	33.6%	1	50.0%	36	24.0%
Hispanic	0	0.0%	14	10.9%	0	0.0%	20	13.3%
Multi-Race	0	0.0%	5	3.9%	0	0.0%	8	5.3%
White Non-Hispanic	2	66.7%	0	0.0%	1	50.0%	86	57.3%
Unknown	0	0.0%	61	47.7%	0	0.0%	0	0.0%
Gender	3	100.0%	128	100.0%	2	100.0%	150	100.0%
Male	2	66.7%	98	76.6%	0	0.0%	119	79.3%
Female	1	33.3%	30	23.4%	2	100.0%	31	20.7%
Exposure Category	3	100.0%	128	100.0%	2	100.0%	150	100.0%
High Risk Heterosexual Contact	0	0.0%	19	14.8%	0	0.0%	26	17.3%
Injection Drug User (IDU)	0	0.0%	11	8.6%	1	50.0%	13	8.7%
MSM & IDU	0	0.0%	11	8.6%	0	0.0%	20	13.3%
Men who have sex with men (MSM)	1	33.3%	69	53.9%	0	0.0%	75	50.0%
No Identified Risk (NIR) or Other	2	66.7%	17	13.3%	1	50.0%	14	9.3%
Pediatric (All Risks Combined)	0	0.0%	1	0.8%	0	0.0%	2	1.3%
Total	3	100.0%	128	100.0%	2	100.0%	150	100.0%

Incident and Prevalent HIV & AIDS Cases as of

June 30, 2016 – Region 5

Pittsburg – Southeast Counties

Incident and Prevalent HIV / Stage 3 Cases in Kansas as of June 30, 2016 by Date of Report Region 5	Incident HIV Cases in Kansas as of June 30, 2016		Prevalent HIV Cases in Kansas as of June 30, 2016		Incident Stage 3 Cases in Kansas as of June 30, 2016		Prevalent Stage 3 Cases in Kansas as of June 30, 2016	
	N	%	N	%	N	%	N	%
Total	0	0.0%	47	100.0%	0	0.0%	54	100.0%
Adult/Adolescent	0	0.0%	46	97.9%	0	0.0%	53	98.1%
Pediatric	0	0.0%	1	2.1%	0	0.0%	1	1.9%
Age at Diagnosis	0	0.0%	47	100.0%	0	0.0%	54	100.0%
<13 Years	0	0.0%	1	2.1%	0	0.0%	1	1.9%
13-24 Years	0	0.0%	11	23.4%	0	0.0%	7	13.0%
25-44 Years	0	0.0%	30	63.8%	0	0.0%	36	66.7%
45-64 Years	0	0.0%	5	10.6%	0	0.0%	9	16.7%
65 & Over	0	0.0%	0	0.0%	0	0.0%	1	1.9%
Race/Ethnicity	0	0.0%	47	100.0%	0	0.0%	54	100.0%
American-Indian Non-Hispanic	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Asian / Pacific Islander Non-Hispanic	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Black Non-Hispanic	0	0.0%	8	17.0%	0	0.0%	5	9.3%
Hispanic	0	0.0%	6	12.8%	0	0.0%	2	3.7%
Multi-Race	0	0.0%	2	4.3%	0	0.0%	3	5.6%
White Non-Hispanic	0	0.0%	0	0.0%	0	0.0%	43	79.6%
Unknown	0	0.0%	31	66.0%	0	0.0%	1	1.9%
Gender	0	0.0%	47	100.0%	0	0.0%	54	100.0%
Male	0	0.0%	31	66.0%	0	0.0%	42	77.8%
Female	0	0.0%	16	34.0%	0	0.0%	12	22.2%
Exposure Category	0	0.0%	47	100.0%	0	0.0%	54	100.0%
High Risk Heterosexual Contact	0	0.0%	10	21.3%	0	0.0%	8	14.8%
Injection Drug User (IDU)	0	0.0%	10	21.3%	0	0.0%	4	7.4%
MSM & IDU	0	0.0%	7	14.9%	0	0.0%	8	14.8%
Men who have sex with men (MSM)	0	0.0%	14	29.8%	0	0.0%	26	48.1%
No Identified Risk (NIR) or Other	0	0.0%	5	10.6%	0	0.0%	7	13.0%
Pediatric (All Risks Combined)	0	0.0%	1	2.1%	0	0.0%	1	1.9%
Total	0	0.0%	47	100.0%	0	0.0%	54	100.0%

The Mission of the STI/HIV Section is to stop the spread of STIs & HIV in Kansas

*Incident and Prevalent HIV & AIDS Cases as of
June 30, 2016 – Region 6*

Manhattan – North Central Counties

Incident and Prevalent HIV / Stage 3 Cases in Kansas as of June 30, 2016 by Date of Report Region 6	Incident HIV Cases in Kansas as of June 30, 2016		Prevalent HIV Cases in Kansas as of June 30, 2016		Incident Stage 3 Cases in Kansas as of June 30, 2016		Prevalent Stage 3 Cases in Kansas as of June 30, 2016	
	N	%	N	%	N	%	N	%
Total	2	100.0%	40	100.0%	0	0.0%	27	100.0%
Adult/Adolescent	2	100.0%	39	97.5%	0	0.0%	27	100.0%
Pediatric	0	0.0%	1	2.5%	0	0.0%	0	0.0%
Age at Diagnosis	2	100.0%	40	100.0%	0	0.0%	27	100.0%
<13 Years	0	0.0%	1	2.5%	0	0.0%	0	0.0%
13-24 Years	1	50.0%	15	37.5%	0	0.0%	3	11.1%
25-44 Years	1	50.0%	19	47.5%	0	0.0%	19	70.4%
45-64 Years	0	0.0%	5	12.5%	0	0.0%	5	18.5%
65 & Over	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Race/Ethnicity	2	100.0%	40	100.0%	0	0.0%	27	100.0%
American-Indian Non-Hispanic	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Asian / Pacific Islander Non-Hispanic	0	0.0%	0	0.0%	0	0.0%	1	3.7%
Black Non-Hispanic	0	0.0%	12	30.0%	0	0.0%	2	7.4%
Hispanic	1	50.0%	7	17.5%	0	0.0%	3	11.1%
Multi-Race	0	0.0%	1	2.5%	0	0.0%	0	0.0%
White Non-Hispanic	1	50.0%	0	0.0%	0	0.0%	0	0.0%
Unknown	0	0.0%	20	50.0%	0	0.0%	21	77.8%
Gender	2	100.0%	40	100.0%	0	0.0%	27	100.0%
Male	1	50.0%	30	75.0%	0	0.0%	23	85.2%
Female	1	50.0%	10	25.0%	0	0.0%	4	14.8%
Exposure Category	2	100.0%	40	100.0%	0	0.0%	27	100.0%
High Risk Heterosexual Contact	0	0.0%	3	7.5%	0	0.0%	3	11.1%
Injection Drug User (IDU)	0	0.0%	1	2.5%	0	0.0%	1	3.7%
MSM & IDU	0	0.0%	0	0.0%	0	0.0%	3	11.1%
Men who have sex with men (MSM)	1	50.0%	24	60.0%	0	0.0%	19	70.4%
No Identified Risk (NIR) or Other	1	50.0%	11	27.5%	0	0.0%	1	3.7%
Pediatric (All Risks Combined)	0	0.0%	1	2.5%	0	0.0%	0	0.0%
Total	2	100.0%	40	100.0%	0	0.0%	27	100.0%

The Mission of the STI/HIV Section is to stop the spread of STIs & HIV in Kansas

Incident and Prevalent HIV & AIDS Cases as of

June 30, 2016 – Region 7

Salina – Northeast & Central Counties

Incident and Prevalent HIV / Stage 3 Cases in Kansas as of June 30, 2016 by Date of Report Region 7	Incident HIV Cases in Kansas as of June 30, 2016		Prevalent HIV Cases in Kansas as of June 30, 2016		Incident Stage 3 Cases in Kansas as of June 30, 2016		Prevalent Stage 3 Cases in Kansas as of June 30, 2016	
	N	%	N	%	N	%	N	%
Total	3	100.0%	73	100.0%	3	100.0%	103	100.0%
Adult/Adolescent	3	100.0%	70	95.9%	3	100.0%	101	98.1%
Pediatric	0	0.0%	3	4.1%	0	0.0%	2	1.9%
Age at Diagnosis	3	100.0%	73	100.0%	3	100.0%	103	100.0%
<13 Years	0	0.0%	3	4.1%	0	0.0%	2	1.9%
13-24 Years	1	33.3%	17	23.3%	0	0.0%	17	16.5%
25-44 Years	2	66.7%	42	57.5%	1	33.3%	64	62.1%
45-64 Years	0	0.0%	11	15.1%	2	66.7%	20	19.4%
65 & Over	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Race/Ethnicity	3	100.0%	73	100.0%	3	100.0%	103	100.0%
American-Indian Non-Hispanic	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Asian / Pacific Islander Non-Hispanic	0	0.0%	0	0.0%	0	0.0%	1	1.0%
Black Non-Hispanic	0	0.0%	17	23.3%	1	33.3%	28	27.2%
Hispanic	0	0.0%	8	11.0%	1	33.3%	11	10.7%
Multi-Race	0	0.0%	3	4.1%	0	0.0%	2	1.9%
White Non-Hispanic	2	66.7%	2	2.7%	1	33.3%	61	59.2%
Unknown	1	33.3%	43	58.9%	0	0.0%	0	0.0%
Gender	3	100.0%	73	100.0%	3	100.0%	103	100.0%
Male	2	66.7%	59	80.8%	3	100.0%	77	74.8%
Female	1	33.3%	14	19.2%	0	0.0%	26	25.2%
Exposure Category	3	100.0%	73	100.0%	3	100.0%	103	100.0%
High Risk Heterosexual Contact	0	0.0%	9	12.3%	0	0.0%	15	14.6%
Injection Drug User (IDU)	0	0.0%	5	6.8%	0	0.0%	19	18.4%
MSM & IDU	1	33.3%	5	6.8%	0	0.0%	9	8.7%
Men who have sex with men (MSM)	0	0.0%	38	52.1%	2	66.7%	48	46.6%
No Identified Risk (NIR) or Other	2	66.7%	13	17.8%	1	33.3%	10	9.7%
Pediatric (All Risks Combined)	0	0.0%	3	4.1%	0	0.0%	2	1.9%
Total	3	100.0%	73	100.0%	3	100.0%	103	100.0%

The Mission of the STI/HIV Section is to stop the spread of STIs & HIV in Kansas

Incident and Prevalent HIV & AIDS Cases as of

June 30, 2016 – Region 8

Wichita – South Central Counties

Incident and Prevalent HIV / Stage 3 Cases in Kansas as of June 30, 2016 by Date of Report Region 8	Incident HIV Cases in Kansas as of June 30, 2016		Prevalent HIV Cases in Kansas as of June 30, 2016		Incident Stage 3 Cases in Kansas as of June 30, 2016		Prevalent Stage 3 Cases in Kansas as of June 30, 2016	
	N	%	N	%	N	%	N	%
Total	21	100.0%	484	100.0%	3	100.0%	524	100.0%
Adult/Adolescent	21	100.0%	474	97.9%	3	100.0%	522	99.6%
Pediatric	0	0.0%	10	2.1%	0	0.0%	2	0.4%
Age at Diagnosis	21	100.0%	484	100.0%	3	100.0%	524	100.0%
<13 Years	0	0.0%	10	2.1%	0	0.0%	2	0.4%
13-24 Years	5	23.8%	109	22.5%	0	0.0%	86	16.4%
25-44 Years	12	57.1%	282	58.3%	1	33.3%	351	67.0%
45-64 Years	4	19.0%	79	16.3%	2	66.7%	82	15.6%
65 & Over	0	0.0%	4	0.8%	0	0.0%	3	0.6%
Race/Ethnicity	21	100.0%	484	100.0%	3	100.0%	524	100.0%
American-Indian Non-Hispanic	0	0.0%	2	0.4%	0	0.0%	0	0.0%
Asian / Pacific Islander Non-Hispanic	1	4.8%	9	1.9%	0	0.0%	7	1.3%
Black Non-Hispanic	5	23.8%	135	27.9%	0	0.0%	118	22.5%
Hispanic	2	9.5%	76	15.7%	0	0.0%	78	14.9%
Multi-Race	0	0.0%	25	5.2%	0	0.0%	26	5.0%
White Non-Hispanic	10	47.6%	5	1.0%	3	100.0%	295	56.3%
Unknown	3	14.3%	232	47.9%	0	0.0%	0	0.0%
Gender	21	100.0%	484	100.0%	3	100.0%	524	100.0%
Male	18	85.7%	384	79.3%	3	100.0%	437	83.4%
Female	3	14.3%	100	20.7%	0	0.0%	87	16.6%
Exposure Category	21	100.0%	484	100.0%	3	100.0%	524	100.0%
High Risk Heterosexual Contact	0	0.0%	60	12.4%	0	0.0%	80	15.3%
Injection Drug User (IDU)	1	4.8%	42	8.7%	0	0.0%	41	7.8%
MSM & IDU	1	4.8%	37	7.6%	0	0.0%	72	13.7%
Men who have sex with men (MSM)	9	42.9%	264	54.5%	1	33.3%	279	53.2%
No Identified Risk (NIR) or Other	10	47.6%	71	14.7%	2	66.7%	50	9.5%
Pediatric (All Risks Combined)	0	0.0%	10	2.1%	0	0.0%	2	0.4%
Total	21	100.0%	484	100.0%	3	100.0%	524	100.0%

The Mission of the STI/HIV Section is to stop the spread of STIs & HIV in Kansas

Incident and Prevalent HIV & AIDS Cases as of

June 30, 2016 – Region 9


Wichita – Southwest Counties

Incident and Prevalent HIV / Stage 3 Cases in Kansas as of June 30, 2016 by Date of Report Region 9	Incident HIV Cases in Kansas as of June 30, 2016		Prevalent HIV Cases in Kansas as of June 30, 2016		Incident Stage 3 Cases in Kansas as of June 30, 2016		Prevalent Stage 3 Cases in Kansas as of June 30, 2016	
	N	%	N	%	N	%	N	%
Total	3	100.0%	41	100.0%	0	0.0%	48	100.0%
Adult/Adolescent	3	100.0%	41	100.0%	0	0.0%	48	100.0%
Pediatric	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Age at Diagnosis	3	100.0%	41	100.0%	0	0.0%	48	100.0%
<13 Years	0	0.0%	0	0.0%	0	0.0%	0	0.0%
13-24 Years	2	66.7%	8	19.5%	0	0.0%	6	12.5%
25-44 Years	1	33.3%	27	65.9%	0	0.0%	34	70.8%
45-64 Years	0	0.0%	6	14.6%	0	0.0%	8	16.7%
65 & Over	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Race/Ethnicity	3	100.0%	41	100.0%	0	0.0%	48	100.0%
American-Indian Non-Hispanic	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Asian / Pacific Islander Non-Hispanic	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Black Non-Hispanic	0	0.0%	3	7.3%	0	0.0%	4	8.3%
Hispanic	2	66.7%	16	39.0%	0	0.0%	30	62.5%
Multi-Race	0	0.0%	0	0.0%	0	0.0%	1	2.1%
White Non-Hispanic	1	33.3%	0	0.0%	0	0.0%	0	0.0%
Unknown	0	0.0%	22	53.7%	0	0.0%	13	27.1%
Gender	3	100.0%	41	100.0%	0	0.0%	48	100.0%
Male	3	100.0%	32	78.0%	0	0.0%	38	79.2%
Female	0	0.0%	9	22.0%	0	0.0%	10	20.8%
Exposure Category	3	100.0%	41	100.0%	0	0.0%	48	100.0%
High Risk Heterosexual Contact	0	0.0%	7	17.1%	0	0.0%	8	16.7%
Injection Drug User (IDU)	0	0.0%	4	9.8%	0	0.0%	6	12.5%
MSM & IDU	0	0.0%	5	12.2%	0	0.0%	5	10.4%
Men who have sex with men (MSM)	2	66.7%	20	48.8%	0	0.0%	20	41.7%
No Identified Risk (NIR) or Other	1	33.3%	5	12.2%	0	0.0%	9	18.8%
Pediatric (All Risks Combined)	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	3	100.0%	41	100.0%	0	0.0%	48	100.0%

The Mission of the STI/HIV Section is to stop the spread of STIs & HIV in Kansas



Number of People Living with HIV by County for the State of Kansas as of June 30, 2016



This map reflects the number of persons living in Kansas who have been diagnosed with HIV. Last reported address was utilized to determine residency. If the last reported county variable was unknown, that individual will not be reflected in this map.