

DIVISION OF ENVIRONMENT
QUALITY MANAGEMENT PLAN

PART III:

SITE ASSESSMENT PROGRAM
QUALITY ASSURANCE MANAGEMENT PLAN



Revision 2
November 29, 2011

Kansas Department of Health and Environment
Division of Environment
Bureau of Environmental Remediation
Forbes Field, Building 740
Topeka, Kansas 66620

Concurrences and Approvals

Concurrences, KDHE Division of Environment, Bureau of Environmental Remediation

Name: Randy Brown
Title: Unit Chief, Site Assessment Unit, Remedial Section

Signature_____ Date_____

Name: Rick Bean
Title: Section Chief, Remedial Section

Signature_____ Date_____

Name: Kent Schierkolk
Title: QA Representative, Bureau of Environmental Remediation

Signature_____ Date_____

Name: Gary Blackburn
Title: Director, Bureau of Environmental Remediation

Signature_____ Date_____

Name: Julie Coleman
Title: Quality Assurance Officer, Division of Environment

Signature_____ Date_____

Name: John Mitchell
Title: Director, Division of Environment

Signature_____ Date_____

TABLE OF CONTENTS

Sections

INTRODUCTION	4
1.1 Purpose of Plan	4
1.2 Plan Revisions.....	4
DESCRIPTION OF PLAN	4
2.1 Historical Overview	4
2.2 Mission and Goals.....	5
2.3 Organization and Responsibilities	5
QUALITY ASSURANCE / CONTROL POLICY STATEMENT.....	6
QUALITY ASSURANCE / CONTROL CRITERIA AND PROCEDURES.....	6
4.1 Field Station (Sample) Site Selection	6
4.2 Field Equipment Installation.....	7
4.3 Sampling Types	7
4.4 Safety Considerations	7
4.5 Requesting Analytical Services	7
4.6 Procedures for Assessing Data Precision, Accuracy, Representativeness and Comparability	8
4.6.1 Ongoing Quality Assurance Review and Special Audits	8
4.6.2 Equipment Calibration and Maintenance.....	8
4.6.3 Quality Control Blanks and Spikes.....	9
4.7 Corrective Action Procedures.....	9
4.8 Quality Assurance/Control Reporting Procedures.....	9
4.9 Data Management	10

APPENDICIES

APPENDIX A:	Bureau SOPs used in the Site Assessment Program
APPENDIX B:	Statements of Work (SOWs) for Site Assessment Activities
APPENDIX C:	Site Assessment Generic Quality Assurance Project Plan (QAPP)

Section 1

INTRODUCTION

1.1 PURPOSE OF PLAN

This document presents the comprehensive quality management plan (QMP) for the Site Assessment program. The plan describes the mission, developmental history, organizational structure, environmental monitoring protocols, data handling procedures, and quality assurance (QA) and quality control (QC) requirements of this program. Standard operating procedures (SOPs) and equipment used in the program are presented in the appendices of the plan.

1.2 PLAN REVISIONS

To be effective and useable, this document must be maintained in an up-to-date condition. As required by the Division of Environment Quality Management Plan (Part I, Section 7), the contents of the plan should be reviewed on a semi-annual basis. Minor changes in the report's organizational structure or terminology may be approved by the Unit Chief with concurrence from the Section Chief.

Major revisions which substantially change the contents of the document, especially in terms of QA policies or procedures, require the added approval of the Bureau Quality Assurance Officer and the Bureau Director. All revisions of Part III are subject to the approval of the Unit Chief, Section Chief, Bureau Quality Assurance Officer, Bureau Manager, Division of Environment Quality Assurance Officer, and Division of Environment Director.

Section 2

DESCRIPTION OF PLAN

2.1 HISTORICAL OVERVIEW

The Site Assessment Program originated in 1984 as part of the Bureau of Waste Management (BWM) and was originally called the "Pre-Remedial" or the "Pre-NPL program". The former Office of Oil Field and Environmental Geology provided geological and technical support to the program. In 1986, KDHE was reorganized and the Bureau of Environmental Remediation (BER) was created. The Site Assessment Program is currently a unit within the Remedial Section of BER. The Site Assessment Program is designed to perform various types of assessments and investigations to assess releases or threat of releases of hazardous substances, pollutants or contaminants at potential sites in Kansas. These investigations are performed under the statutory authority of § 104 and § 105 of the Comprehensive Environmental Response,

Compensation and Liabilities Act (CERCLA) and under the Kansas Environmental Response Act, K.S.A. 65-3452 *et seq.* The regulatory authority for Site Assessment Program activities are included in § 300.400-300.425 of the National Oil and Hazardous Substances Pollution Contingency Plan (NCP) as provided by § 105 of CERCLA.

2.2 MISSION AND GOALS

The Site Assessment Program follows a unique process consistent with § 300.400-300.425 of the NCP to assess potential sites. After site discovery and referral to the Site Assessment Program (which may occur via complaints, referrals from other governmental agencies, spills or reported releases, or other various means), the site is logged into the State (ISL) database. The site is then scheduled for site assessment activity. The mission of the program is to assess the threat to human health and the environment of the citizens of the State of Kansas a contaminated or potentially contaminated site poses. If initial site evaluation indicates the site qualifies for further CERCLA response, the site is entered into the CERCLA database (CERCLIS) for additional CERCLA site assessment consistent with the NCP. The site assessment process and specific types and scopes of assessment activity are included in Appendix B.

2.3 ORGANIZATION AND RESPONSIBILITIES

The Bureau Director's responsibilities are defined in the BER QA management plan presented in Part II of the QMP. The Bureau Quality Assurance (QA) officer has delegated authority to review and approve Bureau- and section-level quality assurance project plans (QAPPs) and revision to Parts III and IV of the QMP.

The Section Chief is responsible for supervising the Site Assessment Unit Chief. The Section Chief has approval authority for most documents and activities conducted by the Site Assessment Unit not requiring Bureau Manager approval. The Site Assessment Unit Chief is responsible for planning and prioritizing sites and activities assigned by the Section Chief, and to ensure that the requirements of the program-level QA management plans and SOPs are implemented in a consistent, timely and reliable manner. Working with the Section Chief, the Site Assessment Unit Chief strives to improve the precision, accuracy and reliability of all environmental data collected and products (reports) generated as part of Site Assessment Program activities through the effective allocation of staff and resources.

The Site Assessment Unit contains the Unit Chief and up to three (3) Site Assessment Project Managers (SAPMs). The SAPMs currently consist of one Environmental Geologist II and one Geology Associate. The Environmental Geologist II supervises the field support team consisting of two Environmental Technician (ET) IVs. Each SAPM conducts all aspects of site assessment activities outlined above under the supervision of the Unit Chief. The ETs provide field and office support to the SAPMs in the Site Assessment Program.

Section 3

QUALITY ASSURANCE / CONTROL POLICY STATEMENT

The Unit Chief and SAPMs use KDHE, EPA or other developed standard operating procedures (SOPs) for the Site Assessment. All pertinent EPA guidance consistent with the NCP is adhered to for completion of site assessment activities. The *Generic Quality Assurance Project Plan (QAPP) for Integrated Site Assessment Activities* was approved by EPA in September 2000. The *Generic Quality Assurance Project Plan (QAPP) for Integrated Site Assessment Activities* was updated and revised in November 2011 and includes all Site Assessment Program activities. The revised *Generic Quality Assurance Project Plan (QAPP) for Integrated Site Assessment Activities* is included herein by reference. According to the *Generic Quality Assurance Project Plan (QAPP) for Integrated Site Assessment Activities*, a Site-Specific QAPP Addendum (SSQA) is developed by the SAPM if sampling activity is conducted under the Site Assessment Generic QAPP. The SSQA is approved by the Unit Chief on a site-specific basis.

All sampling activities conducted by the Site Assessment Program should follow the following general program guidelines:

- (1) The objectives of any investigation shall be determined prior to implementation of data collection activities. An SSQA is developed for each site as appropriate.
- (2) Sample collection and analysis activities and data management activities shall be subjected to periodic evaluation by supervisory personnel to identify and, if necessary, to correct deficiencies and enhance the overall quality of the Site Assessment Program.
- (3) All data collection activities will be accomplished and documented in accordance with the Divisional and Bureau QMP and applicable Standard Operating Procedures (SOPs).

Federal guidance documents frequently referenced for quality assurance/ quality control are included in the reference section of the *Generic Quality Assurance Project Plan (QAPP) for Integrated Site Assessment Activities* and, if necessary, stated in the SSQA if not already included in the *Generic Quality Assurance Project Plan (QAPP) for Integrated Site Assessment Activities*.

Section 4

QUALITY ASSURANCE / CONTROL CRITERIA AND PROCEDURES

4.1 FIELD STATION (SAMPLE) SITE SELECTION

The selection of sampling locations is based on several factors including type and purpose of the sample, representativeness, accessibility (permission to sample), location of existing wells, potential source areas of contamination, potential target/receptor locations, etc.

Selection criteria vary depending upon the type of medium being sampled, type of investigation and the purpose of the sampling. The Site Assessment Generic QAPP/SSQA will define the data quality needs and QA/QC parameters of concern for a specific project.

4.2 FIELD EQUIPMENT INSTALLATION

Generally field staff will use non-dedicated sampling equipment that is either disposable or reusable. Sampling equipment designated for reuse must be decontaminated as specified in the appropriate SOP. Some sampling locations as designated by the project manager may have dedicated sampling equipment left in place.

4.3 SAMPLING TYPES

Program staff performs most sampling activities required for completion of Site Assessment activities. The Site Assessment Generic QAPP/SSQA will define the data quality needs and QA/QC parameters of concern for a specific project. All sampling will utilize the proper and appropriate levels of personal protective equipment (PPE) and follow the appropriate guidance, standards and SOPs. Data validation and review of QA/QC sampling is performed on every Site Assessment report by a person designated by the Unit Chief or SAPM.

4.4 SAFETY CONSIDERATIONS

Field and laboratory staff that conduct environmental investigations encounter potentially dangerous situations on a frequent basis. In addition to the routine possibility of automobile or equipment accidents, employees may encounter extremely slippery surfaces, toxic or hazardous substances, infectious microorganisms, fire or electrical hazards, vicious dogs, belligerent persons, or other threatening situations.

Although it is not possible to predict every conceivable risk that may arise during the course of work, supervisors must ensure that those risks faced by staff on a recurring basis are addressed in the SOPs and are discussed during employee training. Field and laboratory staff are expected to abide by the safety protocols contained within the appropriate SOPs, general and site-specific Health and Safety Plans (HSPs). Nonsupervisory employees are expected to bring potentially unsafe practices or situations to the attention of the SAPM. The SAPM shall evaluate the practice or situation and either take the appropriate corrective action or seek the guidance of the Site Assessment Unit Chief.

4.5 REQUESTING ANALYTICAL SERVICES

Site Assessment staff can conduct field analysis according to the appropriate SOP and/or submit environmental samples to the KDHE Division of Health and Environmental Laboratory (DHEL) or use a laboratory with an approved QMP by KDHE's Laboratory Assurance Program on the Comprehensive Laboratory Services contract. Appropriate SOPs, guidance and manufacturer's manuals are to be followed for all in-field analysis, and an appropriate data validation discussion and analysis will be contained in the report.

4.6 PROCEDURES FOR ASSESSING DATA PRECISION, ACCURACY, REPRESENTATIVENESS AND COMPARABILITY

These are defined and included in the consistent with the most recent approved revision of the *Generic Quality Assurance Project Plan (QAPP) for Integrated Site Assessment Activities* and SSQAs used by Site Assessment staff.

4.6.1 ONGOING QUALITY ASSURANCE REVIEW AND SPECIAL AUDITS

QA review and audits are subject to ongoing review by the Unit Chief and Section Chief. A Remedial Section QA Auditor is responsible for conducting random spot QA audits on all Remedial Section programs under the direction of the Section Chief. The Unit Chief may also conduct random QA audits of work being performed by staff under his supervision. Annual QA Audit Reports are generated by the Unit Chief subject to Section Chief and Bureau QA Officer approval. The Section Chief is expected to track the overall QA performance of the programs within the Remedial Section.

The Section Chief provides the Bureau QA Officer with the annual QA reports/summaries for all Remedial Section programs. The Bureau QA Officer is responsible for compliance of all BER programs with QMP requirements and is also responsible for tracking QA performance for all sections within BER. The results are reported by the Bureau QA Officer to the Bureau Manager.

4.6.2 EQUIPMENT CALIBRATION AND MAINTENANCE

Equipment calibration and maintenance shall be consistent with SOPs, manufacturer's instructions/manuals and sound industrial or scientific practice. The user of equipment should ensure the equipment is checked for proper operation and is current with calibration requirements (if needed) prior to use. The user should record any malfunctions encountered while in the field associated with the equipment. The user should make sure the malfunctions are communicated to the Site Assessment Unit Chief upon return of the equipment to storage so that appropriate action can be initiated to repair the item of equipment, or initiate actions (e.g., prepare a Purchase Request or Purchase Acquisition) to procure equipment repair.

The X-ray fluorescence (XRF) instruments must have the appropriate license or X-ray tube registration. All use of the XRF must be under the direction and supervision of the Radiation Safety Officer (RSO). The RSO is responsible for supervising calibration and maintenance of the XRF. The RSO is also responsible for calibration and maintenance of radiation monitoring equipment used in the Site Assessment Program. The RSO is currently the Site Assessment Unit Chief.

Other precision instruments in use by the Site Assessment Program require specific training prior to use and the Site Assessment Unit Chief should be consulted on a site-specific basis for use of such instruments. Geophysical equipment and the KDHE field gas chromatograph (GC) unit require special training and experience in use. Radiation survey instruments require special training and must be conducted under supervision of the RSO. Only persons approved by the Site Assessment Unit Chief will be allowed to operate these types of equipment. The SSQA will detail equipment proposed for site-specific use and any subsequent special training requirements.

4.6.3 QUALITY CONTROL BLANKS AND SPIKES

Quality control samples will be obtained as specified in the SSQA consistent with the most recent approved revision of the *Generic Quality Assurance Project Plan (QAPP) for Integrated Site Assessment Activities*.

4.7 CORRECTIVE ACTION PROCEDURES

Corrective actions are procedures that may be implemented on environmental samples that do not meet QA specifications as determined by EPA or KDHE guidelines, guidance or SOPs or meet QA/QC thresholds as defined in the SSQA consistent with the most recent approved revision of the *Generic Quality Assurance Project Plan (QAPP) for Integrated Site Assessment Activities*. In general, the corrective action procedures are intended to analyze and correct the causes of QA/QC failures. The Site Assessment Unit Chief and SAPMs are responsible for reviewing data validation reports, audit reports and reports of non-compliance with appropriate guidelines and standards, to identify significant or repetitious conditions adverse to quality, or deficiencies regarding the implementation or adherence to required quality assurance practices for site-specific data.

In addition, the site-specific QA Officer designated by the SAPM is required to investigate the source(s) of the problem and is responsible for defining and/or implementing the necessary actions to remedy the problem. Corrective actions may include re-sampling, reanalyzing samples, or auditing laboratory procedures if a QA/QC failure is documented or suspected as defined in the SSQA consistent with the most recent approved revision of the *Generic Quality Assurance Project Plan (QAPP) for Integrated Site Assessment Activities*.

4.8 QUALITY ASSURANCE/CONTROL REPORTING PROCEDURES

All Site Assessment activities require a data management system including field logs, sample management and tracking procedures, and document control and inventory procedures for both laboratory data and field measurements to ensure that the data collected during the investigation are of adequate quality and quantity to support the findings of the investigation and fulfill data needs identified in the SSQA consistent with the most recent approved revision of the *Generic Quality Assurance Project Plan (QAPP) for Integrated Site Assessment Activities* consistent with KDHE project goals and the NCP.

For each measurement, the data reduction scheme or methods planned for collected data, including all equations used to calculate the concentration or value of the measured parameter, should be described or referenced in the SSQA consistent with the most recent approved revision of the *Generic Quality Assurance Project Plan (QAPP) for Integrated Site Assessment Activities*. The principal criteria employed to validate the integrity of the data during collection and reporting should be referenced. All data collected should be validated to ascertain whether it is appropriate for its intended use as proposed in the SSQA consistent with the most recent approved revision of the *Generic Quality Assurance Project Plan (QAPP) for Integrated Site Assessment Activities*. QA/QC measures implemented or monitored shall be documented in the appropriate section of the site assessment report. The site assessment report should contain an assessment of measurement data QA/QC parameters (such as accuracy, precision and completeness), results of any performance audits, results of system audits, any reported instances of non-compliance with established guidelines, and any quality assurance problems, together with recommended solutions or corrective actions taken or proposed.

4.9 DATA MANAGEMENT

Data management will occur according to methodology specified in the SSQA consistent with the most recent approved revision of the *Generic Quality Assurance Project Plan (QAPP) for Integrated Site Assessment Activities*.